

Package ‘IdMappingAnalysis’

March 26, 2013

Imports boot, mclust, RColorBrewer, Biobase

Maintainer Alex Lisovich <alex.lisovich@gmail.com>, Roger Day <day01@pitt.edu>

License GPL-2

Title ID Mapping Analysis

LazyData yes

Type Package

Author Alex Lisovich, Roger Day

Description Identifier mapping performance analysis

Version 1.2.1

biocViews Bioinformatics, Annotation, MultipleComparisons

Depends R (>= 2.14), R.oo (>= 1.10.1), rChoiceDialogs

Collate

'bootstrap.R' 'corr.R' 'corrData.R' 'data.R' 'dataFilter.R' 'zzz.R' 'display.R' 'idMap.R' 'idMapBase.R' 'idMapCounts.
package.R' 'jointIdMap.plots.R' 'jointIdMap.R' 'jointUniquePairs.extensions.R' 'jointUniquePairs.interactive.plots.R'

R topics documented:

IdMappingAnalysis-package	2
Bootstrap	2
Corr	4
CorrData	5
DataFilter	7
Display	8
examples	9
IdMap	10
IdMapBase	11
IdMapCounts	13
IdMapDiff	14
IdMapDiffCounts	16
JointIdMap	17
JointUniquePairs	19
Misc	21

Mixture	22
Subset	23
UniquePairs	24

Index	27
--------------	-----------

IdMappingAnalysis-package
IdMappingAnalysis.

Description

IdMappingAnalysis. Critically comparing identifier maps retrieved from bioinformatics annotation resources

Details

Package: IdMappingAnalysis
 Type: Package
 Version: 0.0.5
 Date: 2012-03-07
 License: GPL (>= 2)
 LazyLoad: yes

Author(s)

Alex Lisovich, Roger Day

Bootstrap *The Bootstrap class*

Description

Package:
Class Bootstrap

```
Object
~~|
~~+--IdMapBase
~~~~~|
~~~~~+--Bootstrap
```

Directly known subclasses:

```
public static class Bootstrap
  extends IdMapBase
```

The Bootstrap object encapsulates a data frame containing the unique pairs in the first two columns and the correlation results, sd and bias obtained from the bootstrapping procedure in the next 3 columns. During the object creation, the bootstrapping procedure is applied to each row of the experiment set pairs from the CorrData object optionally applying the Fisher transform to the correlation data.

Usage

```
Bootstrap(corrData=NULL, Fisher=FALSE, R=200, verbose=FALSE, ...)
```

Arguments

corrData	CorrData object on which the correlation related bootstrapping is performed.
Fisher	If TRUE , the Fisher transform of data is performed during bootstrapping. Default is FALSE .
R	The number of bootstrap replicates. Default is 200.
verbose	if TRUE enables diagnostic messages. Default is FALSE .
...	Not used.

Value

A Bootstrap object encapsulating the [data.frame](#) with following columns:

column 1	the first component (primary IDs) of unique pairs. The column name corresponds to the primary key of a source ID Map
column 2	the second component (secondary IDs) of unique pairs. The column name corresponds to the secondary key of a source ID Map
'corr' column	contains the correlation values obtained from bootstrapping
'sd' column	contains the correlation sd values obtained from bootstrapping
'bias' column	contains the correlation bias values obtained from bootstrapping

Fields and Methods

Methods:

[plot](#) Scatterplot of bootstrapped results: sd vs correlation.

Methods inherited from [IdMapBase](#):

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from [Object](#):

\$. \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
bootstrap<-Bootstrap(examples$corrData,R=20,verbose=TRUE);
class(bootstrap);
bootstrap[1:10,];
```

Corr

The Corr class

Description

Package:
Class Corr

Object

```

~~|
~~+---IdMapBase
~~~~~|
~~~~~+---Corr
```

Directly known subclasses:

```
public static class Corr
extends IdMapBase
```

Create the Corr object by performing correlations on the CorrData object using the correlation algorithm defined by the method argument. The Corr object encapsulates a [data.frame](#) containing three columns: the first two are unique pairs and the third is a correlation results with a column name reflecting the correlation method ('pearson', 'spearman' or 'kendall').

Usage

```
Corr(corrData=NULL, method="pearson", verbose=FALSE, ...)
```

Arguments

corrData	CorrData object on which correlation is performed or a data.frame compliant with the Corr object internal data frame format.
method	Correlation method ('pearson', 'spearman' or 'kendall'). Default is 'pearson'.
verbose	if TRUE enables diagnostic messages. Default is FALSE .
...	Not used.

Fields and Methods**Methods:**

getData	Extract correlation results from the Corr object.
getUniquePairs	Extract unique pairs from the Corr object.
plot	Plot the density distributions for correlation object(s).

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$, \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
corr<-Corr(examples$corrData,method="spearman",verbose=TRUE);
class(corr);
corr[1:10,];
```

CorrData

*CorrData class***Description**

Package:

Class CorrData[Object](#)

~~|

~~+--CorrData

Directly known subclasses:public static class **CorrData**extends [Object](#)

CorrData object stores the pair of experiments on which the correlation related processing is performed (MS/MS and mRNA for example) in such a way that two experiments are aligned by experiment names and by the primary keys ensuring the fast correlations. Typically, the primary ID of the ID Map set under consideration is a primary key for a first experiment, and the secondary ID if the ID Map set is a primary key for a second experiment. The alignment of two experiments by primary keys is guaranteed by using the unique pairs object to produce a matching pair of primary keys on which both experiments are ordered. Represented by a list of two elements with names corresponding to the primary and secondary IDs of the unique pairs ('acc' and 'probeset' for example), each element containing a data frame with primary or secondary IDs in the first column

while the rest of columns contain the experiment data. The names of the data columns in both data frames are identical and correspond to the sample IDs. The match of sample IDs and an alignment by primary/secondary IDs is ensured by the proper processing during the object creation.

Usage

```
CorrData(uniquePairs=NULL, expSet1=NULL, expSet2=NULL, verbose=FALSE, ...)
```

Arguments

uniquePairs	UniquePairs object or a list of such objects on which a single or a list of CorrData objects is constructed.
expSet1	a first ExperimentSet object with primary IDs corresponding (partially intersecting) with the content the first column of UniquePairs (uniquePairsData) object.
expSet2	a second ExperimentSet object with primary IDs corresponding (partially intersecting) with the content the second column of UniquePairs (uniquePairsData) object.
verbose	if TRUE enables diagnostic messages. Default is FALSE .
...	Not used.

Fields and Methods

Methods:

as.MultiSet	Convert CorrData object into MultiSet object.
getExperimentSet	Get experiment set data frame for a given modality.
getSampleNames	Get experiment sample names.
getUniquePairs	Extract unique pairs from the CorrData object.
interactive.plot	Draw a scatterplot of experiment data interactively.
plot	Scatterplot of experiment data.
primaryKey	Retrieves a primary key for a given CorrData object.
secondaryKey	Retrieves a secondary key for a given CorrData object.

Methods inherited from Object:

\$, \$<-, [, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
corrData<-CorrData(examples$uniquePairs,
examples$msmsExperimentSet,examples$mrnaExperimentSet,verbose=TRUE);
class(corrData);
```

DataFilter

*The DataFilter class***Description**

Package:

Class DataFilter[Object](#)

~~|

~~+--DataFilter

Directly known subclasses:public static class **DataFilter**extends [Object](#)

Serves as a wrapper for data data filtering functions define as static methods of the DataFilter class.

Usage

DataFilter()

Arguments

... Not used.

Fields and Methods**Methods:**[do.apply](#)

Filter experiment using constraints.

[fisherTransform](#)

Compute the Fisher transform.

[fisherTransformInverse](#)

Compute the Fisher inversed transform.

[fisherTransform.Jacobean](#)

Compute the Fisher transform Jacobean.

[log10](#)

Compute log10 of a numerical vector combined with thresholding on minimum value.

[minAvgCountConstraint](#)

Perform mean based thresholding of an input vector.

[minCountConstraint](#)

Perform minimum count based thresholding of an input vector.

[minCountGroupConstraint](#)

Perform minimum count based thresholding of an input vector subdivided into groups.

[removeNASeries](#)

Remove NA series from the experiment set.

Methods inherited from Object:

\$, \$<-, [], [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Display

The Display class

Description

Package:

Class Display

[Object](#)

~~|

~~+--Display

Directly known subclasses:

public static class **Display**

extends [Object](#)

Serves as a wrapper for a set of graphical functions defined as static methods of Display class

Usage

Display()

Arguments

... Not used.

Fields and Methods**Methods:**

copy	Save current plot to the file.
create	Open a new display device.
line.loess	Plot loess transformed data.
line.unsorted	Draw a curve from unsorted points.
progressMsg	Display a progress message.
textBoundingBox	Determine the size of the text bounding box.
zoom.pars	Zoom graphics parameters.

Methods inherited from Object:

\$, \$<-, [], [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

examples

IdMappingAnalysis sample data...

Description

IdMappingAnalysis sample data

Value

A list containing the following sample items:

mrnaExperimentSet	MRNA Experiment sample data frame
msmsExperimentSet	MSMS Experiment sample data frame
outcomeMap	outcome sample data frame
identDfList	list of ID Map sample data frames collected from various services
jointIdMap	sample JointIdMap object for exploring the various DBs quantitative identifier mapping performance
jointIdMap_corr	sample JointIdMap object for exploring the various DBs correlation based identifier mapping performance
uniquePairs	sample UniquePairs object
jointUniquePairs	sample JointUniquePairs object
corrData	sample CorrData object suitable for subsequent fast correlations
corr	sample Corr object encapsulating the correlation results
mixture	sample Mixture object encapsulating the mixture modeling results
bootstrap	sample Bootstrap object encapsulating the results of bootstrapping on correlations

Author(s)

Alex Lisovich, Roger Day

IdMap

*The ID Map class***Description**

Package:

Class IdMap

Object

```

~|
~|
~|+---IdMapBase
~|
~|
~|+---IdMap

```

Directly known subclasses:

```

public static class IdMap
extends IdMapBase

```

IdMap is an object encapsulating a data frame with two columns (Primary ID and Secondary ID) where primaryID is a character string uniquely identifying the ID under consideration (unprot accessions ID or acc, Entrez Gene ID etc) and the Secondary ID is a comma separated list of secondary IDs associated with a given primary ID for a particular DB service. The analysis typically starts from obtaining a set of ID Maps (from the various DB services) which are not assumed to have the same number of rows or the same set of primary IDs. The process of alignment of this ID Maps is performed within the JointIdMap

Usage

```
IdMap(DF=NULL, name="", primaryKey=colnames(DF)[1], secondaryKey=colnames(DF)[2], ...)
```

Arguments

DF	A data.frame consisting of two columns (primary and secondary IDs) from which the IdMap object is to be created.
name	A character string representing the name of the given IdMap object. Default is ""
primaryKey	The name of the primary (first) column in an ID Map. If missing then the input data frame first column name is used and if it is not available defaults to 'From'.
secondaryKey	The name of secondary (second) column in an ID Map. If missing then the input data frame second column name is used and if it is not available defaults to 'To'.
...	Not used.

Fields and Methods**Methods:**

as	-
as.list	Coerce an object or a list of compatible object to the IdMap object or a list of IdMap objects.
as.UniquePairs	Create a UniquePairs object from a given IdMap object.
getCounts	Compute the count of secondaryIDs for each primary ID.
merge	Merge the IdMap object with a second IdMap object or a list of IdMap objects.
swapKeys	Swap the primary and secondary key columns.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$, \$<-, [, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
obj<-IdMap(examples$identDfList[[2]]);
obj$primaryKey();
obj$secondaryKey();
```

IdMapBase

The ID Map base class

Description

Package:

Class IdMapBase

[Object](#)

~~|

~~+--IdMapBase

Directly known subclasses:

[Bootstrap](#), [Corr](#), [IdMap](#), [IdMapCounts](#), [IdMapDiff](#), [IdMapDiffCounts](#), [JointIdMap](#), [JointUniquePairs](#), [UniquePairs](#)

public static class **IdMapBase**

extends [Object](#)

IdMapBase is an abstract object encapsulating a data frame with at least two columns, the first one (primary) containing character string *s* identifying the ID under consideration (unprot accessions ID or acc, Entrez Gene ID etc) and the rest of columns containing the various information associated with a given primary ID for a particular DB service.

Usage

```
IdMapBase(DF=NULL, name="", primaryKey=NULL, secondaryKey=NULL, ...)
```

Arguments

DF	A data.frame consisting of two columns (primary and secondary IDs) from which the IdMap object is to be created.
name	A character string representing the name of the given IdMap object. Default is ""
primaryKey	The primary identifier type from which the ID conversion is performed. If NULL (default) then the input data frame first column name is used and if it is not available defaults to 'From'.
secondaryKey	The secondary identifier type to which conversion is performed. Default is NULL .
...	Not used.

Fields and Methods**Methods:**

[Access the elements of a data frame encapsulated within the given IdMapBase object using indexation
aligned	Checks if two IdMapBase objects match on column names and primary ID set.
as.data.frame	Retrieves a data frame encapsulated within the given IdMapBase object.
dim	Retrieves dimensions of data frame encapsulated within the given IdMapBase object.
dimnames	Retrieve or set the dimnames of data frame encapsulated within the given IdMapBase object.
getName	Get the name a given IdMapBase object.
primaryIDs	Retrieves the primary IDs for a given IdMapBase object.
primaryKey	Retrieves a primary key for a given IdMapBase object.
secondaryKey	Retrieves a secondary key for a given IdMapBase object.

Methods inherited from Object:

\$, \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
DF<-array(0,dim=c(5,2));
obj<-IdMapBase(DF,primaryKey="primary",secondaryKey="secondary");
```

IdMapCounts *The IdMapCounts class*

Description

Package:

Class IdMapCounts

Object

```

~|
~+--IdMapBase
~~~~~|
~~~~~+--IdMapCounts

```

Directly known subclasses:

```

public static class IdMapCounts
extends IdMapBase

```

An IdMapCounts object encapsulates a [data.frame](#) where the first column contains the primary ID set while the rest of columns contain the counts of secondary IDs for each Id Map in a given idMapList object, one column per ID Map, each ID Map related column having a name representing the given DB data source (i.e. 'NetAffx', 'EnVision' etc.) The constructor creates the IdMapCounts object from the list of ID Maps aligned by the primary IDs and primary and secondary keys. The easiest way to obtain the list of properly aligned IdMap objects is to create a JointIdMap object from a set of un-aligned ID maps and then invoke the getIdMapList() method on this object. The IdMapCounts object can also be created directly from JointIdMap object by using the JointIdMap.\$getCounts() method.

Usage

```
IdMapCounts(idMapList=NULL, verbose=FALSE, ...)
```

Arguments

idMapList	The list of ID Maps aligned on primary IDs.
verbose	If TRUE enables diagnostic messages. Default is FALSE
...	Not used.

Fields and Methods

Methods:

getStats	Retrieves a set of unique counts of secondary IDs.
plot	Compute and plot the (inversed) ecdf for each ID Map count entry within the IdMapCounts object.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$. \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
idMaps<-IdMap$as.list(examples$identDfList[[1]]);
cnts<-IdMapCounts(IdMap(examples$identDfList[[1]]));
cnts[1:20,];

#create IdMapCounts object from aligned IdMap list.
jointIdMap<-JointIdMap(examples$identDfList);
idMaps<-jointIdMap$getIdMapList(verbose=TRUE);
cnts<-IdMapCounts(idMaps);
cnts[1:20,];

#create IdMapCounts object directly from the JointIdMap object
jointIdMap<-JointIdMap(examples$identDfList);
cnts<-jointIdMap$getCounts(verbose=TRUE);
```

IdMapDiff

The IdMapDiff class

Description

Package:

Class IdMapDiff

Object

```
~~|
~~+--IdMapBase
~~~~~|
~~~~~+--IdMapDiff
```

Directly known subclasses:

public static class **IdMapDiff**

extends [IdMapBase](#)

IdMapDiff constructor implements most time consuming step in comparing two DBs and the structure itself stores the results in a compact form. The IdMapDiff object encapsulates a [data.frame](#)

the first column of which contains the primary IDs and the rest of columns contain a disjoint representation of the ID Map pair in the form of 3 columns $\langle A-A*B, A*B, B-A*B \rangle$, where A and B are secondary ID lists for ID Maps A and B. This class is separated from the IdMapDiffCounts in anticipation of being used by various processing pipelines in a future.

Usage

```
IdMapDiff(idMap1=NULL, idMap2=NULL, pairNames=c("First", "Second"), verbose=FALSE, ...)
```

Arguments

idMap1	The first ID Map object on which IdMapDiff object is constructed.
idMap2	The second ID Map object on which IdMapDiff object is constructed.
pairNames	The character vector of length 2 representing the names of the ID Map pair. Default is c('First', 'Second').
verbose	If TRUE enables diagnostic messages.
...	Not used.

Fields and Methods

Methods:

No public methods defined.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$. \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
#get primary IDs from an msms experiment set
IDs<-IdMapBase$primaryIDs(examples$msmsExperimentSet);

#create JointIdMap object aligned by primaryIDs
jointIdMap<-JointIdMap(examples$identDfList,primaryIDs=IDs);

# get IdMap list aligned of two ID maps aligned by primaryIDs
idMaps<-jointIdMap$getIdMapList(verbose=TRUE);

#create IdMapDiff object
diffs<-IdMapDiff(idMaps[["NetAffx_F"]],idMaps[["DAVID_Q"]]);
diffs[1:10,];

# create IdMapDiff object directly from JointIdMap
diffs<-jointIdMap$getDiff("NetAffx_F","DAVID_Q",verbose=TRUE);
```

IdMapDiffCounts *The IdMapDiffCounts class*

Description

Package:

Class IdMapDiffCounts

Object

```

~|
~+--IdMapBase
~~~~~|
~~~~~+--IdMapDiffCounts

```

Directly known subclasses:

```

public static class IdMapDiffCounts
extends IdMapBase

```

The IdMapDiffCounts class handles statistics on IdMapDiff object. IdMapDiffCounts object encapsulates a data frame with row names corresponding to the primary IDs and 6 columns subdivided into pairs <match(TRUE/FALSE),count> each pair corresponding to the disjoint events <A-A*B,A*B,B-A*B>, where A and B are secondary ID lists for ID Maps A and B from the IdMapDiff object. The 'pairNames' attribute of the IdMapDiffCounts contains the names of the source ID Map pair from which the IdMapDiff object was created.

Usage

```
IdMapDiffCounts(idMapDiff=NULL, verbose=FALSE, ...)
```

Arguments

idMapDiff	The IdMapDiff on which IdMapDiffCounts is created. Default is NULL .
verbose	If TRUE enables diagnostic messages. Default is FALSE .
...	Not used.

Fields and Methods

Methods:

getCompoundEvents	Get compound events.
getCompoundGroups	Get counts for each compound event in IdMapDiffCounts.
plot	Produce a fountain plot representing the quantitative relationship of the compound events.
summary	Get a compound event counts summary report.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$. \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
#get primary IDs from an msms experiment set
IDs<-IdMapBase$primaryIDs(examples$msmsExperimentSet);

#create JointIdMap object aligned by primaryIDs
jointIdMap<-JointIdMap(examples$identDfList,primaryIDs=IDs);

#create IdMapDiff object
diffs<-jointIdMap$getDiff("NetAffx_F","DAVID_Q",verbose=TRUE);

# create IdMapDiffCounts object
diffCounts<-IdMapDiffCounts(diffs);
diffCounts[1:10,];
```

JointIdMap

The Joint ID Map class

Description

Package:

Class JointIdMap

Object

```
~~|
~~|--IdMapBase
~~~~~|
~~~~~|--JointIdMap
```

Directly known subclasses:

```
public static class JointIdMap
extends IdMapBase
```

JointIdMap is an object encapsulating a [data.frame](#) containing the primary ID set in a first column while the rest of columns containing the sets of secondary IDs, each column corresponding to a particular Id Map, keeping all Id Maps properly aligned

Usage

```
JointIdMap(idMapList=list(), primaryIDs=NULL, name="", verbose=FALSE, ...)
```

Arguments

idMapList	The list of ID Maps on which the JointData is constructed.
primaryIDs	The optional character vector of primary IDs on which an additional intersection and reordering are performed.
name	The optional name of a given JointIdMap object. Default is ""
verbose	if TRUE enables diagnostic messages. Default is @FASLE .
...	Not used

Fields and Methods**Methods:**

as.data.frame	Retrieve a data frame encapsulated within the given JointIdMap object.
diffCounts.plot	Interactive wrapper for IdMapDiffCounts\$plot.
ecdf.plot	Interactive wrapper for IdMapCounts\$plot.
getCounts	Create an IdMapCounts object.
getDiff	Create an IdMapDiff object.
getIdMapList	Create an Id Map list from a JointIdMap object.
getMapNames	Get the names of IdMap objects encapsulated within the given JointIdMap object.
getMatchInfo	Get match table(s) for a given set of primary IDs.
getUnionIdMap	Create a union IdMap.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$, \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Roger Day,Alex Lisovich

Examples

```
jointIdMap<-JointIdMap(examples$identDfList);

jointIdMap$primaryKey();
jointIdMap$secondaryKey();

jointIdMap[1:10,];
```

JointUniquePairs

*The JointUniquePairs class***Description**

Package:

Class JointUniquePairs

Object

```

~|
~+---IdMapBase
~|
~+---JointUniquePairs

```

Directly known subclasses:

```

public static class JointUniquePairs
extends IdMapBase

```

UniquePairsMatch object encapsulates a data frame the first two columns of which contain the unique pairs corresponding to the merge (union) of all ID Maps in consideration while the rest of columns contains the match (logical value) between the merged unique pairs set and a unique pairs set specific to the particular ID Map ('d8', 'enV', 'netAffx' etc), one column per Id Map. Used in combination with correlation related data objects (CorrData, Corr, Mixture etc.) to aid in on-fly processing related to some classification by a particular match group The UniquePairsMatch constructor creates an object from the UniquePairs and an ID Map list computing the match (inclusions) for each particular ID Map.

Usage

```
JointUniquePairs(uniquePairs=NULL, idMapList=NULL, name="", verbose=FALSE, ...)
```

Arguments

uniquePairs	UniquePairs object on which a UniquePairsMatch is created or a data.frame complying with the UniquePairs class internal data frame format. In case the UniquePairs object is used as a first argument, it's typically obtained from the JointIdMap object by invoking JointIdMap\$getUnionIdMap()
idMapList	the list of ID Maps on which the match is performed during the UniquePairsMatch object creation The idMapList typically obtained through the call to the JointIdMap.getIdMapList() of the same JointIdMap object as for the first argument to ensure that both arguments are properly aligned.
name	A character string representing the name of the given IdMap object. Default is ""
verbose	If TRUE enables diagnostic messages. Default is FALSE .
...	Not used.

Fields and Methods**Methods:**

boxplot	Draw a basic boxplot based on a given JointUniquePairs object and external data.
corr.boxplot	Boxplot of correlations by match group.
corr.plot	Plot the density distributions for a set of correlation objects derived from JointUniquePairs.
do.glm	Compute linear regression for the given set of ID Maps.
getBootstrap	Create Bootstrap object from JointUniquePairs object and two experiment sets.
getCorr	Extract a set of correlation objects from given JointUniquePairs object and corresponding ID Maps.
getCorrData	Create CorrData object from the JointUniquePairs object and two experiment sets.
getCorrDataFrame	Merge JointUniquePairs and Corr objects into a single data frame.
getMapNames	Get the names of UniquePairs objects encapsulated within the given JointUniquePairs object.
getMatchInfo	Get match table(s) for a given set of primary IDs.
getMixture	Extract mixture model object from JointUniquePairs and Corr objects.
getUniquePairs	Extract the unity UniquePairs object from a given JointUniquePairs object.
interactive.corr.boxplot	Interactive boxplot of correlations by match group.
interactive.corr.plot	Interactive plot of correlation densities.
interactive.mixture.boxplot	Interactive boxplot of mixture component probabilities by match group.
interactive.mixture.plot	Interactive plot of mixture model components.
interactive.plot	General purpose JointUniquePairs interactive plot function.
mixture.boxplot	Boxplot of a mixture model component by match group.
mixture.plot	Plot the correlation densities of the empirical fit, mixture fit and each of the mixture components.
subsetCorr	Subset the Corr object.
subsetData	Subset data on a UniquePairsMatch object.
subsetGroups	Get a JointUniquePairs subset.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$. \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
#create JointIdMap
jointIdMap<-JointIdMap(examples$identDfList);

#creaaate unique pairs from the union of all IdMaps within JointIdMap
pairs<-as.UniquePairs(jointIdMap$getUnionIdMap(verbose=TRUE),verbose=TRUE);

#create JointUniquePairs object
jointPairs<-JointUniquePairs(pairs,jointIdMap$getIdMapList(),verbose=TRUE);
jointPairs[1:10,];
```

Misc

*The Misc class***Description**

Package:
Class Misc

[Object](#)

```

~~|
~~+---Misc

```

Directly known subclasses:

```

public static class Misc
extends Object

```

Serves as a wrapper for various miscellaneous functions used throughout the package defined as static methods of the Misc class.

Usage

```
Misc()
```

Arguments

```
...          Not used.
```

Fields and Methods**Methods:**

CsvList.merge	Pairwise merge of two string vectors.
interleave	Interleave two matrixes by columns.
to.base	Convert number to a numeric vector of a given base.
to.binary.logical	Convert number to a vector of logicals.
to.index.expr	Convert expression into index expression for a given list or data frame object.
words	Convert space delimited string to a vector of words.

Methods inherited from Object:

\$, \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Mixture

*The Mixture class***Description**

Package:

Class Mixture[Object](#)

~~|

~~+---Mixture

Directly known subclasses:public static class **Mixture**extends [Object](#)

The constructor creates a model from a single `Corr` object using the number of clusters defined by `G` determining the optimal number of clusters by default and optionally using the Fisher transform.

Usage

```
Mixture(corr=NULL, G=c(1:5), Fisher=FALSE, verbose=FALSE, ...)
```

Arguments

<code>corr</code>	Corr object on which mixture modeling is performed.
<code>G</code>	number of components in mixture model. If <code>G</code> is a vector, the optimal number of components is determined. <code>G</code> is a vector (1:5) by default.
<code>Fisher</code>	if TRUE , the Fisher transform of correlation data is performed before the model is fitted. Default is FALSE .
<code>verbose</code>	if TRUE enables diagnostic messages. Default is FALSE .
<code>...</code>	Not used.

Value

The resulting `Mixture` object encapsulates a data member `'model'` containing the results of mixture modeling represented by the [list](#) with following components:

<code>corr</code>	the correlation data
<code>clust</code>	the clustering results data structure returned by <code>Mclust()</code>
<code>sd</code>	standard deviation derived from <code>clust\$parameters\$variance\$sigma_{sq}</code>
<code>density</code>	the correlation density distribution
<code>marginalDensity</code>	the marginal density

Fields and Methods**Methods:**

<code>clust</code>	Retrieve the clustering results data structure.
<code>getData</code>	Extract mixture component data from the Mixture object.
<code>getStats</code>	Get mixture component model summary info.
<code>plot</code>	Plot the results of mixture modeling.
<code>primaryKey</code>	Retrieves a primary key for a given Mixture object.
<code>secondaryKey</code>	Retrieves a secondary key for a given Mixture object.

Methods inherited from Object:

`$`, `$<-`, `[[`, `[[<-`, `as.character`, `attach`, `attachLocally`, `clearCache`, `clone`, `detach`, `equals`, `extend`, `finalize`, `gc`, `getEnvironment`, `getFields`, `getInstantiationTime`, `getStaticInstance`, `hasField`, `hashCode`, `ll`, `load`, `objectSize`, `print`, `registerFinalizer`, `save`

Author(s)

Alex Lisovich, Roger Day

Examples

```
mixture<-Mixture(examples$corr,G=c(1:4),Fisher=TRUE,verbose=TRUE);
class(mixture);
names(mixture$.model)
```

 Subset

The Subset class

Description

Package:

Class Subset

`Object`

~~|

~~+--Subset

Directly known subclasses:

public static class **Subset**

extends `Object`

Serves as a wrapper for data frame subsetting functions defined as static methods of the Subset class.

Usage

`Subset(...)`

Arguments

... Not used.

Fields and Methods**Methods:**

[byColNames](#) Extract subset of columns from a data frame or a list of data frames.
[byColumn](#) # Extract subset of rows from a data frame or a list of data frames by intersecting on a particular column.
[byRow](#) Extract subset of columns from a data frame or a list of data frames by intersecting on a particular row.
[byRowNames](#) Extract subset of columns from a data frame or a list of data frames.

Methods inherited from Object:

\$, \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

UniquePairs

The UniquePairs class

Description

Package:

Class UniquePairs

[Object](#)

```

~~|
~~+--IdMapBase
~~~~~|
~~~~~+--UniquePairs

```

Directly known subclasses:

```

public static class UniquePairs
extends IdMapBase

```

The alternative representation of an IdMap suitable for performing the correlation related processing. Contains a data frame with two columns, each row of which represents a unique pair <primary ID, secondary ID> where primary ID corresponds to the primaryIDs of an ID Map and secondary ID corresponds to a single ID from a list of comma separated secondary IDs within the corresponding ID Map. The column names correspond to the primary/secondary keys of an Id Map ('acc' and 'probeset' for example)

Usage

```
UniquePairs(DF=NULL, name="", primaryKey=colnames(DF)[1], secondaryKey=colnames(DF)[2], ...)
```

Arguments

DF	A data.frame consisting of two columns (primary and secondary IDs) from which the UniquePairs object is to be created.
name	A character string representing the name of the given UniquePairs object. Default is ""
primaryKey	The name of the primary (first) column of a data.frame encapsulated within the UniquePairs object. If missing then the input data frame first column name is used and if it is not available defaults to 'From'.
secondaryKey	The name of secondary (second) column in an ID Map. If missing then the input data frame second column name is used and if it is not available defaults to 'To'.
...	Not used.

Fields and Methods**Methods:**

as.IdMap	Convert the UniquePairs object into the IdMap object.
as	-
create	Create a UniquePairs object from a single IdMap or a list of IdMap objects.
equals	Check if two unique pairs data structures are identical.
getMatch	Get the logical vector of pair matches of the given UniquePairs object in other UniquePair object(s).
swapKeys	Swap the primary and secondary key columns.
unique	Extract unique elements.

Methods inherited from IdMapBase:

[, aligned, as.data.frame, dim, dimnames, getName, primaryIDs, primaryKey, secondaryKey

Methods inherited from Object:

\$. \$<-, [[, [[<-, as.character, attach, attachLocally, clearCache, clone, detach, equals, extend, finalize, gc, getEnvironment, getFields, getInstantiationTime, getStaticInstance, hasField, hashCode, ll, load, objectSize, print, registerFinalizer, save

Author(s)

Alex Lisovich, Roger Day

Examples

```
DF<-matrix(
  c("P25685","200664_s_at",
    "P25685","200666_s_at",
    "Q6ZV71","205208_at",
    "Q6ZV71","215798_at",
    "P05164","203948_s_at"
  ),ncol=2,nrow=5,byrow=TRUE);
colnames(DF)<-c("Uniprot","Affy");
```

```
uniquePairs<-UniquePairs(DF);
```

Index

*Topic **classes**

- Bootstrap, 2
- Corr, 4
- CorrData, 5
- DataFilter, 7
- Display, 8
- IdMap, 10
- IdMapBase, 11
- IdMapCounts, 13
- IdMapDiff, 14
- IdMapDiffCounts, 16
- JointIdMap, 17
- JointUniquePairs, 19
- Misc, 21
- Mixture, 22
- Subset, 23
- UniquePairs, 24

*Topic **data**

- examples, 9

*Topic **package**

- IdMappingAnalysis-package, 2
- [, 12

- aligned, 12
- as.data.frame, 12, 18
- as.IdMap, 25
- as.list, 11
- as.MultiSet, 6
- as.UniquePairs, 11

- Bootstrap, 2, 11
- boxplot, 20
- byColNames, 24
- byColumn, 24
- byRow, 24
- byRowNames, 24

- character, 10, 12, 18, 19, 25
- clust, 23
- copy, 8
- Corr, 4, 11
- corr.boxplot, 20
- corr.plot, 20
- CorrData, 5

- create, 8, 25

- CsvList.merge, 21

- data.frame, 3, 4, 10, 12–14, 17, 19, 25
- DataFilter, 7
- diffCounts.plot, 18
- dim, 12
- dimnames, 12
- Display, 8
- do.apply, 7
- do.glm, 20

- ecdf.plot, 18

- equals, 25

- examples, 9

- FALSE, 3, 4, 6, 13, 16, 19, 22

- fisherTransform, 7

- fisherTransformInverse, 7

- fisherTransform.Jacobian, 7

- getBootstrap, 20

- getCompoundEvents, 16

- getCompoundGroups, 16

- getCorr, 20

- getCorrData, 20

- getCorrDataFrame, 20

- getCounts, 11, 18

- getData, 5, 23

- getDiff, 18

- getExperimentSet, 6

- getIdMapList, 18

- getMapNames, 18, 20

- getMatch, 25

- getMatchInfo, 18, 20

- getMixture, 20

- getName, 12

- getSampleNames, 6

- getStats, 13, 23

- getUnionIdMap, 18

- getUniquePairs, 5, 6, 20

- IdMap, 10, 11

- IdMapBase, 2–4, 10, 11, 13, 14, 16, 17, 19, 24

- IdMapCounts, 11, 13

- IdMapDiff, [11](#), [14](#)
- IdMapDiffCounts, [11](#), [16](#)
- IdMappingAnalysis
 - (IdMappingAnalysis-package), [2](#)
- IdMappingAnalysis-package, [2](#)
- interactive.corr.boxplot, [20](#)
- interactive.corr.plot, [20](#)
- interactive.mixture.boxplot, [20](#)
- interactive.mixture.plot, [20](#)
- interactive.plot, [6](#), [20](#)
- interleave, [21](#)

- JointIdMap, [11](#), [17](#)
- JointUniquePairs, [11](#), [19](#)

- line.loess, [8](#)
- line.unsorted, [8](#)
- list, [13](#), [18](#), [22](#)
- log10, [7](#)

- merge, [11](#)
- minAvgCountConstraint, [7](#)
- minCountConstraint, [7](#)
- minCountGroupConstraint, [7](#)
- Misc, [21](#)
- Mixture, [22](#)
- mixture.boxplot, [20](#)
- mixture.plot, [20](#)

- NULL, [12](#), [16](#)

- Object, [2](#), [4](#), [5](#), [7](#), [8](#), [10](#), [11](#), [13](#), [14](#), [16](#), [17](#), [19](#),
[21–24](#)

- plot, [3](#), [5](#), [6](#), [13](#), [16](#), [23](#)
- primaryIDs, [12](#)
- primaryKey, [6](#), [12](#), [23](#)
- progressMsg, [8](#)

- removeNASeries, [7](#)

- secondaryKey, [6](#), [12](#), [23](#)
- Subset, [23](#)
- subsetCorr, [20](#)
- subsetData, [20](#)
- subsetGroups, [20](#)
- summary, [16](#)
- swapKeys, [11](#), [25](#)

- textBoundingBox, [8](#)
- to.base, [21](#)
- to.binary.logical, [21](#)
- to.index.expr, [21](#)
- TRUE, [3](#), [4](#), [6](#), [13](#), [15](#), [16](#), [18](#), [19](#), [22](#)
- unique, [25](#)
- UniquePairs, [11](#), [24](#)
- words, [21](#)
- zoom.pars, [8](#)