

Package ‘DOSE’

October 9, 2013

Type Package

Title Disease Ontology Semantic and Enrichment analysis

Version 1.6.0

Author Guangchuang Yu, Li-Gen Wang

Maintainer Guangchuang Yu <guangchuangyu@gmail.com>

Description Implemented five methods proposed by Resnik, Schlicker, Jiang, Lin and Wang respectively for measuring DO semantic similarities, and hypergeometric test for enrichment analysis.

Depends R (>= 2.10), ggplot2

Imports methods, plyr, qvalue, stats4, AnnotationDbi, DO.db,org.Hs.eg.db, igraph, scales, reshape2, graphics, GOSemSim

Suggests clusterProfiler, ReactomePA

License Artistic-2.0

biocViews Bioinformatics, Annotation

Collate ‘AllGenerics.R’ ‘barplot.R’ ‘ClassDOParams.R’ ‘cnetplot.R’ ‘DOSE-package.R’ ‘doSim.R’ ‘enrich.internal.R’ ‘enrichDO.R’ ‘geneSim.R’ ‘simplot.R’ ‘utilities.R’ ‘zzz.R’

R topics documented:

DOSE-package	2
ALLEXTID	3
cnetplot	3
computeIC	4
DataSet	4
DOParams-class	5
doSim	5
enrich.internal	6
enrichDO	6

enrichResult-class	7
EXTID2NAME	8
EXTID2TERMID	8
gene2DO	9
geneSim	9
list2graph	10
plot	11
rebuildAnnoData	11
setReadable<-	12
show	12
sim	13
simplot	13
summary	14
TERM2NAME	14
TERMID2EXTID	15

Index 16

DOSE-package	<i>Disease Ontology Semantic and Enrichment analysis Implemented five methods proposed by Resnik, Schlicker, Jiang, Lin and Wang respectively for measuring DO semantic similarities, and hypergeometric test for enrichment analysis.</i>
--------------	--

Description

This package is designed to estimate DO-based semantic similarity measurement and enrichment analysis.

Details

Package:	DOSE
Type:	Package
Version:	1.1.6
Date:	2-27-2012
biocViews:	Bioinformatics, Annotation
Depends:	
Imports:	methods, AnnotationDbi, DO.db
Suggests:	clusterProfiler, GOSemSim
License:	Artistic-2.0

Author(s)

Guangchuang Yu, Li-Gen Wang

Maintainer: Guangchuang Yu <guangchuangyu@gmail.com>

See Also

[DOParams](#), [enrichResult](#)

ALLEXTID	<i>Get all background External ID.</i>
----------	--

Description

Get all background External ID.

Usage

```
ALLEXTID(organism)
```

Arguments

organism	organism
----------	----------

cnetplot	<i>plot gene net by categories</i>
----------	------------------------------------

Description

plot function of gene Concept Net.

Usage

```
cnetplot(inputList, categorySize = "geneNum",
  showCategory = 5, pvalue = NULL, logFC = NULL,
  output = "fixed")
```

Arguments

inputList	a list of gene IDs
categorySize	setting category size
showCategory	number of categories to plot
pvalue	pvalue
logFC	log fold Change
output	output type

Value

plotted igraph object.

Author(s)

Guangchuang Yu <http://ygc.name>

computeIC	<i>compute information content</i>
-----------	------------------------------------

Description

compute information content

Usage

```
computeIC(ont = "DO", organism = "human")
```

Arguments

ont	"DO"
organism	"human"

Value

NULL

Author(s)

Guangchuang Yu <http://ygc.name>

DataSet	<i>Datasets Information content and DO term to entrez gene IDs mapping</i>
---------	--

Description

Datasets Information content and DO term to entrez gene IDs mapping

DOParams-class	<i>Class "DOParams" This class contains parameters for calculating DO semantic similarity among DO term or Gene list.</i>
----------------	---

Description

Class "DOParams" This class contains parameters for calculating DO semantic similarity among DO term or Gene list.

Author(s)

Guangchuang Yu <http://ygc.name>

See Also

[sim](#)

doSim	<i>doSim</i>
-------	--------------

Description

measuring similarities between two DO term vectors.

Usage

```
doSim(DO1D1, DO1D2, method = "Wang", organism = "human")
```

Arguments

DO1D1	DO term vector
DO1D2	DO term vector
method	one of "Wang", "Resnik", "Rel", "Jiang", and "Lin".
organism	only "human" supported

Details

provide two DO term vectors, this function will calculate their similarities.

Value

score matrix

Author(s)

Guangchuang Yu <http://ygc.name>

enrich.internal *enrich.internal*

Description

internal method for enrichment analysis

Usage

```
enrich.internal(gene, organism, pvalueCutoff,  
               qvalueCutoff, ont, readable)
```

Arguments

gene	a vector of entrez gene id.
organism	supported organism.
pvalueCutoff	Cutoff value of pvalue.
qvalueCutoff	Cutoff value of qvalue.
ont	Ontology
readable	whether mapping gene ID to gene Name

Details

using the hypergeometric model

Value

A enrichResult instance.

Author(s)

Guangchuang Yu <http://ygc.name>

enrichDO *DO Enrichment Analysis of a gene set.*

Description

Given a vector of genes, this function will return the enrichment DO categories with FDR control.

Usage

```
enrichDO(gene, ont = "DOLite", pvalueCutoff = 0.05,  
         qvalueCutoff = 1, readable = F)
```

Arguments

gene	a vector of entrez gene id.
ont	one of DO or DOLite.
pvalueCutoff	Cutoff value of pvalue.
qvalueCutoff	Cutoff value of qvalue.
readable	whether mapping gene ID to gene Name

Value

A enrichResult instance.

Author(s)

Guangchuang Yu <http://ygc.name>

See Also

[enrichResult-class](#)

Examples

```
set.seed(123)
data(EG2D0)
gene = sample(names(EG2D0), 30)
yy = enrichDO(gene, pvalueCutoff=0.05)
summary(yy)
```

enrichResult-class	<i>Class "enrichResult" This class represents the result of DO enrichment analysis.</i>
--------------------	---

Description

Class "enrichResult" This class represents the result of DO enrichment analysis.

Author(s)

Guangchuang Yu <http://ygc.name>

See Also

[enrichDO](#)

EXTID2NAME	<i>EXTID2NAME</i>
------------	-------------------

Description

mapping gene ID to gene Symbol

Usage

EXTID2NAME(geneID, organism)

Arguments

geneID	entrez gene ID
organism	one of "human", "mouse" and "yeast"

Value

gene symbol

Author(s)

Guangchuang Yu <http://ygc.name>

EXTID2TERMID	<i>Mapping External ID to Ontology Term ID</i>
--------------	--

Description

Mapping External ID to Ontology Term ID

Usage

EXTID2TERMID(gene, organism)

Arguments

gene	gene ID vector
organism	organism

gene2DO	<i>convert Gene ID to DO Terms</i>
---------	------------------------------------

Description

provide gene ID, this function will convert to the corresponding DO Terms

Usage

```
gene2DO(gene)
```

Arguments

gene	entrez gene ID
------	----------------

Value

DO Terms

Author(s)

Guangchuang Yu <http://ygc.name>

geneSim	<i>geneSim</i>
---------	----------------

Description

measuring similarities bewteen two gene vectors.

Usage

```
geneSim(geneID1, geneID2, method = "Wang",
        organism = "human", combine = "BMA")
```

Arguments

geneID1	entrez gene vector
geneID2	entrez gene vector
method	one of "Wang", "Resnik", "Rel", "Jiang", and "Lin".
organism	only "human" supported
combine	One of "max", "average", "rmax", "BMA" methods, for combining semantic similarity scores of multiple DO terms associated with gene/protein.

Details

provide two entrez gene vectors, this function will calculate their similarity.

Value

score matrix

Author(s)

Guangchuang Yu <http://ygc.name>

list2graph	<i>convert gene IDs to igraph object</i>
------------	--

Description

convert a list of gene IDs to igraph object.

Usage

```
list2graph(inputList)
```

Arguments

inputList a list of gene IDs

Value

a igraph object.

Author(s)

Guangchuang Yu <http://ygc.name>

plot	<i>plot method</i>
------	--------------------

Description

plot method generics

Arguments

... Additional argument list

Value

plot

Author(s)

Guangchuang Yu <http://ygc.name>

rebuildAnnoData	<i>rebuilding annotation data</i>
-----------------	-----------------------------------

Description

rebuilding entrez and DO mapping datasets

Usage

```
rebuildAnnoData(file)
```

Arguments

file do_rif.human.txt

Value

NULL

Author(s)

Guangchuang Yu <http://ygc.name>

setReadable<- *Methods mapping gene ID to gene symbol for enrichResult instance*

Description

setReadable method for enrichResult instance

Arguments

x A enrichResult instance.
value readable flag.

Value

A enrichResult instance.

Author(s)

Guangchuang Yu <http://ygc.name>

show *show method*

Description

show method for enrichResult instance

Arguments

object A enrichResult instance.

Value

message

Author(s)

Guangchuang Yu <http://ygc.name>

sim	<i>Methods for calculating semantic similarity</i>
-----	--

Description

sim method for DOParams instance

Arguments

params A DOParams instance.

Value

Semantic similarity value or matrix.

Author(s)

Guangchuang Yu <http://ygc.name>

simplot	<i>simplot</i>
---------	----------------

Description

plotting similarity matrix

Usage

```
simplot(sim, xlab = "", ylab = "")
```

Arguments

sim	similarity matrix
xlab	xlab
ylab	ylab

Value

ggplot object

Author(s)

Yu Guangchuang

summary	<i>summary method</i>
---------	-----------------------

Description

summary method for enrichResult instance

Arguments

object A enrichResult instance.

Value

A data frame

Author(s)

Guangchuang Yu <http://ygc.name>

TERM2NAME	<i>Mapping Ontology Term ID to Name Symbol or Description</i>
-----------	---

Description

Mapping Ontology Term ID to Name Symbol or Description

Usage

TERM2NAME(term)

Arguments

term term ID vector

TERMID2EXTID	<i>Mapping Ontology Term ID to External ID</i>
--------------	--

Description

Mapping Ontology Term ID to External ID

Usage

```
TERMID2EXTID(term, organism)
```

Arguments

term	term ID vector
organism	organism

Index

- *Topic **classes**
 - DOParams-class, 5
 - enrichResult-class, 7
- *Topic **datasets**
 - DataSet, 4
- *Topic **manip**
 - enrich.internal, 6
 - enrichDO, 6
- *Topic **package**
 - DOSE-package, 2

- AL1 (DataSet), 4
- AL1expr (DataSet), 4
- ALLEXTID, 3

- cnetplot, 3
- computeIC, 4

- DataSet, 4
- DO2ALLEG (DataSet), 4
- DO2EG (DataSet), 4
- DOLite2EG (DataSet), 4
- DOLiteTerm (DataSet), 4
- DOParams, 3
- DOParams-class, 5
- DOSE (DOSE-package), 2
- DOSE-package, 2
- DOSEEnv (DataSet), 4
- doSim, 5

- EG2ALLDO (DataSet), 4
- EG2DO (DataSet), 4
- EG2DOLite (DataSet), 4
- enrich.internal, 6
- enrichDO, 6, 7
- enrichResult, 3
- enrichResult-class, 7
- EXTID2NAME, 8
- EXTID2TERMID, 8

- gene2DO, 9

- geneSim, 9

- IC (DataSet), 4
- Info_Contents_human_DO (DataSet), 4

- list2graph, 10

- plot, 11
- plot, enrichResult, ANY-method (plot), 11
- plot, enrichResult-method (enrichResult-class), 7

- rebuildAnnoData, 11

- setReadable (setReadable<-), 12
- setReadable-methods (setReadable<-), 12
- setReadable<-, 12
- setReadable<- ,enrichResult, ANY-method (setReadable<-), 12
- setReadable<- ,enrichResult-method (enrichResult-class), 7
- show, 12
- show, enrichResult-method (enrichResult-class), 7
- sim, 5, 13
- sim, DOParams-method (DOParams-class), 5
- simplot, 13
- summary, 14
- summary, enrichResult-method (enrichResult-class), 7

- TERM2NAME, 14
- TERMID2EXTID, 15