

Package ‘genoset’

October 9, 2013

Type Package

Title Provides classes similar to ExpressionSet for copy number analysis

Version 1.12.0

Date 2011-01-15

Author Peter M. Haverty

Maintainer Peter M. Haverty <phaverty@gene.com>

Description Load, manipulate, and plot copynumber and BAF data. GenoSet class extends eSet by adding a ‘locData’ slot for a RangedData or GRAnegs object. This object contains feature genome location data and provides for efficient subsetting on genome location. CNSet and BAFSet extend GenoSet and require assayData matrices for Copy Number (cn) or Log-R Ratio (lrr) and B-Allele Frequency (baf) data. Implements and provides convenience functions for processing of copy number and B-Allele Frequency data.

License Artistic-2.0

LazyLoad yes

Depends

R (>= 2.10), BiocGenerics (>= 0.1.6), Biobase (>= 2.15.1), IRanges (>= 1.13.5), GenomicRanges

Imports methods, graphics, GenomicRanges

Suggests RUnit, DNACopy, stats

Enhances parallel

biocViews Infrastructure, DataRepresentation, Microarray, SNP, CopyNumberVariants

Collate ‘genoset-class.R’ ‘cnset-class.R’ ‘bafset-class.R’ ‘DataFrame-methods.R’ ‘test_genoset_package.R’ ‘utils.R’

ByteCompile TRUE

R topics documented:

genoset-package	3
baf	3
baf2mbaf	4
BAFSet	5
BAFSet-class	6
BAFSet.to.ExpressionSets	7
boundingIndices	8
boundingIndices2	9
boundingIndicesByChr	10
bounds2Rle	11
chr	12
chrIndices	13
chrInfo	14
chrNames	14
chrOrder	15
cn	16
cn2lr	16
CNSet	17
CNSet-class	18
colMeans	19
featureNames	20
featureNames<-	20
fixSegNAs	21
gcCorrect	21
genomeAxis	22
genoPlot	23
genoPos	24
GenoSet	25
GenoSet-class	26
genoset-datasets	28
genoset-deprecated	28
initGenoSet	29
isGenomeOrder	30
locData	31
lr2cn	31
lrr	32
modeCenter	33
pos	33
rangeColMeans	34
rangeSampleMeans	35
readGenoSet	36
runCBS	36
sampleNames	38
segPairTable	38
segs2RangedData	39
segs2Rle	40

<i>genoset-package</i>	3
segs2RleDataFrame	41
segTable	42
subsetAssayData	43
toGenomeOrder	44
universe	45
Index	48

<i>genoset-package</i>	<i>GenoSet: An eSet for data with genome locations</i>
------------------------	--

Description

Load, manipulate, and plot copynumber and BAF data. *GenoSet* class extends *eSet* by adding a "locData" slot for a *GRanges* or *RangedData* object. This object contains feature genome location data and provides for efficient subsetting on genome location. *CNSet* and *BAFSet* extend *GenoSet* and require assayData matrices for Copy Number (cn) or Log-R Ratio (lrr) and B-Allele Frequency (baf) data. Implements and provides convenience functions for processing of copy number and B-Allele Frequency data.

See Also

genoset-datasets *GenoSet* *CNSet* *BAFSet*

<i>baf</i>	<i>Get baf data</i>
------------	---------------------

Description

Get or Set the baf assayData slot

Arguments

object A *BAFset* object

Details

Get or Set the baf assayData slot

Value

matrix

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
baf(baf.ds) # Returns assayDataElement called "baf"
baf(baf.ds) <- baf2mbaf( baf(baf.ds) )
```

baf2mbaf

Calculate mBAF from BAF

Description

Calculate Mirrored B-Allele Frequency (mBAF) from B-Allele Frequency (BAF) as in Staaf et al., Genome Biology, 2008. BAF is converted to mBAF by folding around 0.5 so that is then between 0.5 and 1. HOM value are then made NA to leave only HET values that can be easily segmented. Values > hom.cutoff are made NA. Then, if genotypes (usually from a matched normal) are provided as the matrix 'calls' additional HOMs can be set to NA. The argument 'call.pairs' is used to match columns in 'calls' to columns in 'baf'.

Usage

```
baf2mbaf(baf, hom.cutoff = 0.95, calls = NULL,
         call.pairs = NULL)
```

Arguments

baf	numeric matrix of BAF values
hom.cutoff	numeric, values above this cutoff to be made NA (considered HOM)
calls	matrix of NA, CT, AG, etc. genotypes to select HETs (in normals). Dimnames must match baf matrix.
call.pairs	list, names represent target samples for HOMs to set to NA. Values represent columns in "calls" matrix.

Value

numeric matrix of mBAF values

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
mbaf = baf2mbaf( baf(baf.ds), hom.cutoff=0.9 )
calls = matrix(sample(c("AT", "AA", "CG", "GC", "AT", "GG"), (nrow(baf.ds) * 2), replace=TRUE), ncol=2, dimnames=list(
mbaf = baf2mbaf( baf(baf.ds), hom.cutoff=0.9, calls = calls, call.pairs = list(K="L", L="L") ) # Sample L is matched
assayDataElement(baf.ds, "mbaf") = baf2mbaf( baf(baf.ds), hom.cutoff=0.9 ) # Put mbaf back into the BAFSet object
```

BAFSet *Create a BAFSet object*

Description

This function is the preferred method for creating a new BAFSet object. Users are generally discouraged from calling "new" directly. This BAFSet function enforces the requirement for "lrr" and "baf" matrices. These and any other "..." arguments will become part of the assayData slot of the resulting object. "..." can be matrices or DataFrame objects (from the IRanges package). This function passes control to the "initGenoSet" method which performs argument checking including dimname matching among relevant slots and sets everything to genome order. Genome order can be disrupted by "[" or "[[" calls and will be checked by methods that require it.

Usage

```
BAFSet(locData, lrr = NULL, baf = NULL, pData = NULL,
       annotation = "", universe, assayData = NULL, ...)
```

Arguments

locData	A GRanges or RangedData object specifying feature chromosome locations. featureNames (names or rownames) are required to match featureNames of assayData.
lrr	numeric matrix of copy number data with rownames matching featureNames and colnames matching sampleNames
baf	numeric matrix of B-Allele Frequency data with rownames matching featureNames and colnames matching sampleNames
pData	A data frame with rownames matching all data matrices
annotation	character, string to specify chip/platform type
universe	character, a string to specify the genome universe for locData. Overrides any universe/genome data in locData.
assayData	assayData, usually an environment
...	More matrix or DataFrame objects to include in assayData slot

Details

The BAFSet class is deprecated. Please use GenoSet. BAFSet only added the baf/lrr getter/setter functions, which are redundant with x[, , 'baf'] and x[, , 'lrr'] now.

Value

A BAFSet object

Author(s)

Peter M. Haverty

See Also

bafset-class, genoset-class

Examples

```
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
locData.rd = RangedData(ranges=IRanges(start=c(1,4,3,2,5:10),width=1,names=probe.names),space=c(rep("chr1",4),
bs = BAFSet(
  locData=locData.rd,
  lrr=matrix(1:30,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  baf=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
```

BAFSet-class

Class "BAFSet"

Description

A BAFSet is an extension of GenoSet that requires 'baf' and 'lrr' assayData element

Objects from the Class

Objects can be created by calls of the form `new("BAFSet", assayData, phenoData, featureData, experimentData, ...)`. However, as per BioConductor standard practice the object creation function `BAFSet` is recommended.

Slots

locData: Object of class "RangedData" Feature locations on the genome

assayData: Object of class "AssayData" ~~

phenoData: Object of class "AnnotatedDataFrame" ~~

featureData: Object of class "AnnotatedDataFrame" ~~

experimentData: Object of class "MIAXE" ~~

annotation: Object of class "character" ~~

protocolData: Object of class "AnnotatedDataFrame" ~~

.__classVersion__: Object of class "Versions" ~~

Extends

Class "[GenoSet](#)", directly. Class "[eSet](#)", by class "GenoSet", distance 2.

Methods

show signature(object = "BAFSet"): ...

baf signature(object = "BAFSet"): Getter for 'baf' assayDataElement

baf<- signature(object = "BAFSet", value = "matrix"): setter for 'baf' assayDataElement

genoPlot signature(x = "BAFSet", y = "ANY"): Plot data along the genome. Defaults to 'lrr' assayDataElement.

lrr signature(object = "BAFSet"): Getter for 'lrr' assayDataElement

lrr<- signature(object = "BAFSet", value = "matrix"): Setter for 'lrr' assayDataElement

Author(s)

Peter M. Haverly <phaverly@gene.com>

See Also

[BAFSet](#), [CNSet](#), [GenoSet](#)

Examples

```
showClass("BAFSet")
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
locData.gr = GRanges(ranges=IRanges(start=c(1,4,3,2,5:10),width=1,names=probe.names),seqnames=c(rep("chr1",4),r
bs = BAFSet(
  locData=locData.gr,
  lrr=matrix(1:30,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  baf=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
```

BAFSet.to.ExpressionSets

Make a pair of ExpressionSets from a BAFSet

Description

Often it is convenient to have a more standard "ExpressionSet" rather than a BAFSet. For example, when using infrastructure dependent on the ExpressionSet slots, like limma or ExpressionSetOnDisk. This will create a list of two ExpressionSets, one each for the baf and lrr data. To make a single ExpressionSet, with the lrr data in the exprs slot and the baf data as an additional member of assayData, use the standard coercion `eset = as(bafset,"ExpressionSet")`.

Usage

BAFSet.to.ExpressionSets(bs)

Arguments

bs A BAFset object

Details

BAFSet.toExpressionSets has been deprecated. Please use `as(x, 'ExpressionSet')`.

Value

A list with one ExpressionSet each for the baf and lrr data in the BAFset object

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
eset.list = BAFSet.to.ExpressionSets(baf.ds)
```

boundingIndices

Find indices of features bounding a set of chromosome ranges/genes

Description

This function is similar to `findOverlaps` but it guarantees at least two features will be covered. This is useful in the case of finding features corresponding to a set of genes. Some genes will fall entirely between two features and thus would not return any ranges with `findOverlaps`. Specifically, this function will find the indices of the features (first and last) bounding the ends of a range/gene (start and stop) such that $first \leq start < stop \leq last$. Equality is necessary so that multiple conversions between indices and genomic positions will not expand with each conversion. Ranges/genes that are outside the range of feature positions will be given the indices of the corresponding first or last index rather than 0 or $n + 1$ so that genes can always be connected to some data.

Usage

```
boundingIndices(starts, stops, positions,
  valid.indices = TRUE, all.indices = FALSE, offset = 0)
```

Arguments

starts integer vector of first base position of each query range

stops integer vector of last base position of each query range

positions Base positions in which to search

valid.indices logical, TRUE assures that the returned indices don't go off either end of the array, i.e. 0 becomes 1 and $n+1$ becomes n

offset	integer, value to add to all returned indices. For the case where positions represents a portion of some larger array (e.g. a chr in a genome)
all.indices	logical, return a list containing full sequence of indices for each query

Details

This function uses some tricks from `findIntervals`, where is for k queries and n features it is $O(k * \log(n))$ generally and $\sim O(k)$ for sorted queries. Therefore will be dramatically faster for sets of query genes that are sorted by start position within each chromosome. The index of the stop position for each gene is found using the left bound from the start of the gene reducing the search space for the stop position somewhat. This function has important differences from `boundingIndices2`, which uses `findInterval`: `boundingIndices` does not check for NAs or unsorted data in the subject positions. Also, the positions are kept as integer, where `boundingIndices2` (and `findInterval`) convert them to doubles. These assumptions are safe for position info coming from a `GenoSet`, `GRanges`, or `RangedData`.

Value

integer matrix of 2 columns for start and stop index of range in data or a list of full sequences of indices for each query (see `all.indices` argument)

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

Other "range summaries": [boundingIndices2](#), [boundingIndicesByChr](#), [rangeColMeans](#), [rangeSampleMeans](#)

Examples

```
starts = seq(10,100,10)
boundingIndices( starts=starts, stops=starts+5, positions = 1:100 )
```

boundingIndices2	<i>Find indices of features bounding a set of chromosome ranges/genes</i>
------------------	---

Description

This function is similar to `findOverlaps` but it guarantees at least two features will be covered. This is useful in the case of finding features corresponding to a set of genes. Some genes will fall entirely between two features and thus would not return any ranges with `findOverlaps`. Specifically, this function will find the indices of the features (first and last) bounding the ends of a range/gene (start and stop) such that $first \leq start \leq stop \leq last$. Equality is necessary so that multiple conversions between indices and genomic positions will not expand with each conversion. This function uses `findIntervals`, which is for k queries and n features is $O(k * \log(n))$ generally and $\sim O(k)$ for sorted queries. Therefore will be dramatically faster for sets of query genes that are sorted by start position within each chromosome. This should give performance for k genes and n features that is $\sim O(k)$

for starts and $O(k * \log(n))$ for stops and $\sim O(k * \log(n))$ overall. Ranges/genes that are outside the range of feature positions will be given the indices of the corresponding first or last index rather than 0 or $n + 1$ so that genes can always be connected to some data.

Usage

```
boundingIndices2(starts, stops, positions, offset = NULL)
```

Arguments

starts	numeric or integer, first base position of each query range
stops	numeric or integer, last base position of each query range
positions	Base positions in which to search
offset	integer, value to add to all returned indices. For the case where positions represents a portion of some larger array (e.g. a chr in a genome)

Value

integer matrix of 2 columns for start and stop index of range in data

Author(s)

Peter M. Haverty

See Also

Other "range summaries": [boundingIndices](#), [boundingIndicesByChr](#), [rangeColMeans](#), [rangeSampleMeans](#)

Examples

```
starts = seq(10,100,10)
boundingIndices2( starts=starts, stops=starts+5, positions = 1:100 )
```

boundingIndicesByChr *Find indices of features bounding a set of chromosome ranges/genes, across chromosomes*

Description

Finds subject ranges corresponding to a set of genes (query ranges), taking chromosome into account. Specifically, this function will find the indices of the features (first and last) bounding the ends of a range/gene (start and stop) such that $first \leq start < stop \leq last$. Equality is necessary so that multiple conversions between indices and genomic positions will not expand with each conversion. Ranges/genes that are outside the range of feature positions will be given the indices of the corresponding first or last index on that chromosome, rather than 0 or $n + 1$ so that genes can always be connected to some data. Checking the left and right bound for equality will tell you when a query is off the end of a chromosome.

Usage

```
boundingIndicesByChr(query, subject)
```

Arguments

query	GRanges or something coercible to GRanges
subject	RangedData

Details

This function uses some tricks from `findIntervals`, where is for k queries and n features it is $O(k * \log(n))$ generally and $\sim O(k)$ for sorted queries. Therefore will be dramatically faster for sets of query genes that are sorted by start position within each chromosome. The index of the stop position for each gene is found using the left bound from the start of the gene reducing the search space for the stop position somewhat.

This function differs from `boundingIndices` in that 1. it uses both start and end positions for the subject, and 2. query and subject start and end positions are processed in blocks corresponding to chromosomes.

Both query and subject must be in at least weak genome order (sorted by start within chromosome blocks).

Value

integer matrix with two columns corresponding to indices on left and right bound of queries in subject

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

Other "range summaries": [boundingIndices](#), [boundingIndices2](#), [rangeColMeans](#), [rangeSampleMeans](#)

bounds2Rle

Convert bounding indices into a Rle

Description

Given a matrix of first/last indices, like from `boundingIndicesByChr`, and values for each range, convert to a Rle. This function takes the expected length of the Rle, n , so that any portion of the full length not covered by a first/last range will be a run with the value NA. This is typical in the case where data is segmented with CBS and some of the data to be segmented is NA.

Usage

```
bounds2Rle(bounds, values, n)
```

Arguments

bounds matrix, two columns, with first and last index, like from boundingIndicesByChr
 values ANY, some value to be associated with each range, like segmented copy number.
 n integer, the expected length of the Rle, i.e. the number of features in the genome/target ranges processed by boundingIndicesByChr.

Value

Rle

Author(s)

Peter M. Haverty

See Also

Other "segmented data": [runCBS](#), [segPairTable](#), [segPairTable](#), [segPairTable](#), [segs2RangedData](#), [segs2Rle](#), [segs2RleDataFrame](#), [segTable](#), [segTable](#), [segTable](#)

chr

Look up chromosome for each feature

Description

Chromosome name for each feature

Arguments

object GRanges, RangedData or GenoSet

Details

Get chromosome name for each feature. Returns character, not the factor 'space'.

Value

character vector of chromosome positions for each feature

Author(s)

Peter Haverty

Examples

```

test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=RangedData(ranges=IRanges(start=1:10,width=1,names=probe.names),space=c(rep("chr1",4),rep("chr3",2),rep("chrX",4))),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
chr(gs) # c("chr1","chr1","chr1","chr1","chr3","chr3","chrX","chrX","chrX","chrX")
chr(locData(gs)) # The same

```

chrIndices

Get a matrix of first and last index of features in each chromosome

Description

Sometimes it is handy to know the first and last index for each chr. This is like chrInfo but for feature indices rather than chromosome locations. If chr is specified, the function will return a sequence of integers representing the row indices of features on that chromosome.

Arguments

object	GenoSet, RangedData, or GRanges
chr	character, specific chromosome name

Value

data.frame with "first" and "last" columns

Author(s)

Peter M. Haverty

Examples

```

data(genoset)
chrIndices(genoset.ds)
chrIndices(locData(genoset.ds)) # The same

```

chrInfo *Chromosome Information*

Description

Get chromosome start and stop positions

Arguments

object A GenoSet object or similar

Details

Provides a matrix of start, stop and offset, in base numbers for each chromosome.

Value

list with start and stop position, by ordered chr

Author(s)

Peter Haverty

Examples

```
data(genoset)
chrInfo(genoset.ds)
chrInfo(locData(genoset.ds)) # The same
```

chrNames *Get list of unique chromosome names*

Description

Get list of unique chromosome names

Arguments

object RangedData or GenoSet

Value

character vector with names of chromosomes

Author(s)

Peter M. Haverty

Examples

```

test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=RangedData(ranges=IRanges(start=1:10,width=1,names=probe.names),space=c(rep("chr1",4),rep("chr3",2)),
    cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
chrNames(gs) # c("chr1","chr3","chrX")
chrNames(locData(gs)) # The same
chrNames(gs) = sub("^chr","",chrNames(gs))

```

chrOrder

Order chromosome names in proper genome order

Description

Chromosomes make the most sense orded by number, then by letter.

Usage

```
chrOrder(chr.names)
```

Arguments

chr.names character, vector of unique chromosome names

Value

character vector of chromosome names in proper order

Author(s)

Peter M. Haverty

See Also

Other "genome ordering": [isGenomeOrder](#), [isGenomeOrder](#), [isGenomeOrder](#), [toGenomeOrder](#), [toGenomeOrder](#), [toGenomeOrder](#), [toGenomeOrder](#)

Examples

```
chrOrder(c("chr5","chrX","chr3","chr7","chrY")) # c("chr3","chr5","chr7","chrX","chrY")
```

cn	<i>Get or Set the cn assayData slot</i>
----	---

Description

Get or Set the cn assayData slot

Arguments

object A BAFset object

Value

matrix

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
cn(cn.ds) # Returns assayDataElement called "cn"
cn(cn.ds) <- cn(cn.ds) + 5
```

cn2lr	<i>Take vector or matrix of copynumber values, convert to log2ratios Utility function for converting copynumber units (2 is normal) to log2ratio units (two is normal)</i>
-------	--

Description

Take vector or matrix of copynumber values, convert to log2ratios Utility function for converting copynumber units (2 is normal) to log2ratio units (two is normal)

Usage

```
cn2lr(x)
```

Arguments

x numeric data in copynumber units

Value

data of same type as "x" transformed into log2ratio units

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

lr2cn

CNSet

Create a CNSet object

Description

This function is the preferred method for creating a new CNSet object. Users are generally discouraged from calling "new" directly. This CNSet function enforces the requirement for a "cn" matrix. This and any other "..." arguments will become part of the assayData slot of the resulting object. "..." can be matrices or DataFrame objects (from the IRanges package). This function passes control to the "initGenoSet" method which performs argument checking including dimname matching among relevant slots and sets everything to genome order. Genome order can be disrupted by "[" or "[[" calls and will be checked by methods that require it.

Usage

```
CNSet(locData, cn = NULL, pData = NULL, annotation = "",
      universe, assayData = NULL, ...)
```

Arguments

locData	A GRanges or RangedData object specifying feature chromosome locations. featureNames (names or rownames) are required to match featureNames of matrices.
cn	numeric matrix of copy number data with rownames matching featureNames and colnames matching sampleNames
pData	A data frame with rownames matching all data matrices
annotation	character, string to specify chip/platform type
universe	character, string to specify genome universe for locData. Overrides any universe/genome data in locData.
assayData	assayData, usually an environment
...	More matrix or DataFrame objects to include in assayData

Details

The CNSet class is deprecated. Please use GenoSet. CNSet only added the cn getter/setter functions, which are redundant with x[, , 'cn'] now.

Value

A CNSet object

Author(s)

Peter M. Haverty

Examples

```
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
joe = CNSet(
  locData=RangedData(ranges=IRanges(start=1:10,width=1,names=probe.names),space=c(rep("chr1",4),rep("chr3",2)),
    cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
```

CNSet-class

Class "CNSet"

Description

A CNSet is an extension of GenoSet that requires a 'cn' assayData element.

Objects from the Class

Objects can be created by calls of the form `new("CNSet", assayData, phenoData, featureData, experimentData, ...)`. However, as per BioConductor standard practice the object creation function `CNSet` is recommended.

Slots

locData: Object of class "RangedDataOrGRanges" Feature locations on the genome.

assayData: Object of class "AssayData" From eSet

phenoData: Object of class "AnnotatedDataFrame" From eSet

featureData: Object of class "AnnotatedDataFrame" From eSet

experimentData: Object of class "MIAXE" From eSet

annotation: Object of class "character" From eSet

protocolData: Object of class "AnnotatedDataFrame" From eSet

.__classVersion__: Object of class "Versions" From eSet

Extends

Class "[GenoSet](#)", directly. Class "[eSet](#)", by class "GenoSet", distance 2.

Methods

show signature(object = "CNSet"): ...
cn signature(object = "CNSet"): Getter for cn assayDataElement
cn<- signature(object = "CNSet", value = "matrix"): Setter for 'cn' assayDataElement
genoPlot signature(x = "CNSet", y = "ANY"): Plot data along the genome. Defaults to 'cn' assayDataElement

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

[CNSet](#), [GenoSet](#), [BAFSet](#)

Examples

```
showClass("CNSet")
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
cn.ds = CNSet(
  locData=GRanges(ranges=IRanges(start=1:10,width=1,names=probe.names),seqnames=c(rep("chr1",4),rep("chr3",2)),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
```

colMeans

Means of columns

Description

Calculate means of columns of a DataFrame as if it were a matrix. Allow colmeans in rangeSampleMeans for DataTable just like a real matrix. I'm sure there is much more clever way to do this using aggregate.

Arguments

x	DataFrame
na.rm	logical
dims	integer

Author(s)

Peter M. Haverty

Examples

```
df.ds = DataFrame( a = Rle(c(5,4,3),c(2,2,2)), b = Rle(c(3,6,9),c(1,1,4)) )
mat.ds = matrix( c(5,5,4,4,3,3,3,6,9,9,9,9), ncol=2, dimnames=list(NULL,c("a","b")))
## Not run: identical( colMeans(df.ds), colMeans(mat.ds) )
```

featureNames	<i>Get rownames from RangedData, GRanges, or GenoSet</i>
--------------	--

Description

Get rownames from RangedData, GRanges, or GenoSet

Arguments

object GRanges, RangedData, or GenoSet

Value

character vector with names rows/features

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
head(featureNames(locData.rd))
head(featureNames(as(locData.rd,"GRanges")))
head(featureNames(cn.ds))
```

featureNames<-	<i>Set featureNames</i>
----------------	-------------------------

Description

Set featureNames

Arguments

object GenoSet, RangedData, or GRanges
value ANY

Details

Set featureNames of a GenoSet, GRanges, or RangedData (rownames, names, or rownames respectively).

Value

A new object of the class of supplied object

Author(s)

Peter M. Haverty

fixSegNAs

Fix NA runs in a Rle

Description

Fix NA runs in a Rle when the adjacent runs have equal values

Usage

```
fixSegNAs(x, max.na.run = 3)
```

Arguments

x	Rle to be fixed
max.na.run	integer, longest run of NAs that will be fixed

Value

Rle

Author(s)

Peter M. Haverty

gcCorrect

Correct copy number for GC content

Description

Copy number estimates from various platforms show "Genomic Waves" (Diskin et al., Nucleic Acids Research, 2008) where copy number trends with local GC content. This function regresses copy number on GC percentage and removes the effect (returns residuals). GC content should be smoothed along the genome in wide windows ≥ 100 kb.

Usage

```
gcCorrect(ds, gc, retain.mean = TRUE)
```

Arguments

ds numeric matrix of copynumber or log2ratio values, samples in columns
gc numeric vector, GC percentage for each row of ds, must not have NAs
retain.mean logical, center on zero or keep same mean?

Value

numeric matrix, residuals of ds regressed on gc

Author(s)

Peter M. Haverty

Examples

```
gc = runif(n=100, min=1, max=100)
ds = rnorm(100) + (0.1 * gc)
gcCorrect(ds, gc)
```

genomeAxis

Label axis with base pair units

Description

Label an axis with base positions

Usage

```
genomeAxis(locs = NULL, side = 1, log = FALSE,
do.other.side = TRUE)
```

Arguments

locs RangedData to be used to draw chromosome boundaries, if necessary. Usually locData slot from a GenoSet.
side integer side of plot to put axis
log logical Is axis logged?
do.other.side logical, label non-genome side with data values at tick marks?

Details

Label a plot with Mb, kb, bp as appropriate, using tick locations from axTicks

Value

nothing

Author(s)

Peter M. Haverty

See AlsoOther "genome plots": [genoPlot](#), [genoPlot](#), [genoPlot](#), [genoPlot](#)**Examples**

```

data(genoset)
  genoPlot(genoPos(baf.ds), baf(baf.ds)[,1])
  genomeAxis( locs=locData(baf.ds) ) # Add chromosome names and boundaries to a plot assuming genome along x-axis
  genomeAxis( locs=locData(baf.ds), do.other.side=FALSE ) # As above, but do not label y-axis with data values at ti
  genomeAxis() # Add nucleotide position in sensible units assuming genome along x-axis

```

 genoPlot

Plot data along the genome

Description

Plot location data and chromosome boundaries from a `GenoSet`, `RangedData`, or `GRanges` object against data from a numeric or `Rle`. Specifying a chromosome name and optionally a 'xlim' will zoom into one chromosome region. If more than one chromosome is present, the chromosome boundaries will be marked. Alternatively, for a numeric x and a numeric or `Rle` y, data in y can be plotted at genome positions x. In this case, chromosome boundaries can be taken from the argument `locs`. If data for y-axis comes from a `Rle` lines are plotted representing segments. X-axis tickmarks will be labeled with genome positions in the most appropriate units.

Arguments

x	<code>GenoSet</code> (or descendant), <code>RangedData</code> , or <code>GRanges</code>
y	numeric or <code>Rle</code>
element	character, <code>Deprecated</code> . when x is a <code>GenoSet</code> , the y-th column of this assay- <code>DataElement</code> is used for the y-axis data.
locs	<code>RangedData</code> , like <code>locData</code> slot of <code>GenoSet</code>
chr	Chromosome to plot, <code>NULL</code> by default for full genome
add	Add plot to existing plot
xlab	character, label for x-axis of plot
ylab	character, label for y-axis of plot
col	character, color to plot lines or points
lwd	numeric, line width for segment plots from an <code>Rle</code>
pch	character or numeric, printing character, see points
xlim	integer, length two, bounds for genome positions. Used in conjunction with "chr" to subset data for plotting.
...	Additional plotting args

Value

nothing

Methods

signature(x = "RangedDataOrGenoSetOrGRanges", y = "ANY") Plot feature locations and data from one sample.

signature(x = "numeric", y = "numeric") Plot numeric location and a vector of numeric data.

signature(x = "numeric", y = "Rle") Plot numeric location and a vector of Rle data. Uses lines for Rle runs.

Author(s)

Peter M. Haverty

See Also

Other "genome plots": [genomeAxis](#)

Examples

```
data(genoset)
genoPlot( x=baf.ds,y=baf.ds[,1,"lrr"] )
genoPlot( genoPos(baf.ds), baf.ds[,1,"lrr"], locs=locData(baf.ds) ) # The same
genoPlot( 1:10, Rle(c(rep(0,5),rep(3,4),rep(1,1))) )
```

genoPos

Convert chromosome positions to positions from start of genome

Description

Get base positions of features in genome-scale units

Arguments

object A `GenoSet` object or a `RangedData` object

Details

Get base positions of array features in bases counting from the start of the genome. Chromosomes are ordered numerically, when possible, then lexically.

Value

numeric position of each feature in whole genome units, in original order

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
  head(genoPos(genoset.ds))
  head(genoPos(locData(genoset.ds))) # The same
```

 GenoSet

Create a GenoSet object

Description

This function is the preferred method for creating a new `GenoSet` object. Users are generally discouraged from calling "new" directly. Any "..." arguments will become part of the `assayData` slot of the resulting object. "..." can be matrices or `DataFrame` objects (from `IRanges`). This function passes control to the "initGenoSet" method which performs argument checking including `dimname` matching among relevant slots and sets everything to genome order. Genome order can be disrupted by "[" calls and will be checked by methods that require it.

Usage

```
GenoSet(locData, pData = NULL, annotation = "", universe,
        assayData = NULL, ...)
```

Arguments

<code>locData</code>	A <code>RangedData</code> object specifying feature chromosome locations. Rownames are required to match <code>featureNames</code> .
<code>pData</code>	A data frame with rownames matching all data matrices
<code>annotation</code>	character, string to specify chip/platform type
<code>universe</code>	character, a string to specify the genome universe for <code>locData</code>
<code>assayData</code>	<code>assayData</code> , usually an environment
<code>...</code>	More matrix or <code>DataFrame</code> objects to include in <code>assayData</code>

ValueA `GenoSet` object**Author(s)**

Peter M. Haverty

Examples

```

test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=RangedData(ranges=IRanges(start=1:10,width=1,names=probe.names),space=c(rep("chr1",4),rep("chr3",2)),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)

```

GenoSet-class

Class "GenoSet"

Description

GenoSet extends eSet by adding genome location information in the form of the locData slot. GenoSet uses this location information to allow quick subsetting and summarization by a set of genome locations (RangedData or GRanges). GenoSet implements and extends the RangedData/GRanges API for access to the underlying location information.

Objects from the Class

Objects can be created by calls of the form `new("GenoSet", assayData, phenoData, featureData, experimentData, ...)`. However, as per BioConductor standard practice the object creation function `GenoSet` is recommended.

Slots

locData: Object of class "RangedDataOrGRanges" Locations of features on the genome

assayData: Object of class "AssayData" From eSet

phenoData: Object of class "AnnotatedDataFrame" From eSet

featureData: Object of class "AnnotatedDataFrame" From eSet

experimentData: Object of class "MIAXE" From eSet

annotation: Object of class "character" From eSet

protocolData: Object of class "AnnotatedDataFrame" From eSet

.__classVersion__: Object of class "Versions" From eSet

Extends

Class "eSet", directly.

Methods

```

[ signature(x = "GenoSet", i = "ANY", j = "ANY", drop = "ANY"): ...
[ signature(x = "GenoSet", i = "character", j = "ANY", drop = "ANY"): ...
[ signature(x = "GenoSet", i = "RangedData", j = "ANY", drop = "ANY"): ...
[<- signature(x = "GenoSet", i = "ANY", j = "ANY", value = "ANY"): ...
chr signature(object = "GenoSet"): ...
chrNames signature(object = "GenoSet"): ...
elementLengths signature(x = "GenoSet"): ...
featureNames signature(object = "GenoSet"): ...
featureNames<- signature(object = "GenoSet"): ...
sampleNames signature(object = "GenoSet"): ...
dim signature(object = "GenoSet"): ...
genoPlot signature(x = "GenoSet", y = "ANY"): ...
locData signature(object = "GenoSet"): ...
locData<- signature(object = "GenoSet", value = "RangedData"): ...
names signature(x = "GenoSet"): ...
ranges signature(x = "GenoSet"): ...
show signature(object = "GenoSet"): ...
toGenomeOrder signature(ds = "GenoSet"): ...

```

Author(s)

Peter M. Haverly <phaverly@gene.com>

See Also

[GenoSet](#), [CNSet](#), [BAFSet](#)

Examples

```

showClass("GenoSet")
test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=GRanges(ranges=IRanges(start=1:10,width=1,names=probe.names),seqnames=c(rep("chr1",4),rep("chr3",2)),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)

```

genoset-datasets *Example GenoSet, BAFSet, and CNSet objects and the data to create them.*

Description

Fake LRR, BAF, pData and location data were generated and saved as fake.lrr, fake.cn, fake.baf, fake.pData and locData.rd. These were used to construct the objects genoset.ds, baf.ds, and cn.ds

Usage

```
data(genoset)
```

Format

fake.lrr A matrix with some randomly generated LRR (log2ratio copynumber) data

fake.cn A matrix with some randomly generated LRR (log2ratio copynumber) data

fake.baf A matrix with some randomly generated BAF (B-Allele Frequency) data

fake.pData A data.frame of sample annotation to go with fake.lrr and fake.baf

locData.rd A RangedData object describing the genomic locations of the probes in fake.baf and fake.lrr

locData.gr A GRanges object describing the genomic locations of the probes in fake.baf and fake.lrr

genoset.ds A GenoSet object created with fake.lrr as the "lrr" element, locData.rd as the locData, and fake.pData as the phenoData

baf.ds A BAFSet object created with fake.lrr as the "lrr" element, fake.baf as the "baf" element, locData.rd as the locData, and fake.pData as the phenoData

cn.ds A CNSet object created with fake.lrr as the "cn" element, locData.rd as the locData, and fake.pData as the phenoData

Source

Fake data generated using rnorm and the like.

genoset-deprecated *Deprecated genoset features*

Description

The CNSet and BAFSet classes have been deprecated. They only really added getter/setter methods for specific assayDataElements, so they are now redundant with the preferred method of using the assayDataElement name as the third argument to bracket, e.g. `x[i, j, "lrr"]`. Accordingly `BAFSet.to.ExpressionSets` is also deprecated.

Details

Additionally, names, ranges, and space on a GenoSet are also deprecated. In an effort to make a consistent API for either RangedData or GRanges in the locData slot, we recommend using chrNames for names and chr for space.

initGenoSet	<i>Create a GenoSet or derivative object</i>
-------------	--

Description

This function is the preferred method for creating a new GenoSet object. Users are generally discouraged from calling "new" directly. The "..." argument is for any number of matrices of matching size that will become part of the assayData slot of the resulting object. This function passes control to the "genoSet" object which performs argument checking including dimname matching among relevant slots and sets everything to genome order. Genome order can be disrupted by "[" calls and will be checked by methods that require it.

Usage

```
initGenoSet(type, locData, pData = NULL, annotation = "",
            universe, assayData = NULL, ...)
```

Arguments

type	character, the type of object (e.g. GenoSet, BAFSet, CNSet) to be created
locData	A GRanges or RangedData object specifying feature chromosome locations. featureNames (names or rownames) are required to match featureNames.
pData	A data frame with rownames matching sampleNames (colnames of all assay-DataElements)
annotation	character, string to specify chip/platform type
universe	character, a string to specify the genome universe for locData, overrides universe/genome data in locData
assayData	assayData, usually an environment
...	More matrix or DataFrame objects to include in assayData

Value

A GenoSet object or derivative as specified by "type" arg

Author(s)

Peter M. Haverty

Examples

```

test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=RangedData(ranges=IRanges(start=1:10,width=1,names=probe.names),space=c(rep("chr1",4),rep("chr3",2)),
    cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)

```

isGenomeOrder

Check if a GRanges, GenoSet or RangedData is in genome order

Description

Checks that rows in each chr are ordered by start. If strict=TRUE, then chromosomes must be in order specified by chrOrder. isGenomeOrder for GRanges differs from order in that it orders by chromosome and start position only, rather than chromosome, strand, start, and width.

Arguments

ds GenoSet, GRanges, or RangedData
strict logical, should space/chromosome order be identical to that from chrOrder?

Value

logical

Author(s)

Peter M. Haverty

See Also

Other "genome ordering": [chrOrder](#), [toGenomeOrder](#), [toGenomeOrder](#), [toGenomeOrder](#), [toGenomeOrder](#)

Examples

```

data(genoset)
isGenomeOrder( locData(genoset.ds) )

```

locData	<i>Access the feature genome position info</i>
---------	--

Description

The position information for each probe/feature is stored as an IRanges RangedData object. The locData functions allow this data to be accessed or re-set.

Arguments

object	GenoSet
value	RangedData describing features

Value

A GenoSet object

Methods

signature(object = "GenoSet") Get location data.
signature(object = "GenoSet", value = "RangedData") Set location data.

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
rd = locData(genoset.ds)
locData(genoset.ds) = rd
```

lr2cn	<i>Take vector or matrix of log2 ratios, convert to copynumber Utility function for converting log2ratio units (zero is normal) to copynumber units (two is normal)</i>
-------	---

Description

Take vector or matrix of log2 ratios, convert to copynumber Utility function for converting log2ratio units (zero is normal) to copynumber units (two is normal)

Usage

```
lr2cn(x)
```

Arguments

x numeric data in log2ratio values

Value

data of same type as "x" transformed into copynumber units

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

cn2lr

lrr *Get lrr data*

Description

Get or Set the lrr assayData slot

Arguments

object A BAFset object

Details

Get or Set the lrr assayData slot

Value

matrix

Author(s)

Peter M. Haverty

Examples

```
data(genoset)
lrr(baf.ds) # Returns assayDataElement called "lrr"
lrr(baf.ds) <- lrr(baf.ds) + 0.1
```

modeCenter	<i>Center continuous data on mode</i>
------------	---------------------------------------

Description

Copynumber data distributions are generally multi-modal. It is often assumed that the tallest peak represents "normal" and should therefore be centered on a log2ratio of zero. This function uses the density function to find the mode of the dominant peak and subtracts that value from the input data.

Usage

```
modeCenter(ds)
```

Arguments

ds numeric matrix

Value

numeric matrix

Author(s)

Peter M. Haverty

Examples

```
modeCenter( matrix( rnorm(150, mean=0), ncol=3 ))
```

pos	<i>Positions for features</i>
-----	-------------------------------

Description

Chromosome position of features

Arguments

object GRanges, RangedData or GenoSet

Details

Get chromosome position of features/ranges. Defined as floor of mean of start and end.

Value

numeric vector of feature positions within a chromosome

Author(s)

Peter Haverty

Examples

```

test.sample.names = LETTERS[11:13]
probe.names = letters[1:10]
gs = GenoSet(
  locData=RangedData(ranges=IRanges(start=1:10,width=1,names=probe.names),space=c(rep("chr1",4),rep("chr3",2),
  cn=matrix(31:60,nrow=10,ncol=3,dimnames=list(probe.names,test.sample.names)),
  pData=data.frame(matrix(LETTERS[1:15],nrow=3,ncol=5,dimnames=list(test.sample.names,letters[1:5]))),
  annotation="SNP6"
)
pos(gs) # 1:10
pos(locData(gs)) # The same

```

rangeColMeans

*Calculate column means for multiple ranges***Description**

Essentially colMeans with a loop, all in a .Call. Designed to take a 2-column matrix of row indices, bounds, for a matrix, x, and calculate mean for each range in each column (or along a single vector). bounds matrix need not cover all rows.

Usage

```
rangeColMeans(bounds, x)
```

Arguments

bounds A two column integer matrix of row indices
x A numeric matrix with rows corresponding to indices in bounds.

Value

A numeric matrix or vector, matching the form of x. One row for each row in bounds, one col for each col of x and appropriate dimnames. If x is a vector, just a vector with names from the rownames of bounds.

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

Other "range summaries": [boundingIndices](#), [boundingIndices2](#), [boundingIndicesByChr](#), [rangeSampleMeans](#)

rangeSampleMeans	<i>Average features in ranges per sample</i>
------------------	--

Description

This function takes per-feature genomic data and returns averages for each of a set of genomic ranges. The most obvious application is determining the copy number of a set of genes. The features corresponding to each gene are determined with boundingIndices such that all features with the bounds of a gene (overlaps). The features on either side of the gene unless those positions exactly match the first or last base covered by the gene. Therefore, genes falling between two features will at least cover two features. This is similar to rangeSampleMeans, but it checks the subject positions for being sorted and not being NA and also treats them as doubles, not ints. Range bounding performed by the boundingIndices function.

Usage

```
rangeSampleMeans(query.rd, subject, assay.element)
```

Arguments

query.rd	RangedData object representing genomic regions (genes) to be averaged.
subject	A GenoSet object or derivative
assay.element	character, name of element in assayData to use to extract data

Value

numeric matrix of features in each range averaged by sample

Author(s)

Peter M. Haverty

See Also

Other "range summaries": [boundingIndices](#), [boundingIndices2](#), [boundingIndicesByChr](#), [rangeColMeans](#)

Examples

```
data(genoset)
my.genes = RangedData( ranges=IRanges(start=c(35e6,128e6),end=c(37e6,129e6),names=c("HER2","CMYC")), space=c("chr7","chr22"))
rangeSampleMeans( my.genes, baf.ds, "lrr" )
```

readGenoSet	<i>Load a GenoSet from a RData file</i>
-------------	---

Description

Given a rds file or a rda file with one object (a GenoSet or related object), load it, and return.

Usage

```
readGenoSet(path)
```

Arguments

path character, path to rds or rda file

Value

GenoSet or related object (only object in RData file)

Author(s)

Peter M. Haverty <phaverty@gene.com>

Examples

```
## Not run: ds = readGenoSet("/path/to/genoSet.RData")
## Not run: ds = readGenoSet("/path/to/genoSet.rda")
## Not run: ds = readGenoSet("/path/to/genoSet.rds")
```

runCBS	<i>Run CBS Segmentation</i>
--------	-----------------------------

Description

Utility function to run CBS's three functions on one or more samples

Usage

```
runCBS(data, locs, return.segs = FALSE, n.cores = 1,
        smooth.region = 2, outlier.SD.scale = 4,
        smooth.SD.scale = 2, trim = 0.025, alpha = 0.001)
```

Arguments

data	numeric matrix with continuous data in one or more columns
locs	RangeData, like locData slot of GenoSet
return.segs	logical, if true list of segment data.frames return, otherwise a DataFrame of Rle vectors. One Rle per sample.
n.cores	numeric, number of cores to ask mclapply to use
smooth.region	number of positions to left and right of individual positions to consider when smoothing single point outliers
outlier.SD.scale	number of SD single points must exceed smooth.region to be considered an outlier
smooth.SD.scale	floor used to reset single point outliers
trim	fraction of sample to smooth
alpha	pvalue cutoff for calling a breakpoint

Details

Takes care of running CBS segmentation on one or more samples. Makes appropriate input, smooths outliers, and segment

Value

data frame of segments from CBS

Author(s)

Peter M. Haverty

See Also

Other "segmented data": [bounds2Rle](#), [segPairTable](#), [segPairTable](#), [segPairTable](#), [segs2RangedData](#), [segs2Rle](#), [segs2RleDataFrame](#), [segTable](#), [segTable](#), [segTable](#)

Examples

```
sample.names = paste("a", 1:2, sep="")
probe.names = paste("p", 1:30, sep="")
ds = matrix(c(c(rep(5,20), rep(3,10)), c(rep(2,10), rep(7,10), rep(9,10))), ncol=2, dimnames=list(probe.names, sample.names))
locs = RangedData(ranges=IRanges(start=c(1:20, 1:10), width=1, names=probe.names), space=paste("chr", c(rep(1,20), rep(1,10))))

seg.rle.result = DataFrame( a1 = Rle(c(rep(5,20), rep(3,10))), a2 = Rle(c(rep(2,10), rep(7,10), rep(9,10))), row.names=sample.names)
seg.list.result = list(
  a1 = data.frame( ID=rep("a1",2), chrom=factor(c("chr1","chr2")), loc.start=c(1,1), loc.end=c(20,10), num.mark=c(5,3)),
  a2 = data.frame( ID=rep("a2",3), chrom=factor(c("chr1","chr1","chr2")), loc.start=c(1,11,1), loc.end=c(10,20,10), num.mark=c(2,1,1))
)

runCBS(ds,locs) # Should give seg.rle.result
runCBS(ds,locs,return.segs=TRUE) # Should give seg.list.result
```

sampleNames	<i>Get sampleNames from a GenoSet</i>
-------------	---------------------------------------

Description

Get sampleNames from a GenoSet

Arguments

object	GenoSet
--------	---------

Value

character vector with names of samples

Examples

```
data(genoset)
head(sampleNames(cn.ds))
```

segPairTable	<i>Convert Rle objects to tables of segments</i>
--------------	--

Description

Like segTable, but for two Rle objects. Takes a pair of Rle or DataFrames with Rle columns and makes one or more data.frames with bounds of each new segment. Rle objects are broken up so that each resulting segment has one value from each Rle. For a DataFrame, the argument stack combines all of the individual data.frames into one large data.frame and adds a "Sample" column of sample ids.

Arguments

x	Rle or list/DataFrame of Rle vectors
y	Rle or list/DataFrame of Rle vectors
locs	RangedData with rows corresponding to rows of df
chr.ind	matrix, like from chrIndices method
start	integer, vector of feature start positions
end	integer, vector of feature end positions
factor.chr	scalar logical, make 'chrom' column a factor?
stack	logical, rbind list of segment tables for each sample and add "Sample" column?

Details

For a Rle, the user can provide `locs` or `chr.ind`, `start` and `stop`. The latter is surprisingly much faster and this is used in the `DataFrame` version.

Value

one or a list of `data.frames` with columns `chrom`, `loc.start`, `loc.end`, `num.mark`, `seg.mean`

Author(s)

Peter M. Haverty

See Also

Other "segmented data": [bounds2Rle](#), [runCBS](#), [segs2RangedData](#), [segs2Rle](#), [segs2RleDataFrame](#), [segTable](#), [segTable](#), [segTable](#)

Examples

```
cn = Rle(c(3,4,5,6),rep(3,4))
loh = Rle(c(2,4,6,8,10,12),rep(2,6))
start = c(9:11,4:9,15:17)
end = start
locs = RangedData(IRanges(start=start,end=end),space=c(rep("chr1",3),rep("chr2",6),rep("chr3",3)))
segPairTable(cn,loh,locs)
```

segs2RangedData

Make a RangedData from segments

Description

Starting from a `data.frame` of segments, like from `CBS` and `segTable`, organize as a `RangedData`. Label data "score", so it can easily be made into various genome browser formats using `rtracklayer`.

Usage

```
segs2RangedData(segs)
```

Arguments

`segs` `data.frame`, like from segment in `DNAcopy` or `segTable`

Value

`RangedData`

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

Other "segmented data": [bounds2Rle](#), [runCBS](#), [segPairTable](#), [segPairTable](#), [segPairTable](#), [segs2Rle](#), [segs2RleDataFrame](#), [segTable](#), [segTable](#), [segTable](#)

 segs2Rle

Make Rle from segments for one sample

Description

Take output of CBS, make Rle representing all features in 'locs' ranges. CBS output contains run length and run values for genomic segments, which could very directly be converted into a Rle. However, as NA values are often removed, especially for mBAF data, these run lengths do not necessarily cover all features in every sample. Using the start and top positions of each segment and the location of each feature, we can make a Rle that represents all features.

Usage

```
segs2Rle(segs, locs)
```

Arguments

segs	data.frame of segments, formatted as output of segment function from DNACopy package
locs	RangedData, like locData slot of a GenoSet

Value

Rle with run lengths and run values covering all features in the data set.

Author(s)

Peter M. Haverty <phaverty@gene.com>

See Also

Other "segmented data": [bounds2Rle](#), [runCBS](#), [segPairTable](#), [segPairTable](#), [segPairTable](#), [segs2RangedData](#), [segs2RleDataFrame](#), [segTable](#), [segTable](#), [segTable](#)

Examples

```
data(genoset)
segs = runCBS( lrr(baf.ds), locData(baf.ds), return.segs=TRUE )
segs2Rle( segs[[1]], locData(baf.ds) ) # Take a data.frame of segments, say from DNACopy's segment function, and r
```

segs2RleDataFrame	<i>CBS segments to probe matrix</i>
-------------------	-------------------------------------

Description

Given segments, make a DataFrame of Rle objects for each sample

Usage

```
segs2RleDataFrame(seg.list, locs)
```

Arguments

seg.list	list, list of data frames, one per sample, each is result from CBS
locs	locData from a GenoSet object

Details

Take table of segments from CBS, convert DataTable of Rle objects for each sample.

Value

DataFrame of Rle objects with nrows same as locs and one column for each sample

Author(s)

Peter Haverty

See Also

Other "segmented data": [bounds2Rle](#), [runCBS](#), [segPairTable](#), [segPairTable](#), [segPairTable](#), [segs2RangedData](#), [segs2Rle](#), [segTable](#), [segTable](#), [segTable](#)

Examples

```
data(genoset)
seg.list = runCBS( lrr(baf.ds), locData(baf.ds), return.segs=TRUE )
segs2RleDataFrame( seg.list, locData(baf.ds) ) # Loop segs2Rle on list of data.frames in seg.list
```

segTable	<i>Convert Rle objects to tables of segments</i>
----------	--

Description

Like the inverse of `segs2Rle` and `segs2RleDataFrame`. Takes a `Rle` or a `DataFrame` with `Rle` columns and the `locData` `RangedData` both from a `GenoSet` object and makes a list of `data.frames` each like the result of `CBS`'s `segment`. Note the `loc.start` and `loc.stop` will correspond exactly to probe locations in `locData` and the input to `segs2RleDataFrame` are not necessarily so. For a `DataFrame`, the argument `stack` combines all of the individual `data.frames` into one large `data.frame` and adds a "Sample" column of sample ids.

Arguments

<code>object</code>	<code>Rle</code> or <code>list/DataFrame</code> of <code>Rle</code> vectors
<code>locs</code>	<code>RangedData</code> with rows corresponding to rows of <code>df</code>
<code>chr.ind</code>	matrix, like from <code>chrIndices</code> method
<code>start</code>	integer, vector of feature start positions
<code>end</code>	integer, vector of feature end positions
<code>factor.chr</code>	scalar logical, make 'chrom' column a factor?
<code>stack</code>	logical, <code>rbind</code> list of segment tables for each sample and add "Sample" column?

Details

For a `Rle`, the user can provide `locs` or `chr.ind`, `start` and `stop`. The latter is surprisingly much faster and this is used in the `DataFrame` version.

Value

one or a list of `data.frames` with columns `chrom`, `loc.start`, `loc.end`, `num.mark`, `seg.mean`

Author(s)

Peter M. Haverty

See Also

Other "segmented data": [bounds2Rle](#), [runCBS](#), [segPairTable](#), [segPairTable](#), [segPairTable](#), [segs2RangedData](#), [segs2Rle](#), [segs2RleDataFrame](#)

Examples

```

data(genoset)
seg.list = runCBS( lrr(baf.ds), locData(baf.ds), return.segs=TRUE )
df = segs2RleDataFrame( seg.list, locData(baf.ds) ) # Loop segs2Rle on list of data.frames in seg.list
assayDataElement( baf.ds, "lrr.segs" ) = df
segTable( df, locData(baf.ds) )
segTable( assayDataElement(baf.ds,"lrr.segs"), locData(baf.ds) )
segTable( assayDataElement(baf.ds,"lrr.segs")[,1], locData(baf.ds), sampleNames(baf.ds)[1] )

```

subsetAssayData	<i>Subset assayData</i>
-----------------	-------------------------

Description

Subset or re-order assayData

Usage

```
subsetAssayData(orig, i, j, ..., drop = FALSE)
```

Arguments

orig	assayData environment
i	row indices
j	col indices
...	Additional args to give to subset operator
drop	logical, drop dimensions when subsetting with single value?

Details

Subset or re-order assayData locked environment, environment, or list. Shamelessly stolen from "[" method in Biobase version 2.8 along with guts of assayDataStorageMode()

Value

assayData data structure

Author(s)

Peter M. Haverty

Examples

```

data(genoset)
ad = assayData(genoset.ds)
small.ad = subsetAssayData(ad,1:5,2:3)

```

toGenomeOrder	<i>Set a GRanges, GenoSet, or RangedData to genome order</i>
---------------	--

Description

Returns a re-ordered object sorted by chromosome and start position. If `strict=TRUE`, then chromosomes must be in order specified by `chrOrder`. If `ds` is already ordered, no re-ordering is done. Therefore, checking order with `isGenomeOrder`, is unnecessary if order will be corrected if `isGenomeOrder` is `FALSE`.

Arguments

<code>ds</code>	GenoSet, GRanges, or RangedData
<code>strict</code>	logical, should chromosomes be in order specified by <code>chrOrder</code> ?

Details

`toGenomeOrder` for `GRanges` differs from `sort` in that it orders by chromosome and start position only, rather than chromosome, strand, start, and width.

Value

re-ordered `ds`

Author(s)

Peter M. Haverty

See Also

Other "genome ordering": [chrOrder](#), [isGenomeOrder](#), [isGenomeOrder](#), [isGenomeOrder](#)

Examples

```
data(genoset)
toGenomeOrder( baf.ds, strict=TRUE )
toGenomeOrder( baf.ds, strict=FALSE )
toGenomeOrder( locData(baf.ds) )
```

universe

*Get and set the genome universe annotation.***Description**

Genome universe for locData

Set genome universe

Get start of location for each feature

Get end of location for each feature

Get width of location for each feature

Get chromosome names

Get ranges from locData slot

locData slot holds a RangedData, which keeps the chromosome of each feature in a factor names 'space'. The ranges method on a GenoSet is deprecated. Please use space(locData(x)) or seq-names(locData(x)) as appropriate for RangedData or GRanges.

Get elementLengths from locData slot

Arguments

x	GenoSet or GRanges
x	GenoSet or GRanges
value	character, new universe string, e.g. hg19
x	GenoSet
x	GenoSet
x	GenoSet
x	GenoSet
x	GenoSet
x	GenoSet
x	GenoSet
x	GenoSet
i	character, RangedData, logical, integer
j	character, RangedData, logical, integer
k	character or integer
drop	logical drop levels of space factor?
...	additional subsetting args

Details

The genome positions of the features in `locData`. The UCSC notation (e.g. hg18, hg19, etc.) should be used. For a `GRanges`, the first value is returned if there are multiple.

Get chromosome names, which are the names of the `locData` slot. The `names` method on a `GenoSet` is deprecated. Please use `chrNames`.

Get ranges from `locData` slot. The `ranges` method on a `GenoSet` is deprecated. Please use `ranges(locData(x))`.

Get `elementLengths` from `locData` slot

Value

character, e.g. hg19

updated copy of x

integer

integer

integer

character

character

factor

character

Author(s)

Peter M. Haverty

Peter Haverty

Peter M. Haverty

Peter M. Haverty

Peter M. Haverty

Peter Haverty

Peter Haverty

Peter M. Haverty

Peter Haverty

Examples

```
data(genoset)
  universe(locData.rd)
  universe(locData.rd) = "hg19"
data(genoset)
chr(genoset.ds)
start(genoset.ds)
end(genoset.ds)
chrNames(genoset.ds)
elementLengths(genoset.ds) # Returns the number of probes per chromosome
```

```
data(genoset)
  genoset.ds[1:5,2:3] # first five probes and samples 2 and 3
  genoset.ds[ , "K"] # Sample called K
rd = RangedData(ranges=IRanges(start=seq(from=15e6,by=1e6,length=7),width=1),names=letters[8:14],space=rep("c",7))
genoset.ds[ rd, "K" ] # sample K and probes overlapping those in rd, which overlap specified ranges on chr17
```

Index

*Topic **classes**

BAFSet-class, 6
CNSet-class, 18
GenoSet-class, 26

*Topic **datasets**

genoset-datasets, 28

[(universe), 45

[,GenoSet,ANY,ANY,ANY-method
(universe), 45

[,GenoSet,ANY-method (universe), 45

[,GenoSet,RangedDataOrGRanges,ANY,ANY-method
(universe), 45

[,GenoSet,RangedDataOrGRanges-method
(universe), 45

[,GenoSet,character,ANY,ANY-method
(universe), 45

[,GenoSet,character-method (universe),
45

[<- (universe), 45

[<-,GenoSet,ANY,ANY,ANY-method
(universe), 45

baf, 3

baf,BAFSet-method (baf), 3

baf.ds (genoset-datasets), 28

baf2mbaf, 4

baf<- (baf), 3

baf<-,BAFSet,matrix-method (baf), 3

BAFSet, 5, 7, 19, 27

BAFSet-class, 6

BAFSet-deprecated (BAFSet), 5

BAFSet.to.ExpressionSets, 7

BAFSet.to.ExpressionSets-deprecated
(BAFSet.to.ExpressionSets), 7

boundingIndices, 8, 10, 11, 34, 35

boundingIndices2, 9, 9, 11, 34, 35

boundingIndicesByChr, 9, 10, 10, 34, 35

bounds2Rle, 11, 37, 39–42

chr, 12

chr,GenoSet-method (chr), 12

chr,GRanges-method (chr), 12

chr,RangedData-method (chr), 12

chrIndices, 13

chrIndices,RangedDataOrGenoSetOrGRanges-method
(chrIndices), 13

chrInfo, 14

chrInfo,RangedDataOrGenoSetOrGRanges-method
(chrInfo), 14

chrNames, 14

chrNames,GenoSet-method (chrNames), 14

chrNames,GRanges-method (chrNames), 14

chrNames,RangedData-method (chrNames),
14

chrNames<- (chrNames), 14

chrNames<- ,GenoSet-method (chrNames), 14

chrNames<- ,GRanges-method (chrNames), 14

chrNames<- ,RangedData-method
(chrNames), 14

chrOrder, 15, 30, 44

cn, 16

cn,CNSet-method (cn), 16

cn.ds (genoset-datasets), 28

cn2lr, 16

cn<- (cn), 16

cn<- ,CNSet,matrix-method (cn), 16

CNSet, 7, 17, 19, 27

CNSet-class, 18

CNSet-deprecated (CNSet), 17

colMeans, 19

colMeans,DataFrame-method (colMeans), 19

dim (universe), 45

dim,GenoSet-method (universe), 45

elementLengths (universe), 45

elementLengths,GenoSet-method
(universe), 45

elementLengths,GRanges-method
(universe), 45

- end (universe), 45
- end, GenoSet-method (universe), 45
- eSet, 6, 18, 26
- fake.baf (genoset-datasets), 28
- fake.cn (genoset-datasets), 28
- fake.lrr (genoset-datasets), 28
- fake.pData (genoset-datasets), 28
- featureNames, 20
- featureNames, GenoSet-method (featureNames), 20
- featureNames, GRanges-method (featureNames), 20
- featureNames, RangedData-method (featureNames), 20
- featureNames<-, 20
- featureNames<-, GenoSet-method (featureNames<-), 20
- featureNames<-, GRanges-method (featureNames<-), 20
- featureNames<-, RangedData-method (featureNames<-), 20
- fixSegNAs, 21
- gcCorrect, 21
- genomeAxis, 22, 24
- genoPlot, 23, 23
- genoPlot, numeric, numeric-method (genoPlot), 23
- genoPlot, numeric, Rle-method (genoPlot), 23
- genoPlot, RangedDataOrGenoSetOrGRanges, ANY-method (genoPlot), 23
- genoPlot-methods (genoPlot), 23
- genoPos, 24
- genoPos, RangedDataOrGenoSetOrGRanges-method (genoPos), 24
- GenoSet, 6, 7, 18, 19, 25, 27
- genoset (genoset-package), 3
- GenoSet-class, 26
- genoset-datasets, 28
- genoset-deprecated, 28
- genoset-package, 3
- genoset.ds (genoset-datasets), 28
- initGenoSet, 29
- isGenomeOrder, 15, 30, 44
- isGenomeOrder, GRanges-method (isGenomeOrder), 30
- isGenomeOrder, RangedDataOrGenoSet-method (isGenomeOrder), 30
- locData, 31
- locData, GenoSet-method (locData), 31
- locData-methods (locData), 31
- locData.gr (genoset-datasets), 28
- locData.rd (genoset-datasets), 28
- locData<- (locData), 31
- locData<-, GenoSet, RangedDataOrGRanges-method (locData), 31
- locData<--methods (locData), 31
- lr2cn, 31
- lrr, 32
- lrr, BAFSet-method (lrr), 32
- lrr<- (lrr), 32
- lrr<-, BAFSet, matrix-method (lrr), 32
- modeCenter, 33
- names (universe), 45
- names, GenoSet-method (universe), 45
- nrow (universe), 45
- nrow, GRanges-method (universe), 45
- pos, 33
- pos, RangedDataOrGenoSetOrGRanges-method (pos), 33
- rangeColMeans, 9–11, 34, 35
- ranges (universe), 45
- ranges, GenoSet-method (universe), 45
- rangeSampleMeans, 9–11, 34, 35
- readGenoSet, 36
- runCBS, 12, 36, 39–42
- sampleNames, 38
- sampleNames, GenoSet-method (sampleNames), 38
- segPairTable, 12, 37, 38, 40–42
- segPairTable, DataFrame, DataFrame-method (segPairTable), 38
- segPairTable, Rle, Rle-method (segPairTable), 38
- segs2RangedData, 12, 37, 39, 39–42
- segs2Rle, 12, 37, 39, 40, 40–42
- segs2RleDataFrame, 12, 37, 39, 40, 41, 42
- segTable, 12, 37, 39–41, 42
- segTable, DataFrame-method (segTable), 42
- segTable, Rle-method (segTable), 42

show (universe), 45
show,BAFSet-method (universe), 45
show,CNSet-method (universe), 45
show,GenoSet-method (universe), 45
space (universe), 45
space,GenoSet-method (universe), 45
start (universe), 45
start,GenoSet-method (universe), 45
subsetAssayData, 43

toGenomeOrder, 15, 30, 44
toGenomeOrder, GenoSets-method
 (toGenomeOrder), 44
toGenomeOrder, GRanges-method
 (toGenomeOrder), 44
toGenomeOrder, RangedData-method
 (toGenomeOrder), 44

universe, 45
universe, GenoSets-method (universe), 45
universe, GRanges-method (universe), 45
universe<- (universe), 45
universe<- , GenoSets-method (universe), 45
universe<- , GRanges-method (universe), 45

width (universe), 45