

# BSgenome.Cfamiliaris.UCSC.canFam3

September 24, 2013

---

BSgenome.Cfamiliaris.UCSC.canFam3

*Canis lupus familiaris (Dog) full genome (UCSC version canFam3)*

---

## Description

Canis lupus familiaris (Dog) full genome as provided by UCSC (canFam3, Sep. 2011) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

sequences: canFam3.fa.gz and the upstream\*.fa.gz files  
from <http://hgdownload.cse.ucsc.edu/goldenPath/canFam3/bigZips/>  
AGAPS masks: <http://hgdownload.cse.ucsc.edu/goldenPath/canFam3/database/gap.txt.gz>  
RM masks: <http://hgdownload.cse.ucsc.edu/goldenPath/canFam3/bigZips/canFam3.fa.out.gz>  
TRF masks: <http://hgdownload.cse.ucsc.edu/goldenPath/canFam3/bigZips/canFam3.trf.bed.gz>

See [?BSgenomeForge](#) and the BSgenomeForge vignette (vignette("BSgenomeForge")) in the BSgenome software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

**Examples**

```

BSgenome.Cfamiliaris.UCSC.canFam3
genome <- BSgenome.Cfamiliaris.UCSC.canFam3
seqlengths(genome)
genome$chr1 # same as genome[["chr1"]]

if ("AGAPS" %in% masknames(genome)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
    ## Replace all masks by the inverted AGAPS mask
    masks(seq) <- gaps(masks(seq)["AGAPS"])
    unique_letters <- uniqueLetters(seq)
    if (any(unique_letters != "N"))
      stop("assembly gaps contain more than just Ns")
  }

  ## A message will be printed each time a sequence is removed
  ## from the cache:
  options(verbose=TRUE)

  for (seqname in seqnames(genome)) {
    cat("Checking sequence", seqname, "... ")
    seq <- genome[[seqname]]
    checkOnlyNsInGaps(seq)
    cat("OK\n")
  }
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")

```

# Index

\*Topic **data**

BSgenome.Cfamilaris.UCSC.canFam3,

[1](#)

\*Topic **package**

BSgenome.Cfamilaris.UCSC.canFam3,

[1](#)

available.genomes, *1*

BSgenome-class, *1*

BSgenome.Cfamilaris.UCSC.canFam3, [1](#)

BSgenome.Cfamilaris.UCSC.canFam3-package  
(BSgenome.Cfamilaris.UCSC.canFam3),

[1](#)

BSgenomeForge, *1*

Cfamilaris

(BSgenome.Cfamilaris.UCSC.canFam3),

[1](#)

DNASTring-class, *1*