

Package ‘PLPE’

April 5, 2014

Version 1.22.0

Date 2009-07-22

Title Local Pooled Error Test for Differential Expression with Paired High-throughput Data

Author HyungJun Cho <hj4cho@korea.ac.kr> and Jae K. Lee <jaeklee@virginia.edu>

Maintainer Soo-heang Eo <hanansh@korea.ac.kr>

Depends R (>= 2.6.2), Biobase (>= 2.5.5), LPE, MASS, methods

Description This package performs tests for paired high-throughput data.

biocViews Proteomics, Microarray, DifferentialExpression

LazyLoad yes

LazyData yes

License GPL (>= 2)

URL <http://www.korea.ac.kr/~stat2242/>

R topics documented:

| | |
|----------------------------------|----------|
| lpe.paired | 2 |
| lpe.paired.default | 3 |
| lpe.paired.fdr | 4 |
| lpe.paired.fdr.default | 5 |
| plateletSet | 7 |
| Index | 8 |

`lpe.paired`*Local Pooled Error Test for Paired Data*

Description

This investigates differential expression for paired high-throughput data.

Usage

```
lpe.paired(x, ...)
```

Arguments

| | |
|------------------|------------------------------------------------------------------------------------|
| <code>x</code> | an object for which the extraction of model <code>lpe.paired</code> is meaningful. |
| <code>...</code> | other arguments |

Value

| | |
|------------------|----------------------------------------------------------------------------------------|
| <code>x</code> | design matrix; condition index in the first column and pair index in the second column |
| <code>...</code> | data type: 'ms' for mass spectrometry data, 'cdna' for cDNA microarray data |

Author(s)

HyungJun Cho and Jae K. Lee

References

Cho H, Smalley DM, Ross MM, Theodorescu D, Ley K and Lee JK (2007). Statistical Identification of Differentially Labelled Peptides from Liquid Chromatography Tandem Mass Spectrometry, *Proteomics*, 7:3681-3692.

See Also

[lpe.paired.default](#)

Examples

```
#LC-MS/MS proteomic data for platelets MPs
library(PLPE)
data(plateletSet)
x <- exprs(plateletSet)
x <- log2(x)

cond <- c(1, 2, 1, 2, 1, 2)
pair <- c(1, 1, 2, 2, 3, 3)
design <- cbind(cond, pair)
```

```
out <- lpe.paired(x, design, q=0.1, data.type="ms")
out$test.out[1:10,]
```

`lpe.paired.default` *Local Pooled Error Test for Paired Data*

Description

This investigates differential expression for paired high-throughput data.

Usage

```
## Default S3 method:
lpe.paired(x, design, data.type, q=0.01, probe.ID = NULL, estimator="median", w=0.5, w.estimator="fixed",
```

Arguments

| | |
|--------------------------|--------------------------------------------------------------------------------------------------------|
| <code>x</code> | data matrix |
| <code>design</code> | design matrix; condition index in the first column and pair index in the second column |
| <code>q</code> | quantile for intervals of intensities |
| <code>probe.ID</code> | probe set IDs; if NULL, row numbers are assigned. |
| <code>data.type</code> | data type: 'ms' for mass spectrometry data, 'cdna' for cDNA microarray data |
| <code>estimator</code> | specification for the estimator: 'median', 'mean' and 'huber' |
| <code>w</code> | weight parameter between individual variance estimate and pooling variance estimate, $0 \leq w \leq 1$ |
| <code>w.estimator</code> | two approaches to estimate the weight: 'random' or 'fixed' |
| <code>iseed</code> | seed number |
| <code>...</code> | other arguments |

Value

| | |
|--------------------------|--------------------------------------------------------------------------------------------------------|
| <code>design</code> | design matrix; condition index in the first column and pair index in the second column |
| <code>data.type</code> | data type: 'ms' for mass spectrometry data, 'cdna' for cDNA microarray data |
| <code>q</code> | quantile for intervals of intensities |
| <code>estimator</code> | specification for the estimator: 'median', 'mean' and 'huber' |
| <code>w.estimator</code> | two approaches to estimate the weight: 'random' or 'fixed' |
| <code>w</code> | weight parameter between individual variance estimate and pooling variance estimate, $0 \leq w \leq 1$ |
| <code>test.out</code> | matrix for test results |

Author(s)

HyungJun Cho and Jae K. Lee

References

Cho H, Smalley DM, Ross MM, Theodorescu D, Ley K and Lee JK (2007). Statistical Identification of Differentially Labelled Peptides from Liquid Chromatography Tandem Mass Spectrometry, *Proteomics*, 7:3681-3692.

See Also

[lpe.paired](#)

Examples

```
#LC-MS/MS proteomic data for platelets MPs
library(PLPE)
data(plateletSet)
x <- exprs(plateletSet)
x <- log2(x)

cond <- c(1, 2, 1, 2, 1, 2)
pair <- c(1, 1, 2, 2, 3, 3)
design <- cbind(cond, pair)

out <- lpe.paired(x, design, q=0.1, data.type="ms")
out$test.out[1:10,]
summary(out)
```

| | |
|----------------|---------------------|
| lpe.paired.fdr | <i>FDR for PLPE</i> |
|----------------|---------------------|

Description

This computes FDR for PLPE.

Usage

```
lpe.paired.fdr(x, ...)
```

Arguments

| | |
|-----|-----------------|
| x | data matrix |
| ... | other arguments |

Author(s)

HyungJun Cho and Jae K. Lee

References

Cho H, Smalley DM, Ross MM, Theodorescu D, Ley K and Lee JK (2007). Statistical Identification of Differentially Labelled Peptides from Liquid Chromatography Tandem Mass Spectrometry, *Proteomics*, 7:3681-3692.

See Also

[lpe.paired.fdr.default](#)

Examples

```
#LC-MS/MS proteomic data for platelets MPs
library(PLPE)
data(plateletSet)
x <- exprs(plateletSet)
x <- log2(x)

cond <- c(1, 2, 1, 2, 1, 2)
pair <- c(1, 1, 2, 2, 3, 3)
design <- cbind(cond, pair)

out <- lpe.paired(x, design, q=0.1, data.type="ms")
out.fdr <- lpe.paired.fdr(x,obj=out)
out.fdr$FDR[1:10,]
```

`lpe.paired.fdr.default`

FDR for PLPE

Description

This computes FDR for PLPE.

Usage

```
## Default S3 method:
lpe.paired.fdr(x, obj, n.iter=5, lambda=0.9, ...)
```

Arguments

| | |
|---------------------|------------------------------------------------------|
| <code>x</code> | data matrix |
| <code>obj</code> | object created from <code>lpe.paired</code> |
| <code>n.iter</code> | number of iterations |
| <code>lambda</code> | numeric vector of probabilities with values in [0,1] |
| <code>...</code> | other argument |

Value

| | |
|-------------|-------------------------------------------------------------------------------------------------------|
| design | design matrix; condition index in the first column and pair index in the second column |
| data.type | data type: 'ms' for mass spectrometry data, 'cdna' for cDNA microarray data |
| estimator | specification for the estimator: 'median', 'mean' and 'huber' |
| w.estimator | two approaches to estimate the weight: 'random' or 'fixed' |
| w | weight paramter between individual variance estimate and pooling variance estimate, $0 \leq w \leq 1$ |
| pi0 | estimated proportion of non-null peptides |
| FDR | matrix for test results including FDRs |
| ... | other arguments |

Author(s)

HyungJun Cho and Jae K. Lee

References

Cho H, Smalley DM, Ross MM, Theodorescu D, Ley K and Lee JK (2007). Statistical Identification of Differentially Labelled Peptides from Liquid Chromatography Tandem Mass Spectrometry, *Proteomics*, 7:3681-3692.

See Also

[lpe.paired.fdr](#)

Examples

```
#LC-MS/MS proteomic data for platelets MPs
library(PLPE)
data(plateletSet)
x <- exprs(plateletSet)
x <- log2(x)

cond <- c(1, 2, 1, 2, 1, 2)
pair <- c(1, 1, 2, 2, 3, 3)
design <- cbind(cond, pair)

out <- lpe.paired(x, design, q=0.1, data.type="ms")
out.fdr <- lpe.paired.fdr(x,obj=out)
out.fdr$FDR[1:10,]
```

plateletSet

LCMS proteomic data for platelet MPs

Description

This data set consists of LC-MS/MS data with three replicates of paired samples.

Source

Garcia BA, Smalley DM, Cho H, Shabanowitz J, Ley K and Hunt DF (2005). The Platelet Microparticle Proteome, *Journal of Proteome Research*, 4:1516-1521.

Index

*Topic **datasets**

plateletSet, 7

*Topic **models**

lpe.paired, 2

lpe.paired.default, 3

lpe.paired.fdr, 4

lpe.paired.fdr.default, 5

lpe.paired, 2, 4

lpe.paired.default, 2, 3

lpe.paired.fdr, 4, 6

lpe.paired.fdr.default, 5, 5

plateletSet, 7