

# BSgenome.Ptroglodytes.UCSC.panTro2

April 4, 2014

---

Ptroglodytes

*Pan troglodytes (Chimp) full genome (UCSC version panTro2)*

---

## Description

Pan troglodytes (Chimp) full genome as provided by UCSC (panTro2, Mar. 2006) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

sequences: chromFa.tar.gz, upstream1000.fa.gz, upstream2000.fa.gz, upstream5000.fa.gz  
from <http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/>  
AGAPS masks: gap.txt.gz from <ftp://hgdownload.cse.ucsc.edu/goldenPath/panTro2/database/>  
RM masks: <http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/chromOut.tar.gz>  
TRF masks: <http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/chromTrf.tar.gz>

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

## Author(s)

H. Pages

## See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

**Examples**

```

Ptroglodytes
seqlengths(Ptroglodytes)
Ptroglodytes$chr1 # same as Ptroglodytes[["chr1"]]

if ("AGAPS" %in% masknames(Ptroglodytes)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
    ## Replace all masks by the inverted AGAPS mask
    masks(seq) <- gaps(masks(seq)["AGAPS"])
    unique_letters <- uniqueLetters(seq)
    if (any(unique_letters != "N"))
      stop("assembly gaps contain more than just Ns")
  }

  ## A message will be printed each time a sequence is removed
  ## from the cache:
  options(verbose=TRUE)

  for (seqname in seqnames(Ptroglodytes)) {
    cat("Checking sequence", seqname, "... ")
    seq <- Ptroglodytes[[seqname]]
    checkOnlyNsInGaps(seq)
    cat("OK\n")
  }
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")

```

# Index

\*Topic **data**

    Ptroglodytes, [1](#)

\*Topic **package**

    Ptroglodytes, [1](#)

available.genomes, [1](#)

BSgenome-class, [1](#)

BSgenome.Ptroglodytes.UCSC.panTro2  
    (Ptroglodytes), [1](#)

BSgenome.Ptroglodytes.UCSC.panTro2-package  
    (Ptroglodytes), [1](#)

BSgenomeForge, [1](#)

DNAStrng-class, [1](#)

Ptroglodytes, [1](#)