

# Package ‘MSnbase’

October 8, 2014

**Title** MSnbase: Base Functions and Classes for MS-based Proteomics

**Version** 1.12.1

**Description** Basic plotting, data manipulation and processing of MS-based Proteomics data

**Author** Laurent Gatto <lg390@cam.ac.uk> with contributions from  
Guangchuang Yu, Samuel Wieczorek, Vasile-Cosmin Lazar, Vladislav Petyuk and Sebastian Gibb.

**Maintainer** Laurent Gatto <lg390@cam.ac.uk>

**Depends** R (>= 3.1), methods, BiocGenerics (>= 0.7.1), Biobase (>= 2.15.2), ggplot2, mzR

**Imports** plyr, IRanges, preprocessCore, vsn, grid, reshape2, stats4, affy, impute, pcaMethods, mzID (>= 1.1.5)

**Suggests** testthat, zoo, knitr (>= 1.1.0), rols, Rdisop, pRolocdata (>= 1.0.7), msdata

**Enhances** foreach, doMC, parallel

**License** Artistic-2.0

**LazyData** yes

**VignetteBuilder** knitr

**biocViews** Infrastructure, Proteomics, MassSpectrometry, QualityControl

## R topics documented:

|   |    |
|---|----|
| MSnbase-package . . . . .               | 3  |
| addIdentificationData-methods . . . . . | 4  |
| chromatogram-methods . . . . .          | 5  |
| clean-methods . . . . .                 | 6  |
| combineFeatures . . . . .               | 7  |
| exprsToRatios-methods . . . . .         | 9  |
| extractPrecSpectra-methods . . . . .    | 10 |
| featureCV . . . . .                     | 10 |
| fillUp . . . . .                        | 11 |

|                                     |    |
|-------------------------------------|----|
| formatRt . . . . .                  | 12 |
| getVariableName . . . . .           | 13 |
| grepEcols . . . . .                 | 13 |
| impute-methods . . . . .            | 14 |
| iTRAQ4 . . . . .                    | 15 |
| itraqdata . . . . .                 | 16 |
| makeMTD . . . . .                   | 17 |
| makePEP . . . . .                   | 19 |
| makePRT . . . . .                   | 21 |
| MIAPE-class . . . . .               | 24 |
| MSnExp-class . . . . .              | 26 |
| MSnProcess-class . . . . .          | 29 |
| MSnSet-class . . . . .              | 30 |
| NAnnotatedDataFrame-class . . . . . | 34 |
| normalise-methods . . . . .         | 35 |
| nQuants . . . . .                   | 37 |
| plot-methods . . . . .              | 38 |
| plot2d-methods . . . . .            | 39 |
| plotDensity-methods . . . . .       | 40 |
| plotMzDelta-methods . . . . .       | 41 |
| plotNA-methods . . . . .            | 42 |
| precSelection . . . . .             | 43 |
| pSet-class . . . . .                | 44 |
| purityCorrect-methods . . . . .     | 47 |
| quantify-methods . . . . .          | 49 |
| readIspyData . . . . .              | 52 |
| readMgfData . . . . .               | 53 |
| readMSData . . . . .                | 54 |
| readMSnSet . . . . .                | 56 |
| readMzTabData . . . . .             | 58 |
| removeNoId-methods . . . . .        | 59 |
| removePeaks-methods . . . . .       | 60 |
| removeReporters-methods . . . . .   | 61 |
| ReporterIons-class . . . . .        | 62 |
| Spectrum-class . . . . .            | 64 |
| Spectrum1-class . . . . .           | 66 |
| Spectrum2-class . . . . .           | 67 |
| TMT6 . . . . .                      | 68 |
| trimMz-methods . . . . .            | 69 |
| writeMgfData-methods . . . . .      | 70 |
| writeMzTabData . . . . .            | 71 |
| xic-methods . . . . .               | 72 |

## Description

MSnbase provides classes, methods and functions for visualisation, manipulation and processing of mass spectrometry data.

Important class are "MSnExp" (raw data file), "MSnSet" (quantitation data) and "ReporterIons" (reporter ions for labelled proteomics).

Other classes are "Spectrum" and the subclasses "Spectrum1" (for MS spectra) and "Spectrum2" (for MSMS spectra), "MIAPE" (Minimum Information about Proteomics Experiments) and "MSnProcess" (for processing information). These should however not be of direct utility to users.

## Author(s)

Laurent Gatto

Maintainer: Laurent Gatto <lg390@cam.ac.uk>

## References

Laurent Gatto and Kathryn S. Lilley, MSnbase - an R/Bioconductor package for isobaric tagged mass spectrometry data visualization, processing and quantitation, *Bioinformatics* 28(2), 288-289 (2012).

Gatto L. and Lilley K.S., Towards reproducible MSMS data preprocessing, quality control and quantification. BSPR/EBI Proteomics Meeting, Hinxton, United Kingdom, 13-15 July 2010, <http://dx.doi.org/10.1038/npre.2010.5010.1>.

## See Also

Introductory information, use cases and details are available from the vignettes:

- The demo vignette describe an use-case using a dummy data set provided with the package. It can be accessed with `vignette("MSnbase-demo", package = "MSnbase")`.
- The development vignette describes the classes implemented in MSnbase and can be accessed with `vignette("MSnbase-development", package = "MSnbase")`.
- Details about input/output capabilities and formats can be found in `vignette("MSnbase-io", package = "MSnbase")`.

Complete listing of available documentation with `library(help = "MSnbase")`.

---

addIdentificationData-methods

*Adds Identification Data*

---

## Description

This methods add identification data to an experiment "MSnExp" or to a "MSnSet".

## Details

The featureData slots in an "MSnExp" or an "MSnSet" instance provides only one row per MS2 spectrum but the identification is not always bijective. If multiple possible matches are present only the highest ranked identification is added. The column npsm contains the number of matches. If there are more than one possible match the columns accession and description contain a semicolon separated list of all matches sorted by their rank values.

## Methods

signature(object = "MSnExp", filenames = "character", verbose = "logical") Adds the identification data stored in mzIdentML files to a "MSnExp" instance. The method handles one or multiple mzIdentML files provided via filenames. The verbose argument (default is TRUE) defines whether status messages should be showed.

signature(object = "MSnSet", filenames = "character", verbose = "logical") Adds the identification data stored in mzIdentML files to an "MSnSet" instance. Please note that that would be only possible if the "MSnSet" was generated from an "MSnExp" object or the featureData slot has columns file and acquisition.number.

The method handles one or multiple mzIdentML files provided via filenames. The verbose argument (default is TRUE) defines whether status messages should be showed.

## Author(s)

Sebastian Gibb <mail@sebastiangibb.de>

## See Also

[MSnExp](#) and [MSnSet](#).

## Examples

```
## find path to a mzXML file
quantFile <- dir(system.file(package = "MSnbase", dir = "extdata"),
                full.name = TRUE, pattern = "mzXML$")
## find path to a mzIdentML file
identFile <- dir(system.file(package = "MSnbase", dir = "extdata"),
                full.name = TRUE, pattern = "mzid$")

## create basic MSnExp
```

```
msexp <- readMSData(quantFile)

## add identification information
msexp <- addIdentificationData(msexp, identFile)

## access featureData; please note the multiple identification data
## for spectrum 1 (row 1)
fData(msexp)

idSummary(msexp)
```

---

chromatogram-methods    *Plots a chromatogram*

---

### Description

The method plot the chromatogram for various types in inputs (see below). Additional arguments are

**y** One of "tic" (default) or "bpi" to plot the total ion current of base peak intensity chromatogram.

**f** Optional and only when the input is a data.frame. Otherwise, it is extracted automatically from object. f is used to print the filename on the figure.

**legend** A logical defining if the figure should be annotated.

**plot** A logical defining if the plot should be rendered.

**ms** A numeric defining what MS level spectra to use. Default is 1L.

**...** Additional arguments passed to the plot function.

xcms::plotChrom provides a similar functionality.

### Value

The methods invisibly return the data.frame with the retention times (rt column) and intensities (either tic or bpi) used to generate the figure.

### Methods

signature(object = "character") Plots the chromatogram for the mass-spectrometry data stored in the object file. The file format must be support by mzR. See mzR::openMSfile for details.

signature(object = "mzRramp") Plots the chromatogram for the mzRramp instance. See the mzR package for details.

signature(object = "data.frame") Plots the chromatogram using the relevant columns from the data.frame instance, i.e retentionTime and totIonCurrent (for tic) and basePeakIntensity (for bpi). Such a data.frame would typically be generated by extracting the header from an mzRramp instance. See mzR::header for details.

**Examples**

```
f <- system.file("lockmass/LockMass_test.mzXML", package = "msdata")
x <- chromatogram(f, main = "Source: mzXML file")
head(x)
dim(x)
x <- chromatogram(f, main = "Source: mzXML file",
                 ylim = c(0, 100))

## Not run:
library("mzR")
ms <- openMSfile(f)
chromatogram(ms, main = "Source: mzRramp",
             col = "red")

hd <- header(ms)
chromatogram(hd, main = "Source: mzRramp header",
             lty = "dashed")

library("RforProteomics")
f <- getPXD000001mzXML()
chromatogram(f)
grid()

## End(Not run)
```

---

clean-methods

*Cleans 'MSnExp' or 'Spectrum' instances*


---

**Description**

This method cleans out individual spectra (Spectrum instances) or whole experiments (MSnExp instances) of 0-intensity peaks. Unless `all` is set to `FALSE`, original 0-intensity values are retained only around peaks. If more than two 0's were separating two peaks, only the first and last ones, those directly adjacent to the peak ranges are kept. If two peaks are separated by only one 0-intensity value, it is retained. An illustrative example is shown below.

**Methods**

`signature(object = "MSnExp", all = "logical" verbose = "logical")` Cleans all spectra in MSnExp object. Displays a control bar if `verbose` set to `TRUE` (default). Returns a cleaned MSnExp instance.

`signature(object = "Spectrum", all = "logical")` Cleans the Spectrum object. Returns a cleaned Spectrum instance.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

[removePeaks](#) and [trimMz](#) for other spectra processing methods.

**Examples**

```

int <- c(1,0,0,0,0,0,0,0,1,1,1,0,0,0,0,0,1,1,0,0,0,0,0,0,0,0,0,0,0,0,1,0,0,0)
sp1 <- new("Spectrum2",
          intensity=int,
          mz=1:length(int))
sp2 <- clean(sp1) ## default is all=FALSE
intensity(sp1)
intensity(sp2)
intensity(clean(sp1, all = TRUE))

mz(sp1)
mz(sp2)
mz(clean(sp1, all = TRUE))

data(itraqdata)
itraqdata2 <- clean(itraqdata)
sum(peaksCount(itraqdata))
sum(peaksCount(itraqdata2))
processingData(itraqdata2)

```

---

combineFeatures

*Combines features in an 'MSnSet' object*


---

**Description**

This function combines the features in an "MSnSet" instance applying a summarisation function (see fun argument) to sets of features as defined by a factor (see groupBy argument). Note that the feature names are automatically updated based on the groupBy parameter.

The coefficient of variations are automatically computed and collated to the featureData slot. See cv and cv.norm arguments for details.

NB: All the functions available as fun take a na.rm argument. This argument is FALSE by default. This will have as effect that NA get propagated at the higher level. It is generally advised to set na.rm = TRUE. See the example below.

**Usage**

```

combineFeatures(object, groupBy, fun = c("mean", "median",
    "weighted.mean", "sum", "medpolish"), redundancy.handler = c("unique",
    "multiple"), cv = TRUE, cv.norm = "sum", verbose = TRUE, ...)

```

**Arguments**

object            An instance of class "MSnSet" whose features will be summerised.

|                                 |  |
|---------------------------------|--|
| groupBy                         | A factor, character, numeric or a list of the above defining how to summarise the features. The list must be of length <code>nrow(object)</code> . Each element of the list is a vector describing the feature mapping. If the list can be named, its names must match <code>featureNames(object)</code> . See <code>redundancy.handler</code> for details about the latter.   |
| fun                             | The summerising function. Currently, mean, median, weighted mean, sum and median polish are implemented, but user-defined functions can also be supplied.  |
| <code>redundancy.handler</code> | If <code>groupBy</code> is a list, one of "unique" (default) or "multiple" (ignored otherwise) defining how to handle peptides that can be associated to multiple higher-level features (proteins) upon combination. Using "unique" will only consider uniquely matching features (features matching multiple proteins will be discarded). "multiple" will allow matching to multiple proteins and each feature will be repeatedly tallied for each possible matching protein. |
| cv                              | A logical defining if feature coefficients of variation should be computed and stored as feature meta-data. Default is TRUE.   |
| <code>cv.norm</code>            | A character defining how to normalise the feature intensities prior to CV calculation. Default is sum. Use none to keep intensities as is. See <a href="#">featureCV</a> for more details.   |
| verbose                         | A logical indicating whether verbose output is to be printed out.  |
| ...                             | Additional arguments for the fun function.   |

**Value**

A new "MSnSet" instance is returned with `ncol` (i.e. number of samples) is unchanged, but `nrow` (i.e. the number of features) is now equals to the number of levels in `groupBy`. The feature metadata (featureData slot) is updated accordingly and only the first occurrence of a feature in the original feature meta-data is kept.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

[featureCV](#)

**Examples**

```
data(itraqdata)
quant <- quantify(itraqdata[11:15], method = "max", reporters = iTRAQ4)
dim(quant)
exprs(quant)
## arbitrary grouping into two groups
grp <- as.factor(c(1, 1, 2, 2, 2))
quant.comb <- combineFeatures(quant, grp, "sum")
dim(quant.comb)
exprs(quant.comb)
```



```
fvarLabels(quant.comb)

## grouping with a list
grpl <- list(c("A", "B"), "A", "A", "C", c("C", "B"))
## optional naming
names(grpl) <- featureNames(quant)
exprs(combineFeatures(quant, grpl, fun = "sum", redundancy.handler = "unique"))
exprs(combineFeatures(quant, grpl, fun = "sum", redundancy.handler = "multiple"))

## missing data
exprs(quant)[4, 4] <-
  exprs(quant)[2, 2] <- NA
exprs(quant)
## NAs propagate in the 115 and 117 channels
exprs(combineFeatures(quant, grp, "sum"))
## NAs are removed before summing
exprs(combineFeatures(quant, grp, "sum", na.rm = TRUE))
```

---

exprsToRatios-methods *Calculate all ratio pairs*

---

## Description

Calculations all possible ratios for the assayData columns in an "MSnSet". The function `getRatios(x, log = FALSE)` takes a matrix `x` as input and is used by `exprsToRatios`.

## Methods

`signature(object = "MSnSet", log = "logical")` If `log` is `FALSE` (default) the ratios for all the assayData columns are computed; otherwise, log ratios (differences) are calculated.

`signature(object = "matrix", log = "logical")` As above, but for a matrix instance.

## Examples

```
data(itraqdata)
mst <- quantify(itraqdata, reporters = iTRAQ4)
pData(mst)
head(exprs(mst))
r <- exprsToRatios(mst)
head(exprs(r))
pData(r)
```

---

extractPrecSpectra-methods

*Extracts precursor-specific spectra from an 'MSnExp' object*

---

### Description

Extracts the MSMS spectra that originate from the precursor(s) having the same MZ value as defined in the `prec` argument.

A warning will be issued if one or several of the precursor MZ values in `prec` are absent in the experiment precursor MZ values (i.e. in `precursorMz(object)`).

### Methods

`signature(object = "MSnExp", prec = "numeric")` Returns an "MSnExp" containing MSMS spectra whose precursor MZ values are in `prec`.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

### Examples

```
file <- dir(system.file(package="MSnbase", dir="extdata"),
            full.name=TRUE, pattern="mzXML$")
aa <- readMSData(file, verbose=FALSE)
my.prec <- precursorMz(aa)[1]
my.prec
bb <- extractPrecSpectra(aa, my.prec)
precursorMz(bb)
processingData(bb)
```

---

featureCV

*Calculates coefficient of variation for features*

---

### Description

This function calculates the column-wise coefficient of variation (CV), i.e. the ratio between the standard deviation and the mean, for the features in an "MSnSet". The CVs are calculated for the groups of features defined by `groupBy`. For groups defined by single features, NA is returned.

### Usage

```
featureCV(x, groupBy, na.rm = TRUE,
          norm = c("sum", "max", "none", "center.mean", "center.median", "quantiles", "quantiles.robust"))
```

**Arguments**

|         |   |
|---------|---|
| x       | An instance of class "MSnSet".  |
| groupBy | An object of class factor defining how to summarise the features.   |
| na.rm   | A logical defining whether missing values should be removed.  |
| norm    | One of 'none' (default), 'sum', 'max', 'center.mean', 'center.median', 'quantiles' or 'quantiles.robust' defining if and how the data should be normalised prior to CV calculation. See <a href="#">normalise</a> for more details. |

**Value**

A matrix of dimensions `length(levels(groupBy))` by `ncol(x)` with the respective CVs.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

[combineFeatures](#)

**Examples**

```
data(itraqdata)
m <- quantify(itraqdata[1:4], reporters = iTRAQ4)
gb <- factor(rep(1:2, each = 2))
featureCV(m, gb)
```

---

fillUp

*Fills up a vector*

---

**Description**

This function replaces all the empty characters "" and/or NAs with the value of the closest preceding the preceding non-NA/"" element. The function is used to populate dataframe or matrice columns where only the cells of the first row in a set of partially identical rows are explicitly populated and the following are empty.

**Usage**

```
fillUp(x)
```

**Arguments**

|   |           |
|---|-----------|
| x | a vector. |
|---|-----------|

**Value**

A vector as x with all empty characters "" and NA values replaced by the preceding non-NA/"" value.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**Examples**

```
d <- data.frame(protein=c("Prot1", "", "", "Prot2", "", ""),
                peptide=c("pep11", "", "pep12", "pep21", "pep22", ""),
                score=c(1:2, NA, 1:3))
d
e <- apply(d, 2, fillUp)
e
data.frame(e)
fillUp(d[,1])
```

---

formatRt

*Format Retention Time*

---

**Description**

Converts seconds to min:sec format

**Usage**

```
formatRt(rt)
```

**Arguments**

rt                    retention in in seconds

**Details**

This function is used to convert retention times, expressed in seconds, in the more human friendly format mm:sec.

**Value**

A character string in mm:ss format

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**Examples**

```
formatRt(1524)
```

---

|                 |                               |
|-----------------|-------------------------------|
| getVariableName | <i>Return a variable name</i> |
|-----------------|-------------------------------|

---

**Description**

Return the name of variable varname in call match\_call.

**Usage**

```
getVariableName(match_call, varname)
```

**Arguments**

|            |  |
|------------|--|
| match_call | An object of class call, as returned by match.call.        |
| varname    | An character of length 1 which is looked up in match_call. |

**Value**

A character with the name of the variable passed as parameter varname in parent close of match\_call.

**Author(s)**

Laurent Gatto

**Examples**

```
a <- 1
f <- function(x, y)
  MSnbase:::getVariableName(match.call(), "x")
f(x = a)
f(y = a)
```

---

|           |  |
|-----------|--|
| grepEcols | <i>Returns the matching column names of indices.</i> |
|-----------|--|

---

**Description**

Given a text spread sheet f and a pattern to be matched to its header (first line in the file), the function returns the matching columns names or indices of the corresponding data.frame.

**Usage**

```
grepEcols(f, pattern, ...)

getEcols(f, ...)
```

**Arguments**

|         |  |
|---------|--|
| f       | A connection object or a character string to be read in with <code>readLines(f, n = 1)</code> .              |
| pattern | A character string containing a regular expression to be matched to the file's header.                       |
| ...     | Additional parameters passed to <code>strsplit</code> to split the file header into individual column names. |

**Details**

The function starts by reading the first line of the file (or connection) `f` with `readLines`, then splits it according to the optional `...` arguments (it is important to correctly specify `strsplit`'s `split` character vector here) and then matches `pattern` to the individual column names using `grep`.

Similarly, `getEcols` can be used to explore the column names and decide for the appropriate `pattern` value.

These functions are useful to check the parameters to be provided to `readMSnSet2`.

**Value**

Depending on value, the matching column names of indices. In case of `getEcols`, a character of column names.

**Author(s)**

Laurent Gatto

**See Also**

[readMSnSet2](#)

---

impute-methods

*Quantitative proteomics data imputation*

---

**Description**

The `impute` method performs data imputation on an `MSnSet` instance. Currently, nearest neighbor averaging (`knn`) and Bayesian missing value imputation (`bPCA`) are available, as implemented in the `impute::impute.knn` and `pcaMethods::pca` functions respectively. Additional methods might be added at a later stage.

The imputation and the parameters are logged into the `processingData(object)` slot.

Users should proceed with care when imputing data and take precautions to assure that the imputation produce valid results.

## Methods

`signature(object = "MSnSet", method = c("bpca", "knn"), ...)` This method performs data imputation on the object `MSnSet` instance using the method algorithm. `...` is used to pass parameters to the imputation function.

## Author(s)

Laurent Gatto, Samuel Wiczorek and Vasile-Cosmin Lazar

## References

Olga Troyanskaya, Michael Cantor, Gavin Sherlock, Pat Brown, Trevor Hastie, Robert Tibshirani, David Botstein and Russ B. Altman, Missing value estimation methods for DNA microarrays *Bioinformatics* (2001) 17 (6): 520-525.

Oba et al., A Bayesian missing value estimation method for gene expression profile data, *Bioinformatics* (2003) 19 (16): 2088-2096.

## Examples

```
data(itraqdata)
qnt <- quantify(itraqdata, reporters = iTRAQ4)
sum(is.na(qnt))
iqnt <- impute(qnt)
sum(is.na(iqnt))
processingData(iqnt)
```

---

iTRAQ4

*iTRAQ 4-plex set*

---

## Description

This instance of class "[ReporterIons](#)" corresponds to the iTRAQ 4-plex set, i.e the 114, 115, 116 and 117 isobaric tags. In the iTRAQ5 data set, an unfragmented tag, i.e reporter and attached isobaric tag, is also included at MZ 145. These objects are used to plot the reporter ions of interest in an MSMS spectra (see "[Spectrum2](#)") as well as for quantification (see [quantify](#)).

## Usage

```
iTRAQ4
iTRAQ5
iTRAQ8
iTRAQ9
```

## References

Ross PL, Huang YN, Marchese JN, Williamson B, Parker K, Hattan S, Khainovski N, Pillai S, Dey S, Daniels S, Purkayastha S, Juhasz P, Martin S, Bartlet-Jones M, He F, Jacobson A, Pappin DJ. "Multiplexed protein quantitation in *Saccharomyces cerevisiae* using amine-reactive isobaric tagging reagents." *Mol Cell Proteomics*, 2004 Dec;3(12):1154-69. Epub 2004 Sep 22. PubMed PMID: 15385600.

## See Also

[TMT6](#).

## Examples

```
iTRAQ4
iTRAQ4[1:2]

newReporter <- new("ReporterIons",
  description="an example",
  name="my reporter ions",
  reporterNames=c("myrep1", "myrep2"),
  mz=c(121, 122),
  col=c("red", "blue"),
  width=0.05)

newReporter
```

---

itraqdata

*Example MSnExp data set*

---

## Description

This example data sets is an iTRAQ 4-plex experiment that has been run on an Orbitrap Velos instrument. It includes identification data in the feature data slot obtain from the Mascot search engine.

itraqdata is a subset of an spike-in experiment where proteins have spiked in an *Erwinia* background, as described in Karp et al. (2010), *Addressing accuracy and precision issues in iTRAQ quantitation*, *Mol Cell Proteomics*. 2010 Sep;9(9):1885-97. Epub 2010 Apr 10. (PMID 20382981). The spiked-in proteins in itraqdata are BSA and ENO and are present in relative abundances 1, 2.5, 5, 10 and 10, 5, 2.5, 1 in the 114, 115, 116 and 117 reporter tags.

This example data set is used in the MSnbase-demo vignette, available with `vignette("MSnbase-demo", package="MSnbase")`.

## Usage

```
itraqdata
```

## Examples

```
itraqdata
```



---

|         |   |
|---------|---|
| makeMTD | <i>Creates the mzTab metadata section</i> |
|---------|---|

---

## Description

mzTab is a light-weight, tab-delimited file format for proteomics data. It describes general metadata, protein, peptide and small molecule information (all of which are optional), including quantitation and identification. The metadata section (MTD) can be generated from an [MSnSet](#) instance using makeMTD. The detailed description of all the parameters can be found in the mzTab specification document (see references).

## Usage

```
makeMTD(x, unitId = NULL, title = NULL,
        mtdDescription = NULL, sampleProcessing = NULL,
        instrumentSource = NULL, instrumentAnalyzer = NULL,
        instrumentDetector = NULL, software = NULL, fdr = NULL,
        publication = NULL, contactName = NULL,
        contactAffiliation = NULL, contactEmail = NULL,
        mtdUri = NULL, mtdModifications = NULL,
        modProbabilityMethod = NULL, quantitationMethod = NULL,
        protQuantUnit = NULL, pepQuantUnit = NULL,
        msFileFormat = NULL, msFileLocation = NULL,
        msFileIdFormat = NULL, custom = NULL, species_ = NULL,
        tissue_ = NULL, cellType_ = NULL, disease_ = NULL,
        description_ = NULL, quantitationReagent_ = NULL,
        custom_ = NULL)
```

## Arguments

|                    |  |
|--------------------|--|
| x                  | An instance of class <a href="#">MSnSet</a> .  |
| unitId             | A character of length 1 or NULL (default), in which case x's variable name will be used. This identifier references the item under study all sections. |
| title              | A character of length 1 or NULL (default), in which case <code>exptitle(x)</code> is used if available.  |
| mtdDescription     | A character of length 1 describing the unit or NULL (default) to ignore.   |
| sampleProcessing   | A list of (possibly multiple) valid <code>CVParam</code> objects or NULL (default) to ignore.  |
| instrumentSource   | A list of valid <code>CVParam</code> instances or NULL (default), in which case <code>ionSource(x)</code> is used to generate a <code>CVParam</code> . |
| instrumentAnalyzer | A list of valid <code>CVParam</code> instances or NULL (default), in which case <code>analyzer(x)</code> is used to generate a <code>CVParam</code> .  |

|                      |   |
|----------------------|---|
| instrumentDetector   | A list of valid CVPParam instances or NULL (default), in which case detectorType(x) is used to generate a CVPParam.   |
| software             | A list of valid CVPParam instances describing the ordered list of software used to process the data. NULL (default) to ignore.  |
| fdr                  | A list of valid CVPParam instances describing the unit's false discovery rate or NULL (default) to ignore.  |
| publication          | A character (of length > 0) or NULL (default), in which case pubMedIds(x) is used.  |
| contactName          | A character (of length > 0) or NULL (default), in which case expinfo(x)["name"] is used.  |
| contactAffiliation   | A character (of length > 0) or NULL (default), in which case expinfo(x)["lab"] is used.   |
| contactEmail         | A character (of length > 0) or NULL (default), in which case expemail(x) is used.   |
| mtdUri               | A character (of length > 0) describing the unit's uniform resource identifier (a PRIDE experiment or a PeptideAtlas build for example). NULL (default) to ignore.                                       |
| mtdModifications     | A list of (possibly multipl) CVPParam instances describing all (distinct) PTMs reported in the unit. NULL (default) to ignore.  |
| modProbabilityMethod | A user defined CVPParam reporting the modification (position) probabilities. NULL (default) to ignore.  |
| quantitationMethod   | A valid CVPParam, a <a href="#">ReporterIons</a> instance or NULL (default), in which case the isobaric tagging system is guessed from the number of columns in exprs(x) (4 or 8 for iTRAQ, 6 for TMT). |
| protQuantUnit        | A valid CVPParam or NULL (default) to use PRIDE:0000330 (Arbitrary quantification unit).  |
| pepQuantUnit         | A valid CVPParam or NULL (default) to use PRIDE:0000330 (Arbitrary quantification unit).  |
| msFileFormat         | A list of valid CVPParam instances to NULL (default), in which case, the extension of fileNames(x)[1] is used to define the appropriate CVPParam. Recognised extensions are mzData, mzXML, mzML or mgf. |
| msFileLocation       | A character (of length > 0) or NULL (default), in which case fileNames(x) is used.  |
| msFileIdFormat       | A list of CVPParam instances describing the original identification format used in the external data file. NULL (default) to ignore.  |
| custom               | A list of user defined CVPParam instances with additional parameters describing the unit. NULL (default) to ignore.   |
| species_             | A list of (possibly several) CVPParam instances with the respective (sub-)unit species. NULL (default) to ignore.   |

|                      |   |
|----------------------|---|
| tissue_              | A list of (possibly several) CVParam instances describing the respective (sub-)unit tissue. NULL (default) to ignore.         |
| cellType_            | A list of (possibly several) CVParam instances describing the respective (sub-)unit cell type. NULL (default) to ignore.      |
| disease_             | A list of (possibly several) CVParam instances describing the respective (sub-)unit disease states. NULL (default) to ignore. |
| description_         | A list of characters describing the (sub-)unit in human readable free text. NULL (default) to ignore.                         |
| quantitationReagent_ | A list of CVParam instances or NULL (default), in which case the reporter ions as defined by quantitationMethod as used.      |
| custom_              | A list of user defined CVParam instances with additional (sub-)unit properties. NULL (default) to ignore.                     |

**Value**

A character defining the mzTab metadata section.

**Author(s)**

Laurent Gatto

**References**

mzTab - Reporting Proteomics Results (<http://code.google.com/p/mztab/>)

**See Also**

[makePEP](#) and [makePRT](#) to generate mzTab peptide and protein sections.

---

makePEP

*Creates the mzTab peptide section*

---

**Description**

mzTab is a light-weight, tab-delimited file format for proteomics data. It describes general metadata, protein, peptide and small molecule information (all of which are optional), including quantitation and identification. The peptide section (PEH header and PEP tabular data) can be generated from an [MSnSet](#) instance using makePEP. The detailed description of all the parameters can be found in the mzTab specification document (see references).

**Usage**

```
makePEP(x, sequence = NA, pepAccession = NA,
        unitId = NULL, unique = NA, pepDatabase = NA,
        pepDatabaseVersion = NA, pepSearchEngine = NA,
        pepSearchEngineScore = NA, pepReliability = NA,
        pepModifications = NA, retentionTime = NA, charge = NA,
        massToCharge = NA, pepUri = NA, spectraRef = NA,
        pepAbundance = NULL, pepAbundanceStdev = NULL,
        pepAbundanceSterr = NULL, pepOpt_ = NULL)
```

**Arguments**

|                      |   |
|----------------------|---|
| x                    | An instance of class <a href="#">MSnSet</a> .   |
| sequence             | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the peptide sequence. Default is NA.  |
| pepAccession         | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the assigned protein accession. Default is NA.  |
| unitId               | A character of length 1 or NULL (default), in which case <code>x</code> 's variable name will be used.  |
| unique               | A logical (converted to numeric to comply with format specification) of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) specifying if peptide is proteotypic. Default is NA.              |
| pepDatabase          | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) describing the protein database used for peptide identification. Default is NA.  |
| pepDatabaseVersion   | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the database version. Default is NA.  |
| pepSearchEngine      | A list of length <code>nrow(x)</code> (of possibly multiple lists of) <code>CVParam</code> instances identifying the search engine used for peptide identification. Default is NA.  |
| pepSearchEngineScore | A list of length <code>nrow(x)</code> (of possibly multiple lists of) <code>CVParam</code> instances specifying peptide identification scores. Default is NA.   |
| pepReliability       | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length). Values should be 1 (high reliability), 2 (medium reliability) or 3 (poor reliability). Default is NA.                       |
| pepModifications     | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) describing the modifications and their position (see <code>mzTab</code> format specifications for details). Default is NA. |
| retentionTime        | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length). Note that currently, unique retention times are expected, but could be extended to multiple times. Default is NA.           |
| charge               | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) indicating peptide charge state. Default is NA.  |

|                   |  |
|-------------------|--|
| massToCharge      | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the peptides precursor mass to charge ratio. Default is NA.  |
| pepUri            | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with peptide uniform resource identifiers (link to PRIDE database for instance). Default is NA.   |
| spectraRef        | A character in the format <code>ms_file[1-n]:{SPEC_REF}</code> (see <code>mzTab</code> specifications for details) of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length). Default is NA.  |
| pepAbundance      | A numeric of length <code>nrow(x)</code> or matrix with <code>nrow(x)</code> rows if multiple sub-samples are reported (see metadata section), specifying the peptides abundance. If NULL (default), ignored.  |
| pepAbundanceStdev | A numeric of length <code>nrow(x)</code> or matrix with <code>nrow(x)</code> rows if multiple sub-samples are reported (see metadata section), specifying the standard deviation of peptides abundances. If NULL (default), ignored. If <code>pepAbundance</code> is not NULL, then <code>pepAbundanceStdev</code> is NA if not specified. |
| pepAbundanceSterr | A numeric of length <code>nrow(x)</code> or matrix with <code>nrow(x)</code> rows if multiple sub-samples are reported (see metadata section), specifying the standard error of peptides abundances. If NULL (default), ignored. If <code>pepAbundance</code> is not NULL, then <code>pepAbundanceSterr</code> is NA if not specified.     |
| pepOpt_           | An optional character of character matrix (possibly populated with text representations of <code>CVPParam</code> instances) for any custom peptide annotation. Default is NULL to ignore.  |

**Value**

A data.frame defining the `mzTab` peptide section.

**Author(s)**

Laurent Gatto

**See Also**

[makeMTD](#) and [makePRT](#) to generate `mzTab` metadata and protein sections.

---

makePRT

*Creates the mzTab protein section*

---

**Description**

`mzTab` is a light-weight, tab-delimited file format for proteomics data. It describes general metadata, protein, peptide and small molecule information (all of which are optional), including quantitation and identification. The protein section (PRH header and PRT tabular data) can be generated from an [MSnSet](#) instance using `makePRT`. The detailed description of all the parameters can be found in the `mzTab` specification document (see references).

**Usage**

```
makePRT(x, protAccession = NA, unitId = NULL,
        protDescription = NA, taxId = NA, species = NA,
        protDatabase = NA, protDatabaseVersion = NA,
        protSearchEngine = NA, protSearchEngineScore = NA,
        protReliability = NA, numPep = NA, numPepDistinct = NA,
        numPepUnambiguous = NA, ambiguityMembers = NA,
        protModifications = NA, protUri = NA, goTerms = NA,
        protCoverage = NA, protAbundance = NULL,
        protAbundanceStdev = NULL, protAbundanceSterr = NULL,
        protOpt_ = NULL)
```

**Arguments**

|                       |   |
|-----------------------|---|
| x                     | An instance of class <a href="#">MSnSet</a> .   |
| protAccession         | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the protein accession. Default is NA.   |
| unitId                | A character of length 1 or NULL (default), in which case <code>x</code> 's variable name will be used.  |
| protDescription       | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the protein name or description. Default is NA.   |
| taxId                 | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) referencing the species NCBI/NEWT taxonomy id. Default is NA.  |
| species               | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) describing the species in human readable form. Default is NA.  |
| protDatabase          | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) describing the protein database. Default is NA.  |
| protDatabaseVersion   | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) describing the database version. Default is NA.  |
| protSearchEngine      | A list of length <code>nrow(x)</code> (of possibly several) <code>CVParam</code> instances describing the search engine used for protein identification. Default is NA.   |
| protSearchEngineScore | A list of length <code>nrow(x)</code> (of possibly multiple lists of) <code>CVParam</code> instances specifying peptide identification scores. Default is NA.   |
| protReliability       | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length). Values should be 1 (high reliability), 2 (medium reliability) or 3 (poor reliability). Default is NA. |
| numPep                | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) indicating the number of peptides identifying the proteins. Default is NA.                             |

|                    |   |
|--------------------|---|
| numPepDistinct     | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) indicating the number of distinct peptides (sequence and modifications) identifying the proteins. Default is NA.   |
| numPepUnambiguous  | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) indicating the number of unambiguous distinct peptides identifying the proteins. Default is NA.  |
| ambiguityMembers   | A character of comma-separated protein accessions. See the <code>mzTab</code> specification document for details. Default is NA.  |
| protModifications  | A character of comma-delimited modifications/scores/positions describing the proteins. See the <code>mzTab</code> specification document for details. Default is NA.  |
| protUri            | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with peptide uniform resource identifiers (link to PRIDE database for instance). Default is NA.  |
| goTerms            | A character of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with comma-delimited GO terms describing the proteins. Default is NA.  |
| protCoverage       | A numeric of length <code>nrow(x)</code> (will be recycled a whole number of times if of different length) with the protein coverages ranging between 0 and 1. Default is NA.   |
| protAbundance      | A numeric of length <code>nrow(x)</code> or matrix with <code>nrow(x)</code> rows if multiple sub-samples are reported (see metadata section), specifying the protein abundance. If NULL (default), ignored.  |
| protAbundanceStdev | A numeric of length <code>nrow(x)</code> or matrix with <code>nrow(x)</code> rows if multiple sub-samples are reported (see metadata section), specifying the standard deviation of protein abundances. If NULL (default), ignored. If <code>protAbundance</code> is not NULL, then <code>protAbundanceStdev</code> is NA if not specified. |
| protAbundanceSterr | A numeric of length <code>nrow(x)</code> or matrix with <code>nrow(x)</code> rows if multiple sub-samples are reported (see metadata section), specifying the standard error of protein abundances. If NULL (default), ignored. If <code>protAbundance</code> is not NULL, then <code>protAbundanceSterr</code> is NA if not specified.     |
| protOpt_           | An optional character of character matrix (possibly populated with text representations of <code>CVPParam</code> instances) for any custom protein annotation. Default is NULL to ignore.   |

**Value**

A data.frame defining the `mzTab` protein section.

**Author(s)**

Laurent Gatto

## References

mzTab - Reporting Proteomics Results (<http://code.google.com/p/mztab/>)

## See Also

[makeMTD](#) and [makePEP](#) to generate mzTab metadata and peptide sections.

---

MIAPE-class

*The "MIAPE" Class for Storing Proteomics Experiment Information*

---

## Description

The Minimum Information About a Proteomics Experiment. The current implementation is based on the MIAPE-MS 2.4 document.

## Slots

**title:** Object of class character containing a single-sentence experiment title.

**abstract:** Object of class character containing an abstract describing the experiment.

**url:** Object of class character containing a URL for the experiment.

**pubMedIds:** Object of class character listing strings of PubMed identifiers of papers relevant to the dataset.

**samples:** Object of class list containing information about the samples.

**preprocessing:** Object of class list containing information about the pre-processing steps used on the raw data from this experiment.

**other:** Object of class list containing other information for which none of the above slots does not apply.

**dateStamp:** Object of class character, giving the date on which the work described was initiated; given in the standard 'YYYY-MM-DD' format (with hyphens).

**name:** Object of class character containing the name of the (stable) primary contact person for this data set; this could be the experimenter, lab head, line manager, ...

**lab:** Object of class character containing the laboratory where the experiment was conducted.

**contact:** Object of class character containing contact information for lab and/or experimenter.

**email:** Object of class character containing email contact information for the primary contact person (see name above).

**instrumentModel:** Object of class character indicating the model of the mass spectrometer used to generate the data.

**instrumentManufacturer:** Object of class character indicating the manufacturing company of the mass spectrometer.

**instrumentCustomisations:** Object of class character describing any significant (i.e. affecting behaviour) deviations from the manufacturer's specification for the mass spectrometer.



- softwareName:** Object of class character with the instrument management and data analysis package(s) name(s).
- softwareVersion:** Object of class character with the instrument management and data analysis package(s) version(s).
- switchingCriteria:** Object of class character describing the list of conditions that cause the switch from survey or zoom mode (MS1) to or tandem mode (MS<sub>n</sub> where  $n > 1$ ); e.g. 'parent ion' mass lists, neutral loss criteria and so on [applied for tandem MS only].
- isolationWidth:** Object of class numeric describing, for tandem instruments, the total width (i.e. not half for plus-or-minus) of the gate applied around a selected precursor ion m/z, provided for all levels or by MS level.
- parameterFile:** Object of class character giving the location and name under which the mass spectrometer's parameter settings file for the run is stored, if available. Ideally this should be a URI+filename, or most preferably an LSID, where feasible.
- ionSource:** Object of class character describing the ion source (ESI, MALDI, ...).
- ionSourceDetails:** Object of class character describing the relevant details about the ion source. See MIAPE-MI document for more details.
- analyser:** Object of class character describing the analyzer type (Quadrupole, time-of-flight, ion trap, ...).
- analyserDetails:** Object of class character describing the relevant details about the analyzer. See MIAPE-MI document for more details.
- collisionGas:** Object of class character describing the composition of the gas used to fragment ions in the collision cell.
- collisionPressure:** Object of class numeric providing the pressure (in bars) of the collision gas.
- collisionEnergy:** Object of class character specifying for the process of imparting a particular impetus to ions with a given m/z value, as they travel into the collision cell for fragmentation. This could be a global figure (e.g. for tandem TOF's), or a complex function; for example a gradient (stepped or continuous) of m/z values (for quads) or activation frequencies (for traps) with associated collision energies (given in eV). Note that collision energies are also provided for individual "Spectrum2" instances, and is the preferred way of accessing this data.
- detectorType:** Object of class character describing the type of detector used in the machine (microchannel plate, channeltron, ...).
- detectorSensitivity:** Object of class character giving an appropriate measure of the sensitivity of the described detector (e.g. applied voltage).

## Methods

The following methods as in "MIAME":

- abstract(MIAPE):** An accessor function for abstract.
- expinfo(MIAPE):** An accessor function for name, lab, contact, title, and url.
- notes(MIAPE), notes(MIAPE) <- value:** Accessor functions for other. **notes(MIAPE) <- character** *appends* character to notes; use **notes(MIAPE) <- list** to replace the notes entirely.
- otherInfo(MIAPE):** An accessor function for other.
- preproc(MIAPE):** An accessor function for preprocessing.

pubMedIds(MIAPE), pubMedIds(MIAME) <- value: Accessor function for pubMedIds.  
expemail(MIAPE): An accessor function for email slot.  
exptitle(MIAPE): An accessor function for title slot.  
analyzer(MIAPE): An accessor function for analyser slot. analyser(MIAPE) is also available.  
analyzerDetails(MIAPE): An accessor function for analyserDetails slot. analyserDetails is also available.  
detectorType(MIAPE): An accessor function for detectorType slot.  
ionSource(MIAPE): An accessor function for ionSource slot.  
ionSourceDetails(MIAPE): An accessor function for ionSourceDetails slot.  
instrumentModel(MIAPE): An accessor function for instrumentModel slot.  
instrumentManufacturer(MIAPE): An accessor function for instrumentManufacturer slot.  
instrumentCustomisations(MIAPE): An accessor function for instrumentCustomisations slot.  
as(,"MIAME"): Coerce the object from MIAPE to MIAME class. Used when converting an MSnSet into an ExpressionSet.

MIAPE-specific methods, including MIAPE-MS meta-data:

show(MIAPE): Displays the experiment data.  
msInfo(MIAPE): Displays 'MIAPE-MS' information.

### Extends

Class "MIAxE", directly. Class "Versioned", by class "MIAxE", distance 2.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

### References

About MIAPE: <http://www.psidev.info/index.php?q=node/91>, and references therein, especially 'Guidelines for reporting the use of mass spectrometry in proteomics', Nature Biotechnology 26, 860-861 (2008).

### Description

The MSnExp class encapsulates data and meta-data for mass spectrometry experiments, as described in the slots section. Several data files (currently in mzXML) can be loaded together with the function [readMSData](#).

This class extends the virtual "pSet" class.

## Objects from the Class

Objects can be created by calls of the form `new("MSnExp", ...)`. However, it is preferred to use the `readMSData` function that will read raw mass spectrometry data to generate a valid "MSnExp" instance.

## Slots

- assayData:** Object of class "environment" containing the MS spectra (see "[Spectrum1](#)" and "[Spectrum2](#)"). Slot is inherited from "[pSet](#)".
- phenoData:** Object of class "[AnnotatedDataFrame](#)" containing experimenter-supplied variables describing sample (i.e the individual tags for an labelled MS experiment) See [phenoData](#) for more details. Slot is inherited from "[pSet](#)".
- featureData:** Object of class "[AnnotatedDataFrame](#)" containing variables describing features (spectra in our case), e.g. identificaion data, peptide sequence, identification score,... (inherited from "[eSet](#)"). See [featureData](#) for more details. Slot is inherited from "[pSet](#)".
- experimentData:** Object of class "[MIAPE](#)", containing details of experimental methods. See [experimentData](#) for more details. Slot is inherited from "[pSet](#)".
- protocolData:** Object of class "[AnnotatedDataFrame](#)" containing equipment-generated variables (inherited from "[eSet](#)"). See [protocolData](#) for more details. Slot is inherited from "[pSet](#)".
- processingData:** Object of class "[MSnProcess](#)" that records all processing. Slot is inherited from "[pSet](#)".
- .\_\_classVersion\_\_:** Object of class "[Versions](#)" describing the versions of R, the Biobase package, "[pSet](#)" and MSnExp of the current instance. Slot is inherited from "[pSet](#)". Intended for developer use and debugging (inherited from "[eSet](#)").

## Extends

Class "[pSet](#)", directly. Class "[VersionedBiobase](#)", by class "pSet", distance 2. Class "[Versioned](#)", by class "pSet", distance 3.

## Methods

See the "[pSet](#)" class for documentation on accessors inherited from pSet, subsetting and general attribute accession.

- clean** signature(object = "MSnExp"): Removes unused 0 intensity data points. See [clean](#) documentation for more details and examples.
- extractPrecSpectra** signature(object = "MSnExp", prec = "numeric"): extracts spectra with precursor MZ value equal to prec and returns an object of class 'MSnExp'. See [extractPrecSpectra](#) documentation for more details and examples.
- plot** signature(x = "MSnExp", y = "missing"): Plots all the spectra of the MSnExp instance. See [plot.MSnExp](#) documentation for more details.
- plot2d** signature(object = "MSnExp", ...): Plots retention time against precursor MZ for MSnExp instances. See [plot2d](#) documentation for more details.
- plotDensity** signature(object = "MSnExp", ...): Plots the density of parameters of interest instances. See [plotDensity](#) documentation for more details.

- plotMzDelta** signature(object = "MSnExp", ...): Plots a histogram of the m/z difference between all of the highest peaks of all MS2 spectra of an experiment. See [plotMzDelta](#) documentation for more details.
- quantify** signature(object = "MSnExp"): Performs quantification for all the MS2 spectra of the MSnExp instance. See [quantify](#) documentation for more details.
- removePeaks** signature(object = "MSnExp"): Removes peaks lower than a threshold t. See [removePeaks](#) documentation for more details and examples.
- removeReporters** signature(object = "MSnExp", ...): Removes reporter ion peaks from all MS2 spectra of an experiment. See [removeReporters](#) documentation for more details and examples.
- addIdentificationData** signature(object = "MSnExp", ...): Adds identification data to an experiment. See [addIdentificationData](#) documentation for more details and examples.
- removeNoId** signature(object = "MSnExp", fcol = "pepseq", keep = NULL): Removes non-identified features. See [removeNoId](#) documentation for more details and examples.
- removeMultipleAssignment** signature(object = "MSnExp", fcol = "npsm"): Removes peptides that have been assigned to multiple proteins. The latter is defined by extracting a feature variable (default is "npsm").
- idSummary** signature(object = "MSnExp", ...): Prints a summary that lists the percentage of identified features per file (called coverage).
- show** signature(object = "MSnExp"): Displays object content as text.
- trimMz** signature(object = "MSnExp"): Trims the MZ range of all the spectra of the MSnExp instance. See [trimMz](#) documentation for more details and examples.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

### References

Information about the mzXML format as well converters from vendor specific formats to mzXML: <http://tools.proteomecenter.org/wiki/index.php?title=Formats:mzXML>.

### See Also

"[pSet](#)" and [readMSData](#) for loading mzXML, mzData or mzML files to generate an instance of MSnExp.

### Examples

```

mzxmlfile <- dir(system.file("extdata", package="MSnbase"),
                pattern="mzXML", full.names=TRUE)
msnexp <- readMSData(mzxmlfile)
msnexp

```

---

MSnProcess-class      *The "MSnProcess" Class*

---

### Description

MSnProcess is a container for MSnExp and MSnSet processing information. It records data files, processing steps, thresholds, analysis methods and times that have been applied to MSnExp or MSnSet instances.

### Slots

**files:** Object of class "character" storing the raw data files used in experiment described by the "MSnProcess" instance.

**processing:** Object of class "character" storing all the processing steps and times.

**merged:** Object of class "logical" indicating whether spectra have been merged.

**cleaned:** Object of class "logical" indicating whether spectra have been cleaned. See [clean](#) for more details and examples.

**removedPeaks:** Object of class "character" describing whether peaks have been removed and which threshold was used. See [removePeaks](#) for more details and examples.

**smoothed:** Object of class "logical" indicating whether spectra have been smoothed.

**trimmed:** Object of class "numeric" documenting if/how the data has been trimmed.

**normalised:** Object of class "logical" describing whether and how data have been normalised.

**MSnbaseVersion:** Object of class "character" indicating the version of MSnbase.

**.\_\_classVersion\_\_:** Object of class "Versions" indicating the version of the MSnProcess instance. Intended for developer use and debugging.

### Extends

Class "[Versioned](#)", directly.

### Methods

**fileNames** signature(object = "MSnProcess"): Returns the file names used in experiment described by the "MSnProcess" instance.

**show** signature(object = "MSnProcess"): Displays object content as text.

**combine** signature(x = "MSnProcess", y = "MSnProcess"): Combines multiple MSnProcess instances.

### Note

This class is likely to be updated using an AnnotatedDataFrame.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

See the `"MSnExp"` and `"MSnSet"` classes that actually use `MSnProcess` as a slot.

**Examples**

```
showClass("MSnProcess")
```

---

|              |   |
|--------------|---|
| MSnSet-class | <i>The "MSnSet" Class for MS Proteomics Expression Data and Meta-Data</i> |
|--------------|---|

---

**Description**

The `MSnSet` holds quantified expression data for MS proteomics data and the experimental meta-data. The `MSnSet` class is derived from the `"eSet"` class and mimics the `"ExpressionSet"` class classically used for microarray data.

**Objects from the Class**

The constructor `MSnSet(exprs, fData, pData)` can be used to create `MSnSet` instances. Argument `exprs` is a matrix and `fData` and `pData` must be of class `data.frame` or `"AnnotatedDataFrame"` and all must meet the dimensions and name validity constraints.

Objects can also be created by calls of the form `new("MSnSet", exprs, ...)`. See also `"ExpressionSet"` for helpful information. Expression data produced from other softwares can thus make use of this standardized data container to benefit R and Bioconductor packages. Importer functions will be developed to stream-line the generation of `"MSnSet"` instances from third-party software.

In the frame of the `MSnbase` package, `MSnSet` instances can be generated from `"MSnExp"` experiments when the `"ReporterIons"` using the `"quantify"` method).

**Slots**

`qual`: Object of class `"data.frame"` that records peaks data for each of the reporter ions to be used as quality metrics.

`processingData`: Object of class `"MSnProcess"` that records all processing.

`assayData`: Object of class `"assayData"` containing a matrix with equal with column number equal to `nrow(phenoData)`. `assayData` must contain a matrix `exprs` with rows representing features (e.g., reporter ions) and columns representing samples. See the `"AssayData"` class, `exprs` and `assayData` accessor for more details. This slot is indirectly inherited from `"eSet"`.

`phenoData`: Object of class `"AnnotatedDataFrame"` containing experimenter-supplied variables describing sample (i.e the individual tags for an labelled MS experiment) (indirectly inherited from `"eSet"`). See `phenoData` and the `"eSet"` class for more details.

`featureData`: Object of class `"AnnotatedDataFrame"` containing variables describing features (spectra in our case), e.g. identification data, peptide sequence, identification score,... (inherited indirectly from `"eSet"`). See `featureData` and the `"eSet"` class for more details.

**experimentData**: Object of class "MIAPE", containing details of experimental methods (inherited from "eSet"). See [experimentData](#) and the "eSet" class for more details.

**annotation**: not used here.

**protocolData**: Object of class "AnnotatedDataFrame" containing equipment-generated variables (inherited indirectly from "eSet"). See [protocolData](#) and the "eSet" class for more details.

**.\_classVersion\_**: Object of class "Versions" describing the versions of R, the Biobase package, "eSet", "pSet" and MSnSet of the current instance. Intended for developer use and debugging (inherited indirectly from "eSet").

## Extends

Class "eSet", directly. Class "VersionedBiobase", by class "eSet", distance 2. Class "Versioned", by class "eSet", distance 3.

## Methods

MSnSet specific methods or over-riding it's super-class are described below. See also more "eSet" for inherited methods.

**dim** signature(x = "MSnSet"): Returns the dimensions of object's assay data, i.e the number of samples and the number of features.

**fileNames** signature(object = "MSnSet"): Access file names in the processingData slot.

**msInfo** signature(object = "MSnSet"): Prints the MIAPE-MS meta-data stored in the experimentData slot.

**processingData** signature(object = "MSnSet"): Access the processingData slot.

**show** signature(object = "MSnSet"): Displays object content as text.

**qual** signature(object = "MSnSet"): Access the reporter ion peaks description.

**purityCorrect** signature(object = "MSnSet", impurities = "matrix"): performs reporter ions purity correction. See [purityCorrect](#) documentation for more details.

**normalise** signature(object = "MSnSet"): Performs MSnSet normalisation. See [normalise](#) for more details.

**t** signature(x = "MSnSet"): Returns a transposed MSnSet object where features are now aligned along columns and samples along rows and the phenoData and featureData slots have been swapped. The protocolData slot is always dropped.

**as("ExpressionSet")** signature(x = "MSnSet"): Coerce object from MSnSet to [ExpressionSet-class](#). The experimentData slot is converted to a MIAME instance.

**as("data.frame")** signature(x = "MSnSet"): Coerce object from MSnSet to data.frame. The MSnSet is transposed and the PhenoData slot is appended. See also [ms2df](#) below.

**write.exprs** signature(x = "MSnSet")Writes expression values to a tab-separated file (default is tmp.txt). The fDataCols parameter can be used to specify which featureData columns (as column names, column number or logical) to append on the right of the expression matrix. The following arguments are the same as write.table.

**combine** signature(x = "MSnSet", y = "MSnSet", ...) Combines 2 or more MSnSet instances according to their feature names. Note that the qual slot and the processing information are silently dropped.

**topN** signature(object = "MSnSet", groupBy, n = 3, fun, ...) Selects the n most intense features (typically peptides or spectra) out of all available for each set defined by groupBy (typically proteins) and creates a new instance of class MSnSet. If less than n features are available, all are selected. The ncol(object) features are summarised using fun (default is sum) prior to be ordered in decreasing order. Additional parameters can be passed to fun through ..., for instance to control the behaviour of topN in case of NA values. Note that the qual slot and the processing information are silently dropped. (Works also with matrix instances.)

See also the [nQuants](#) function to retrieve the actual number of retained peptides out of n.

A complete use case using topN and nQuants is detailed in the [synapter](#) package vignette.

**filterNA** signature(object = "MSnSet", pNA = "numeric", pattern = "character", droplevels = "logical") This method subsets object by removing features that have (strictly) more than pNA percent of NA values. Default pNA is 0, which removes any feature that exhibits missing data. The method can also be used with a character pattern composed of 0 or 1 characters only. A 0 represent a column/sample that is allowed a missing values, while columns/samples with and 1 must not have NAs.

This method also accepts matrix instances. droplevels defines whether unused levels in the feature meta-data ought to be lost. Default is TRUE. See the droplevels method below.

See also the [is.na.MSnSet](#) and [plotNA](#) methods for missing data exploration.

**log** signature(object = "MSnSet", base = "numeric") Log transforms exprs(object) using base::log. base (defaults is e=exp(1)) must be a positive or complex number, the base with respect to which logarithms are computed.

**droplevels** signature(x = "MSnSet", ...) Drops the unused factor levels in the featureData slot. See [droplevels](#) for details.

**exprsToRatios** signature(object = "MSnSet", log = "logical") calculates all possible ratios between object's columns/samples. See [exprsToRatios](#) for more details.

**impute** signature(object = "MSnSet", ...) Performs data imputation on the MSnSet object. See [impute](#) for more details.

Additional accessors for the experimental metadata (experimentData slot) are defined. See "[MIAPE](#)" for details.

## Plotting

**meanSdPlot** signature(object = "MSnSet") Plots row standard deviations versus row means. See [meanSdPlot](#) (vsn package) for more details.

**image** signature(x = "MSnSet", yticks = "numeric", x.cex.axis = "numeric", y.cex.axis = "numeric", ...) Produces an image of expression values in the x object. yticks defines how many ticks should be used on the y axis. x.cex.axis and y.cex.axis are passed to calls to axis and defined the respective character expansion. ... is passed to image.

Plots missing data for an MSnSet instance. pNA is a numeric of length 1 that specifies the percentage of accepted missing data values per features. This value will be highlighted with a point on the figure, illustrating the overall percentage of NA values in the full data set and the number of proteins retained. Default is 1/2. See also [plotNA](#).

**MAplot** signature(object = "MSnSet", log.it = "logical", base = "numeric", ...) Produces MA plots (Ratio as a function of average intensity) for the samples in object. If ncol(object) == 2, then one MA plot is produced using the [ma.plot](#) function from the



affy package. If object has more than 2 columns, then `mva.pairs.log.it` specifies if the data should be log-transformed (default is TRUE) using base. Further ... arguments will be passed to the respective functions.

**addIdentificationData** signature(object = "MSnSet", ...): Adds identification data to a MSnSet instance. See [addIdentificationData](#) documentation for more details and examples.

**removeNoId** signature(object = "MSnSet", fcol = "pepseq", keep = NULL): Removes non-identified features. See [removeNoId](#) documentation for more details and examples.

**removeMultipleAssignment** signature(object = "MSnSet", fcol = "npsm"): Removes peptides that have been assigned to multiple proteins. The latter is defined by extracting a feature variable (default is "npsm").

**idSummary** signature(object = "MSnSet", ...): Prints a summary that lists the percentage of identified features per file (called coverage).

## Functions

**updateFvarLabels** signature(object, label, sep) This function updates object's featureData variable labels by appending label. By default, label is the variable name and the separator sep is ..

**updateSampleNames** signature(object, label, sep) This function updates object's sample names by appending label. By default, label is the variable name and the separator sep is ..

**updateFeatureNames** signature(object, label, sep) This function updates object's feature names by appending label. By default, label is the variable name and the separator sep is ..

**ms2df** signature(x, fcols) Coerces the MSnSet instance to a data.frame. The direction of the data is retained and the feature variable labels that match fcol are appended to the expression values. See also `as(x, "data.frame")` above.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## See Also

"[eSet](#)" and "[ExpressionSet](#)". MSnSet quantitation values can be exported to a file with `write.exprs`.

## Examples

```
data(itraqdata)
itraqdata
msnset <- quantify(itraqdata[10:15], method = "trap", reporters = iTRAQ4, verbose = FALSE)
msnset

exprs(msnset)[1, c(1, 4)] <- NA
exprs(msnset)[2, c(1, 2)] <- NA
is.na(msnset)
featureNames(filterNA(msnset, pNA = 1/4))
featureNames(filterNA(msnset, pattern = "0110"))
```

```
M <- matrix(rnorm(12), 4)
pd <- data.frame(otherpdata = letters[1:3])
fd <- data.frame(otherpdata = letters[1:4])
x0 <- MSnSet(M, fd, pd)
sampleNames(x0)
```

```
M <- matrix(rnorm(12), 4)
colnames(M) <- LETTERS[1:3]
rownames(M) <- paste0("id", LETTERS[1:4])
pd <- data.frame(otherpdata = letters[1:3])
rownames(pd) <- colnames(M)
fd <- data.frame(otherpdata = letters[1:4])
rownames(fd) <- rownames(M)
x <- MSnSet(M, fd, pd)
sampleNames(x)
```

---

NAnnotatedDataFrame-class

*Class Containing Measured Variables and Their Meta-Data Description for Multiplexed Experiments.*

---

## Description

An NAnnotatedDataFrame is an "[AnnotatedDataFrame](#)", as defined in the 'Biobase' package that includes additional labels for multiplexing annotation.

## Objects from the Class

See "[AnnotatedDataFrame](#)" for object creation with new. Multiplexing data is defined by setting the `multiplex` and `multiLabels` parameters.

## Slots

`multiplex`: Object of class "numeric" indicating the number of multiplexed samples described.

`multiLabels`: Object of class "character" describing the multiplexing.

`varMetadata`: Object of class "data.frame" with number of rows equal number of columns in data, and at least one column, named `labelDescription`, containing a textual description of each variable. Inherited from "[AnnotatedDataFrame](#)".

`data`: Object of class "data.frame" containing samples (rows) and measured variables (columns). Inherited from "[AnnotatedDataFrame](#)".

`dimLabels`: Object of class "character" of length 2 that provides labels for the rows and columns in the `show` method. Inherited from "[AnnotatedDataFrame](#)".

`.__classVersion__`: Object of class "Versions" describing the instance version. Intended for developer use. Inherited from "[AnnotatedDataFrame](#)".

## Extends

Class "[AnnotatedDataFrame](#)", directly. Class "[Versioned](#)", by class "AnnotatedDataFrame", distance 2.

## Methods

**dim** signature(object = "NAnnotatedDataFrame"): Returns the number of samples, variables and multiplex cardinality in the object.

**multiplex** signature(object = "NAnnotatedDataFrame"): Returns the number of multiplexed samples described by the object.

**multiLabels** signature(object = "NAnnotatedDataFrame"): Returns the multiplex labels.

**show** signature(object = "NAnnotatedDataFrame"): Textual description of the object.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## See Also

["AnnotatedDataFrame"](#).

## Examples

```
df <- data.frame(x=1:3,
                y=LETTERS[1:3],
                row.names=paste("Sample", 1:3, sep=""))
metaData <-
  data.frame(labelDescription=c(
    "Numbers",
    "Factor levels"))
mplx <- c("M1", "M2")
new("NAnnotatedDataFrame",
    data=df,
    varMetadata=metaData,
    multiplex=length(mplx),
    multiLabels=mplx)
```

## Description

The `normalise` method (also available as `normalize`) performs basic normalisation on spectra intensities of single spectra ("[Spectrum](#)" objects), whole experiments ("[MSnExp](#)" objects) or quantified expression data ("[MSnSet](#)" objects).

Raw spectra and experiments are normalised using max or sum only. Each peak intensity is divided by the highest intensity in the spectrum or the sum of intensities. These methods aim at facilitating relative peaks heights between different spectra.

The method parameter for "MSnSet" can be one of sum, max, quantiles, center.mean, center.median, quantiles.robust or vsn. For sum and max, each feature's reporter intensity is divided by the maximum of the sum respectively. These two methods are applied along the features (rows). center.mean and center.median translate the respective sample (column) intensities according to the column mean or median. Using quantiles or quantiles.robust uses (robust) quantile normalisation, as implemented in `normalize.quantiles` and `normalize.quantiles.robust` of the preprocessCore package. vsn uses the `vsn2` from the vsn package. Note that the latter also glog-transforms the intensities. See respective manuals for more details and function arguments.

A scale method, mimicking the base scale method exists for "MSnSet" instances. See `?base::scale` for details.

## Arguments

|        |   |
|--------|---|
| object | An object of class "Spectrum", "MSnExp" or "MSnSet".  |
| method | A character vector of length one that describes how to normalise the object. See description for details. |
| ...    | Additional arguments passed to the normalisation function.  |

## Methods

The normalise methods:

`signature(object = "MSnSet", method = "character")` Normalises the object reporter ions intensities using method.

`signature(object = "MSnExp", method = "character")` Normalises the object peak intensities using method.

`signature(object = "Spectrum", method = "character")` Normalises the object peak intensities using method.

The scale method:

`signature(x = "MSnSet", center = "logical", scale = "logical")` See `?base::scale`.

## Examples

```
## quantifying full experiment
data(itraqdata)
qnt <- quantify(itraqdata,method="trap",reporters=iTRAQ4)
qnt.nrm <- normalise(qnt,"quantiles")
qnt.nrm
```

---

|         |   |
|---------|---|
| nQuants | <i>Count the number of quantified features.</i> |
|---------|---|

---

## Description

This function counts the number of quantified features, i.e. non NA quantitation values, for each group of features for all the samples in an "MSnSet" object. The group of features are defined by a feature variable names, i.e. the name of a column of fData(object).

## Usage

```
nQuants(object, fcol)
```

## Arguments

|        |   |
|--------|---|
| object | An instance of class "MSnSet".  |
| fcol   | The feature variable to consider when counting the number of quantified features. |

## Details

This function is typically used after `topN` and before `combineFeatures`, when the summerising function is `sum`, or any function that does not normalise to the number of features aggregated. In the former case, sums of feautres might be the result of 0 (if no feature was quantified) to n (if all topN's n features were quantified) features, and one might want to rescale the sums based on the number of non-NA features effectively summed.

## Value

A matrix of dimensions `length(levels(factor(fData(object)[, fcol])))` by `ncol(object)` of integers.

## Author(s)

Laurent Gatto

## Examples

```
data(itraqdata)
x <- quantify(itraqdata, reporters = iTRAQ4)
n <- 2
x <- topN(x, groupBy = fData(x)$ProteinAccession, n)
m <- nQuants(x, fcol = "ProteinAccession")
y <- combineFeatures(x, groupBy = fData(x)$ProteinAccession, fun = sum)
stopifnot(dim(n) == dim(y))
head(exprs(y))
head(exprs(y) * (n/m))
```

plot-methods

*Plotting 'Spectrum' object(s)***Description**

These methods plot mass spectra MZ values against the intensities as line plots. Full spectra (using the `full` parameter) or specific peaks of interest can be plotted using the `reporters` parameter. If `reporters` are specified and `full` is set to `'TRUE'`, a sub-figure of the reporter ions is inlaid inside the full spectrum.

If an `"MSnExp"` is provided as argument, all the spectra are aligned vertically. Experiments can be subset to extract spectra of interest using the `[]` operator or `extractPrecSpectra` methods.

The methods make use of the `ggplot2` system. An object of class `'ggplot'` is returned invisibly.

**Arguments**

|                          |  |
|--------------------------|--|
| <code>x</code>           | Objects of class <code>"Spectrum"</code> or <code>"MSnExp"</code> to be plotted.   |
| <code>y</code>           | Not used in these methods.   |
| <code>reporters</code>   | An object of class <code>"ReporterIons"</code> that defines the peaks to be plotted. If not specified, <code>full</code> must be set to <code>'TRUE'</code> .  |
| <code>full</code>        | Logical indicating whether full spectrum (respectively spectra) of only reporter ions of interest should be plotted. Default is <code>'FALSE'</code> , in which case <code>reporters</code> must be defined. |
| <code>centroided.</code> | Logical indicating if spectrum or spectra are in centroided mode, in which case peaks are plotted as histograms, rather than curves.   |
| <code>plot</code>        | Logical specifying whether plot should be printed to current device. Default is <code>'TRUE'</code> .  |
| <code>w1</code>          | Width of sticks for full centroided spectra. Default is to use maximum MZ value divided by 500.  |
| <code>w2</code>          | Width of histogram bars for centroided reporter ions plots. Default is 0.01.   |

**Methods**

`signature(x = "MSnExp", y = "missing", reporters = "ReporterIons", full = "logical", plot = "logical")`  
Plots all the spectra in the `MSnExp` object vertically. One of `reporters` must be defined or `full` set to `'TRUE'`. In case of `MSnExp` objects, reporter ions are not inlaid when `full` is `'TRUE'`.

`signature(x = "Spectrum", y = "missing", reporters = "ReporterIons", full = "logical", centroided.)`  
Displays the MZs against intensities of the `Spectrum` object as a line plot. At least one of `reporters` being defined or `full` set to `'TRUE'` is required. `reporters` and `full` are used only for `"Spectrum2"` objects. Full `"Spectrum1"` spectra are plotted by default.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**Examples**

```

data(itraqdata)
## plotting experiments
plot(itraqdata[1:2], reporters = iTRAQ4)
plot(itraqdata[1:2], full = TRUE)
## plotting spectra
plot(itraqdata[[1]],reporters = iTRAQ4, full = TRUE)

```

---

plot2d-methods

*The 'plot2d' method for 'MSnExp' quality assessment*


---

**Description**

These methods plot the retention time vs. precursor MZ for the whole "MSnExp" experiment. Individual dots will be colour-coded to describe individual spectra's peaks count, total ion count, precursor charge (MS2 only) or file of origin.

The methods make use the ggplot2 system. An object of class 'ggplot' is returned invisibly.

**Arguments**

|        |   |
|--------|---|
| object | An object of class "MSnExp" or a data.frame. In the latter case, the data frame must have numerical columns named 'retention.time' and 'precursor.mz' and one of 'tic', 'file', 'peaks.count' or 'charge', depending on the z parameter. Such a data frame is typically generated using the header method on "MSnExp" object. |
| z      | A character indicating according to what variable to colour the dots. One of, possibly abbreviated, "ionCount" (total ion count), "file" (raw data file), "peaks.count" (peaks count) or "charge" (precursor charge).   |
| alpha  | Numeric [0,1] indicating transparence level of points.  |
| plot   | A logical indicating whether the plot should be printed (default is 'TRUE').  |

**Methods**

signature(object = "MSnExp", ...) Plots a 'MSnExp' summary.

signature(object = "data.frame", ...) Plots a summary of the 'MSnExp' experiment described by the data frame.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

The [plotDensity](#) and [plotMzDelta](#) methods for other QC plots.

**Examples**

```

itraqdata
plot2d(itraqdata,z="ionCount")
plot2d(itraqdata,z="peaks.count")
plot2d(itraqdata,z="charge")

```

---

plotDensity-methods    *The 'plotDensity' method for 'MSnExp' quality assessment*

---

**Description**

These methods plot the distribution of several parameters of interest for the different precursor charges for "MSnExp" experiment.

The methods make use the ggplot2 system. An object of class 'ggplot' is returned invisibly.

**Arguments**

|        |   |
|--------|---|
| object | An object of class "MSnExp" or and 'data.frame'. In the latter case, the data frame must have numerical columns named 'charge' and one of 'precursor.mz', 'peaks.count' or 'ionCount', depending on the z parameter. Such a data frame is typically generated using the header method on "MSnExp" object. |
| z      | A character indicating which parameter's density to plot. One of, possibly abbreviated, "ionCount" (total ion count), "peaks.count" (peaks count) or "precursor.mz" (precursor MZ).   |
| log    | Logical, whether to log transform the data (default is 'FALSE').  |
| plot   | A logical indicating whether the plot should be printed (default is 'TRUE').  |

**Methods**

signature(object = "MSnExp", ...) Plots a 'MSnExp' summary.

signature(object = "data.frame", ...) Plots a summary of the 'MSnExp' experiment described by the data frame.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

The [plot2d](#) and [plotDensity](#) methods for other QC plots.

**Examples**

```

itraqdata
plotDensity(itraqdata,z="ionCount")
plotDensity(itraqdata,z="peaks.count")
plotDensity(itraqdata,z="precursor.mz")

```



## Description

The m/z delta plot illustrates the suitability of MS2 spectra for identification by plotting the m/z differences of the most intense peaks. The resulting histogram should optimally show outstanding bars at amino acid residue masses. The plots have been described in Foster *et al* 2011.

Only a certain percentage of most intense MS2 peaks are taken into account to use the most significant signal. Default value is 10% (see percentage argument). The difference between peaks is then computed for all individual spectra and their distribution is plotted as a histogram where single bars represent 1 m/z differences. Delta m/z between 40 and 200 are plotted by default, to encompass the residue masses of all amino acids and several common contaminants, although this can be changed with the xlim argument.

In addition to the processing described above, isobaric reporter tag peaks (see the reporters argument) and the precursor peak (see the precMz argument) can also be removed from the MS2 spectrum, to avoid interference with the fragment peaks.

Note that figures in Foster *et al* 2011 have been produced and optimised for centroided data. Application of the plot as is for data in profile mode has not been tested thoroughly, although the example below suggests that it might work.

The methods make use of the ggplot2 system. An object of class ggplot is returned invisibly.

Most of the code for plotMzDelta has kindly been contributed by Guangchuan Yu.

## Arguments

|             |   |
|-------------|---|
| object      | An object of class MSnExp or mzRramp (from the mzR package) containing MS2 spectra.   |
| reporters   | An object of class class "ReporterIons" that defines which reporter ion peaks to set to 0. The default value NULL leaves the spectra as they are.   |
| subset      | A numeric between 0 and 1 to use a subset of object's MS2 spectra.  |
| percentage  | The percentage of most intense peaks to be used for the plot. Default is 0.1.   |
| precMz      | A numeric of length one or NULL default. In the latter (and preferred) case, the precursor m/z values are extracted from the individual MS2 spectra using the <a href="#">precursorMz</a> method. |
| precMzWidth | A numeric of length 1 that specifies the width around the precursor m/z where peaks are set to 0. Default is 2.   |
| bw          | A numeric specifying the bandwidth to be used to bin the delta m/z value to plot the histogram. Default is 1. See <a href="#">geom_histogram</a> for more details.                                |
| xlim        | A numeric of length 2 specifying the range of delta m/z to plot on the histogram. Default is c(40, 200).  |
| withLabels  | A logical defining if amino acid residue labels are plotted on the figure. Default is TRUE.   |

|         |  |
|---------|--|
| size    | A numeric of length 1 specifying the font size of amino acids labels. Default is 2.5.  |
| plot    | A logical of length 1 that defines whether the figure should be plotted on the active device. Default is TRUE. Note that the ggplot object is always returned invisibly. |
| verbose | A logical of length 1 specifying whether textual output and a progress bar illustration the progress of data processing should be printed. Default is TRUE               |

## Methods

signature(object = "MSnExp", ...) Plots and (invisibly) returns the m/z delta histogram.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## References

Foster JM, Degroeve S, Gatto L, Visser M, Wang R, Griss J, Apweiler R, Martens L. "A posteriori quality control for the curation and reuse of public proteomics data." *Proteomics*, 2011 Jun;11(11):2182-94. doi:10.1002/pmic.201000602. Epub 2011 May 2. PMID: 21538885

## See Also

The [plotDensity](#) and [plot2d](#) methods for other QC plots.

## Examples

```
mzdplot <- plotMzDelta(itraqdata,
                      subset = 0.5,
                      reporters = iTRAQ4,
                      verbose = FALSE, plot = FALSE)
## lets retrieve peptide sequence information
## and get a table of amino acids
peps <- as.character(fData(itraqdata)$PeptideSequence)
aas <- unlist(strsplit(peps, ""))
## table of aas
table(aas)
## mzDelta plot
print(mzdplot)
```

## Description

These methods produce plots that illustrate missing data.

`is.na` returns the expression matrix of its MSnSet argument as a matrix of logicals referring whether the corresponding cells are NA or not. It is generally used in conjunction with `table` and `image` (see example below).

The `plotNA` method produces plots that illustrate missing data. The completeness of the full dataset or a set of proteins (ordered by increasing NA content along the x axis) is represented. The methods make use of the `ggplot2` system. An object of class 'ggplot' is returned invisibly.

## Methods

**is.na** signature(`x = "MSnSet"`) Returns the a matrix of logicals of dimensions `dim(x)` specifying if respective values are missing in the MSnSet's expression matrix.

**plotNA** signature(`object = "MSnSet"`, `pNA = "numeric"`) Plots missing data for an MSnSet instance. `pNA` is a numeric of length 1 that specifies the percentage of accepted missing data values per features. This value will be highlighted with a point on the figure, illustrating the overall percentage of NA values in the full data set and the number of proteins retained. Default is 1/2.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## See Also

See also the [filterNA](#) method to filter out features with a specified proportion of missing values.

## Examples

```
xx <- quantify(itraqdata, reporters = iTRAQ4, verbose = FALSE)
exprs(xx)[sample(prod(dim(xx)), 120)] <- NA

head(is.na(xx))
table(is.na(xx))
image(is.na(xx))

plotNA(xx, pNA = 1/4)
```

**Description**

precSelection computes the number of selection events each precursor ions has undergone in an tandem MS experiment. This will be a function of amount of peptide loaded, chromatography efficiency, exclusion time,... and is useful when optimising and experimental setup. This function returns a named integer vector or length equal to the number of unique precursor MZ values in the original experiment. See n parameter to set the number of MZ significant decimals.

precSelectionTable is a wrapper around precSelection and returns a table with the number of single, 2-fold, ... selection events.

**Usage**

```
precSelection(object,n)
```

**Arguments**

|        |   |
|--------|---|
| object | An instane of class "MSnExp".   |
| n      | The number of decimal places to round the precursor MZ to. Is passed to the <a href="#">round</a> function. |

**Value**

A named integer in case of precSelection and a table for precSelectionTable.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**Examples**

```
precSelection(itraqdata)
precSelection(itraqdata,n=2)
precSelectionTable(itraqdata)
## only single selection event in this reduced exeriment
```

---

pSet-class

*Class to Contain Raw Mass-Spectrometry Assays and Experimental Metadata*

---

**Description**

Container for high-throughput mass-spectrometry assays and experimental metadata. This class is based on Biobase's "eSet" virtual class, with the notable exception that 'assayData' slot is an environment contain objects of class "Spectrum".

**Objects from the Class**

A virtual Class: No objects may be created from it. See "MSnExp" for instantiatable sub-classes.

## Slots

- assayData:** Object of class "environment" containing the MS spectra (see "Spectrum1" and "Spectrum2"). Slot is inherited from "pSet".
- phenoData:** Object of class "AnnotatedDataFrame" containing experimenter-supplied variables describing sample (i.e the individual tags for an labelled MS experiment) See [phenoData](#) for more details. Slot is inherited from "pSet".
- featureData:** Object of class "AnnotatedDataFrame" containing variables describing features (spectra in our case), e.g. identification data, peptide sequence, identification score,... (inherited from "eSet"). See [featureData](#) for more details. Slot is inherited from "pSet".
- experimentData:** Object of class "MIAPE", containing details of experimental methods. See [experimentData](#) for more details. Slot is inherited from "pSet".
- protocolData:** Object of class "AnnotatedDataFrame" containing equipment-generated variables (inherited from "eSet"). See [protocolData](#) for more details. Slot is inherited from "pSet".
- processingData:** Object of class "MSnProcess" that records all processing. Slot is inherited from "pSet".
- .cache:** Object of class environment used to cache data. Under development.
- .\_\_classVersion\_\_:** Object of class "Versions" describing the versions of the class.

## Extends

Class "VersionedBiobase", directly. Class "Versioned", by class "VersionedBiobase", distance 2.

## Methods

Methods defined in derived classes may override the methods described here.

[ signature(x = "pSet"): Subset current object and return object of same class.

[[ signature(x = "pSet"): Direct access to individual spectra.

**abstract** Access abstract in experimentData.

**assayData** signature(object = "pSet"): Access the assayData slot. Returns an environment.

**description** signature(x = "pSet"): Synonymous with experimentData.

**dim** signature(x = "pSet"): Returns the dimensions of the phenoData slot.

**experimentData** signature(x = "pSet"): Access details of experimental methods.

**featureData** signature(x = "pSet"): Access the featureData slot.

**fData** signature(x = "pSet"): Access feature data information.

**featureNames** signature(x = "pSet"): Coordinate access of feature names (e.g spectra, peptides or proteins) in assayData slot.

**fileNames** signature(object = "pSet"): Access file names in the processingData slot.

**fromFile** signature(object = "pSet"): Access raw data file indexes (to be found in the 'code-processingData' slot) from which the individual object's spectra where read from.

**centroided** signature(object = "pSet"): Indicates whether individual spectra are centroided ('TRUE') or uncentroided ('FALSE'). Use centroided(object) <- value to update a whole experiment, ensuring that object and value have the same length.

**fvarMetadata** signature(x = "pSet"): Access metadata describing features reported in fData.

**fvarLabels** signature(x = "pSet"): Access variable labels in featureData.

**length** signature(x = "pSet"): Returns the number of features in the assayData slot.

**notes** signature(x = "pSet"): Retrieve and unstructured notes associated with pSet in the experimentData slot.

**pData** signature(x = "pSet"): Access sample data information.

**phenoData** signature(x = "pSet"): Access the phenoData slot.

**processingData** signature(object = "pSet"): Access the processingData slot.

**protocolData** signature(x = "pSet"): Access the protocolData slot.

**pubMedIds** signature(x = "pSet"): Access PMIDs in experimentData.

**sampleNames** signature(x = "pSet"): Access sample names in phenoData.

**spectra** signature(x = "pSet"): Access the assayData slot, returning the features as a list.

**varMetadata** signature(x = "pSet"): Access metadata describing variables reported in pData.

**varLabels** signature(x = "pSet"): Access variable labels in phenoData.

**acquisitionNum** signature(object = "pSet"): Accessor for spectra acquisition numbers.

**scanIndex** signature(object = "pSet"): Accessor for spectra scan indices.

**collisionEnergy** signature(object = "pSet"): Accessor for MS2 spectra collision energies.

**intensity** signature(object = "pSet"): Accessor for spectra intensities, returned as named list.

**msInfo** signature(object = "pSet"): Prints the MIAPE-MS meta-data stored in the experimentData slot.

**msLevel** signature(object = "pSet"): Accessor for spectra MS levels.

**mz** signature(object = "pSet"): Accessor for spectra M/Z values, returned as a named list.

**peaksCount** signature(object = "pSet"): Accessor for spectra peak counts.

**peaksCount** signature(object = "pSet", scans = "numeric"): Accessor to scans spectra peak counts.

**polarity** signature(object = "pSet"): Accessor for MS1 spectra polarities.

**precursorCharge** signature(object = "pSet"): Accessor for MS2 precursor charges.

**precursorIntensity** signature(object = "pSet"): Accessor for MS2 precursor intensity.

**precursorMz** signature(object = "pSet"): Accessor for MS2 precursor M/Z values.

**precAcquisitionNum** signature(object = "pSet"): Accessor for MS2 precursor scan numbers.

**precScanNum** see precAcquisitionNum.

**rtime** signature(object = "pSet"): Accessor for spectra retention times.

**tic** signature(object = "pSet"): Accessor for spectra total ion counts.

**ionCount** signature(object = "pSet"): Accessor for spectra total ion current.

**header** signature(object = "pSet"): Returns a data frame containing all available spectra parameters (MSn only).

**header** signature(object = "pSet", scans = "numeric"): Returns a data frame containing scans spectra parameters (MSn only).

Additional accessors for the experimental metadata (experimentData slot) are defined. See "[MIAPE](#)" for details.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

### References

The "[eSet](#)" class, on which pSet is based.

### See Also

"[MSnExp](#)" for an instantiatable application of pSet.

### Examples

```
showClass("pSet")
```

---

purityCorrect-methods *Performs reporter ions purity correction*

---

### Description

Manufacturers sometimes provide purity correction values indicating the percentages of each reporter ion that have masses differing by +/- n Da from the nominal reporter ion mass due to isotopic variants. This correction is generally applied after reporter peaks quantitation.

Purity correction here is applied using `solve` from the base package using the purity correction values as coefficient of the linear system and the reporter quantities as the right-hand side of the linear system. 'NA' values are ignored and negative intensities after correction are also set to 'NA'.

A more elaborated purity correction method is described in Shadforth *et al.*, i-Tracker: for quantitative proteomics using iTRAQ. BMC Genomics. 2005 Oct 20;6:145. (PMID 16242023).

Function `makeImpuritiesMatrix(x, filename, edit = TRUE)` helps the user to create such a matrix. The function can be used in two ways. If given an integer `x`, it is used as the dimension of the square matrix (i.e the number of reporter ions). For TMT6-plex and iTRAQ4-plex, default values taken from manufacturer's certification sheets are used as templates, but batch specific values should be used whenever possible. Alternatively, the filename of a csv spreadsheet can be provided. The sheet should define the correction factors as illustrated below (including reporter names in the first column and header row) and the corresponding correction matrix is calculated. Examples of such csv files are available in the package's `extdata` directory. Use `dir(system.file("extdata", package = "MSnbase"), pattern = "PurityCorrection", full.names = TRUE)` to locate them. If `edit = TRUE`, the the matrix can be edited before it is returned.

**Arguments**

**object** An object of class "MSnSet".

**impurities** A square 'matrix' of dim equal to ncol(object) defining the correction coefficients to be applied. The reporter ions should be ordered along the columns and the relative percentages along the rows.

As an example, below is the correction factors as provided in an ABI iTRAQ 4-plex certificate of analysis:

| reporter | % of -2 | % of -1 | % of +1 | % of +2 |
|----------|---------|---------|---------|---------|
| 114      | 0.0     | 1.0     | 5.9     | 0.2     |
| 115      | 0.0     | 2.0     | 5.6     | 0.1     |
| 116      | 0.0     | 3.0     | 4.5     | 0.1     |
| 117      | 0.1     | 4.0     | 3.5     | 0.1     |

The impurity table will be

|       |       |       |       |
|-------|-------|-------|-------|
| 0.929 | 0.059 | 0.002 | 0.000 |
| 0.020 | 0.923 | 0.056 | 0.001 |
| 0.000 | 0.030 | 0.924 | 0.045 |
| 0.000 | 0.001 | 0.040 | 0.923 |

where, the diagonal is computed as 100 - sum of rows of the original table and subsequent cells are directly filled in.

Similarly, for TMT 6-plex tags, we observe

| reporter | % of -3 | % of -2 | % of -1 | % of +1 % | % of +2 | % of +3 |
|----------|---------|---------|---------|-----------|---------|---------|
| 126      | 0       | 0       | 0       | 6.1       | 0       | 0       |
| 127      | 0       | 0       | 0.5     | 6.7       | 0       | 0       |
| 128      | 0       | 0       | 1.1     | 4.2       | 0       | 0       |
| 129      | 0       | 0       | 1.7     | 4.1       | 0       | 0       |
| 130      | 0       | 0       | 1.6     | 2.1       | 0       | 0       |
| 131      | 0       | 0.2     | 3.2     | 2.8       | 0       | 0       |

and obtain the following impurity correction matrix

|       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|
| 0.939 | 0.061 | 0.000 | 0.000 | 0.000 | 0.000 |
| 0.005 | 0.928 | 0.067 | 0.000 | 0.000 | 0.000 |
| 0.000 | 0.011 | 0.947 | 0.042 | 0.000 | 0.000 |
| 0.000 | 0.000 | 0.017 | 0.942 | 0.041 | 0.000 |
| 0.000 | 0.000 | 0.000 | 0.016 | 0.963 | 0.021 |
| 0.000 | 0.000 | 0.000 | 0.002 | 0.032 | 0.938 |

These two examples above are provided as defaults impurity correction matrices



in `makeImpuritiesMatrix`.

## Methods

```
signature(object = "MSnSet", impurities = "matrix")
```

## Examples

```
## quantifying full experiment
data(itraqdata)
msnset <- quantify(itraqdata, method = "trap", reporters = iTRAQ4)
impurities <- matrix(c(0.929,0.059,0.002,0.000,
                      0.020,0.923,0.056,0.001,
                      0.000,0.030,0.924,0.045,
                      0.000,0.001,0.040,0.923),
                    nrow=4, byrow = TRUE)
## or, using makeImpuritiesMatrix()
## Not run: impurities <- makeImpuritiesMatrix(4)
msnset.crct <- purityCorrect(msnset, impurities)
head(exprs(msnset))
head(exprs(msnset.crct))
processingData(msnset.crct)
```

---

quantify-methods

*Quantifies 'MSnExp' and 'Spectrum' objects*

---

## Description

This method quantifies individual "[Spectrum](#)" objects or full "[MSnExp](#)" experiments. Current, MS2-level isobar tagging using iTRAQ and TMT (or any arbitrary peaks of interest, see "[ReporterIons](#)") and MS2-level label-free quantitation (spectral counting, spectral index or spectral abundance factor) are available.

Isobaric tag peaks of single spectra or complete experiments can be quantified using appropriate methods. Label-free quantitation is available only for [MSnExp](#) experiments.

## Arguments

|        |  |
|--------|--|
| object | An instance of class " <a href="#">Spectrum</a> " (isobaric tagging only) or " <a href="#">MSnExp</a> ".   |
| method | Peak quantitation method. For isobaric tags, one of, possibly abbreviated "trapezoidation", "max", or "sum". These methods return respectively the area under the peak(s), the maximum of the peak(s) or the sum of all intensities of the peak(s).<br>For label-free quantitation, one of "SI" (spectral index), "SIgi" (global intensity spectral index), "SIn" (normalised spectral index), "SAF" (spectral abundance factor) or "NSAF" (normalised spectral abundance factor).<br>Finally, the simple "count" method counts the occurrence of the respective spectra (at this stage all 1s) that can then be used as input to <a href="#">combineFeatures</a> to implement spectra counting. |

|           |  |
|-----------|--|
| reporters | An instance of class <code>"ReporterIons"</code> that defines the peak(s) to be quantified. For isobaric tagging only.   |
| strict    | For isobaric tagging only. If strict is FALSE (default), the quantitation is performed using data points along the entire width of a peak. If strict is set to TRUE, once the apex(es) is/are identified, only data points within apex +/- width of reporter (see <code>"ReporterIons"</code> ) are used for quantitation. |
| parallel  | Logical defining if reporter peaks should be quantified in parallel (default is FALSE). Currently not supported on Windows. Only relevant for isobaric tagging.  |
| verbose   | Verbose of the output (only for MSnExp objects).   |
| ...       | Further arguments passed to the quantitation functions.  |

### Details

`"ReporterIons"` define specific MZ at which peaks are expected and a window around that MZ value. A peak of interest is searched for in that window. Since version 1.1.2, warnings are not thrown anymore in case no data is found in that region or if the peak extends outside the window. This can be checked manually after quantitation, by inspecting the quantitation data (using the `exprs` accessor) for NA values or by comparing the `lowerMz` and `upperMz` columns in the `"MSnSet"` `qual` slot against the respective expected `mz(reporters) +/- width(reporters)`. This is illustrated in the example below.

Once the range of the curve is found, quantification is performed. If no data points are found in the expected region, NA is returned for the reporter peak MZ.

Note that for label-free, spectra that have not been identified (the corresponding fields in the feature data are populated with NA values) or that have been assigned (the `npsm` feature data is greater than 1) are removed prior to quantitation. The latter does not apply for `method = "count"` but can be applied manually with `removeMultipleAssignment`.

### Methods

`signature(object = "MSnExp", method = "character", reporters = "ReporterIons", verbose = "logical",`

For isobaric tagging, quantifies peaks defined in `reporters` using `method` in all spectra of the MSnExp object. If `verbose` is set to TRUE, a progress bar will be displayed.

For label-free quantitation, the respective quantitation methods and normalisations are applied to the spectra. These methods require two additional arguments (...), namely the protein accession of identifiers (`fcol`, with default value `"accession"`) and the protein lengths (`plength`, with default value `"length"`). These values are available of the identification data had been collated using `addIdentificationData`.

An object of class `"MSnSet"` is returned containing the quantified feature expression and all meta data inherited from the MSnExp object argument.

`signature(object = "Spectrum", method = "character", reporters = "ReporterIons")`

Quantifies peaks defined in `reporters` using `method` in the Spectrum object (isobaric tagging only).

A list of length 2 will be returned. The first element, named `peakQuant`, is a 'numeric' of length equal to `length(reporters)` with quantitation of the reporter peaks using `method`.

The second element, named `curveStats`, is a 'data.frame' of dimension `length(reporters)` times 7 giving, for each reporter curve parameters: maximum intensity (`maxInt`), number of

maxima (nMaxInt), number of data points defined the curve (baseLength), lower and upper MZ values for the curve (lowerMz and upperMz), reporter (reporter) and precursor MZ value (precursor) when available.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk> and Sebastian Gibb <mail@sebastiangibb.de>

### References

For details about the spectral index (SI), see Griffin NM, Yu J, Long F, Oh P, Shore S, Li Y, Koziol JA, Schnitzer JE. *Label-free, normalized quantification of complex mass spectrometry data for proteomic analysis*. Nat Biotechnol. 2010 Jan;28(1):83-9. doi: 10.1038/nbt.1592. PMID: 20010810; PubMed Central PMCID: PMC2805705.

For details about the spectra abundance factor, see Paoletti AC, Parmely TJ, Tomomori-Sato C, Sato S, Zhu D, Conaway RC, Conaway JW, Florens L, Washburn MP. *Quantitative proteomic analysis of distinct mammalian Mediator complexes using normalized spectral abundance factors*. PNAS. 2006 Dec 12;103(50):18928-33. PMID: 17138671; PubMed Central PMCID: PMC1672612.

### Examples

```
## Quantifying a full experiment using iTRAQ4-plex tagging
data(itraqdata)
msnset <- quantify(itraqdata, method = "trap", reporters = iTRAQ4)
msnset

## Checking for non-quantified peaks
sum(is.na(exprs(msnset)))

## Quantifying a single spectrum
qty <- quantify(itraqdata[[1]], method = "trap", iTRAQ4[1])
qty$peakQuant
qty$curveStats

## Label-free quantitation
## Raw (mzXML) and identification (mzid) files
quantFile <- dir(system.file(package = "MSnbase", dir = "extdata"),
                 full.name = TRUE, pattern = "mzXML$")
identFile <- dir(system.file(package = "MSnbase", dir = "extdata"),
                 full.name = TRUE, pattern = "mzid$")

msexp <- readMSData(quantFile)
msexp <- addIdentificationData(msexp, identFile)
fData(msexp)$accession

si <- quantify(msexp, method = "SIn")
processingData(si)
exprs(si)

saf <- quantify(msexp, method = "NSAF")
```

```
processingData(saf)
exprs(saf)
```

---

|              |   |
|--------------|---|
| readIspyData | <i>Reads an ispy2 result spread sheet and creates a fully featured 'MSnSet' instance.</i> |
|--------------|---|

---

### Description

Reads an ispy2 tab-delimited spreadsheet and generates the corresponding [MSnSet](#) object.

### Usage

```
readIspyData(file = "ispy_results.tsv", uniquePeps = TRUE, pep = 0.05,
             na.rm = TRUE, min.int = 0, reporters = 19:23, keepAll = FALSE,
             verbose = TRUE)
```

### Arguments

|            |   |
|------------|---|
| file       | A character, indicating the file name to be read in. Default is "ispy_results.tsv".   |
| uniquePeps | A logical, indicating whether only unique peptides should be included. Default is TRUE.   |
| pep        | A numeric indicating the posterior error probability threshold for peptides to be considered correctly identified. Default is 0.05.   |
| na.rm      | A logical indicating whether reporter ions containing one or more NA values should be excluded. Default is TRUE.  |
| min.int    | A numeric indicating the minimal summed intensity threshold for reporter data to be imported. Default is 0. Note that 'NA' values are excluded when summing the values.   |
| reporters  | A numeric indicating column indices of reporter ions quantitation data. Default is 19:23 for iTRAQ 4-plex.  |
| keepAll    | A logical that defines whether all features of the ispy result should be imported. If 'TRUE', 'pep', 'na.rm' and 'min.int' are ignored. This is equivalent to 'pep=1', 'na.rm=FALSE' and 'min.int=0'. Default is 'FALSE'. |
| verbose    | A logical indicating whether verbose output is to be printed out.   |

### Value

An object of class "[MSnSet](#)".

### Author(s)

Laurent Gatto

## References

Ispy is a set of perl script to analyse SILAC, 15N and MSMS data developed by Phil D. Charles <pd35@cam.ac.uk> at CCP <http://www.bio.cam.ac.uk/proteomics/>. No ispy references published yet.

## See Also

[readMSData](#) to import raw data.

## Examples

```
## Not run: ispy <- readIspyData("ispy_results.tsv")
```

---

|             |  |
|-------------|--|
| readMgfData | <i>Import mgf files as 'MSnExp' instances.</i> |
|-------------|--|

---

## Description

Reads an mgf file and generates an "MSnExp" object.

## Usage

```
readMgfData(file, pdata = NULL, centroided = TRUE, smoothed = FALSE,
  verbose = TRUE, cache = 1)
```

## Arguments

|            |  |
|------------|--|
| file       | character vector with file name to be read.  |
| pdata      | an object of class "NAnnotatedDataFrame".  |
| smoothed   | Logical indicating whether spectra already smoothed or not. Default is 'FALSE'. Used to initialise "MSnProcess" object in processingData slot. |
| centroided | Logical indicating whether spectra are centroided or not. Default is 'TRUE'. Used to initialise "MSnProcess" object in processingData slot.    |
| cache      | Numeric indicating caching level. Default is 1. Under development.   |
| verbose    | verbosity flag.  |

## Details

Note that when reading an mgf file, the original order of the spectra is lost. Thus, if the data was originally written to mgf from an MSnExp object using writeMgfData, although the feature names will be identical, the spectra are not as a result of the reordering. See example below.

## Value

An instance of

**Author(s)**

Guangchuang Yu <guangchuangyu@gmail.com> and Laurent Gatto <lg390@cam.ac.uk>

**See Also**

[writeMgfData](#) method to write the content of "Spectrum" or "MSnExp" objects to mgf files. Raw data files can also be read with the [readMSData](#) function.

**Examples**

```
data(itraqdata)
writeMgfData(itraqdata, con="itraqdata.mgf", COM="MSnbase itraqdata")
itraqdata2 <- readMgfData("itraqdata.mgf")
## note that the order of the spectra is altered
## and precision of some values (precursorMz for instance)
match(signif(precursorMz(itraqdata2),4),signif(precursorMz(itraqdata),4))
## [1] 1 10 11 12 13 14 15 16 17 18 ...
## ... but all the precursors are there
all.equal(sort(precursorMz(itraqdata2)),
          sort(precursorMz(itraqdata)),
          check.attributes=FALSE,
          tolerance=10e-5)

## is TRUE
all.equal(as.data.frame(itraqdata2[[1]]),as.data.frame(itraqdata[[1]]))
## is TRUE
all.equal(as.data.frame(itraqdata2[[3]]),as.data.frame(itraqdata[[11]]))
## is TRUE
file <- dir(system.file(package="MSnbase",dir="extdata"),
            full.name=TRUE,
            pattern="test.mgf")
(x <- readMgfData(file))
x[[2]]
precursorMz(x[[2]])
precursorIntensity(x[[2]])
precursorMz(x[[1]])
precursorIntensity(x[[1]]) ## was not in test.mgf
scanIndex(x)
```

---

readMSData

*Imports mass-spectrometry raw data files as 'MSnExp' instances.*

---

**Description**

Reads as set of XML-based mass-spectrometry data files and generates an "MSnExp" object. This function uses the functionality provided by the mzR package to access data and meta data in mzData, mzXML and mzML.

## Usage

```
readMSData(files, pdata = NULL, msLevel = 2, verbose = TRUE,  
centroided = FALSE, smoothed = FALSE, removePeaks = 0, clean = FALSE,  
cache = 1)
```

## Arguments

|             |   |
|-------------|---|
| files       | character vector with file names to be read.  |
| pdata       | an object of class " <a href="#">NAnnotatedDataFrame</a> ".   |
| msLevel     | MS level spectra to be read. Use '1' for MS1 spectra or any larger numeric for MSn spectra. Default is '2'.   |
| centroided  | Logical indicating whether spectra are centroided or not. Default is 'FALSE'. Used to initialise " <a href="#">MSnProcess</a> " object in processingData slot.                            |
| smoothed    | Logical indicating whether spectra already smoothed or not. Default is 'FALSE'. Used to initialise " <a href="#">MSnProcess</a> " object in processingData slot.                          |
| removePeaks | If > 0 (default), all peaks less or equal then value will set to 0. See <a href="#">removePeaks</a> for more details and examples.  |
| clean       | Logical indicating whether 0 intensity peaks should be discarded from spectra. Useful is removePeaks is set. Default is 'FALSE'. See <a href="#">clean</a> for more details and examples. |
| cache       | Numeric indicating caching level. Default is 0 for MS1 and 1 MS2 (or higher). Under development.  |
| verbose     | verbosity flag.   |

## Value

An "[MSnExp](#)" object.

## Author(s)

Laurent Gatto <[lg390@cam.ac.uk](mailto:lg390@cam.ac.uk)>

## See Also

["MSnExp"](#) or [readMgfData](#) to read mgf peak lists.

## Examples

```
file <- dir(system.file(package="MSnbase", dir="extdata"),  
            full.name=TRUE,  
            pattern="mzXML$")  
aa <- readMSData(file)  
aa
```

---

|            |                      |
|------------|----------------------|
| readMSnSet | <i>Read 'MSnSet'</i> |
|------------|----------------------|

---

### Description

This function reads data files to generate an [MSnSet](#) instance. It is a wrapper around Biobase's [readExpressionSet](#) function with an additional `featureDataFile` parameter to include feature data. See also [readExpressionSet](#) for more details. `readMSnSet2` is a simple version that takes a single text spreadsheet as input and extracts the expression data and feature meta-data to create and `MSnSet`.

### Usage

```
readMSnSet(exprsFile,
           phenoDataFile,
           featureDataFile,
           experimentDataFile,
           notesFile,
           path, annotation,
           exprsArgs = list(sep = sep, header = header, row.names = row.names, quote = quote, ...),
           phenoDataArgs = list(sep = sep, header = header, row.names = row.names, quote = quote, stringsAsFactors = FALSE),
           featureDataArgs = list(sep = sep, header = header, row.names = row.names, quote = quote, stringsAsFactors = FALSE),
           experimentDataArgs = list(sep = sep, header = header, row.names = row.names, quote = quote, stringsAsFactors = FALSE),
           sep = "\t",
           header = TRUE,
           quote = "",
           stringsAsFactors = FALSE,
           row.names = 1L,
           widget = getOption("BioC")$Base$use.widgets, ...)

readMSnSet2(file, ecol, fnames, ...)
```

### Arguments

Arguments directly passed to `readExpressionSet`. The description is from the `readExpressionSet` documentation page.

(character) File or connection from which to read expression values. The file should contain a matrix with rows as features and columns as samples. [read.table](#) is called with this as its `file` argument and further arguments given by `exprsArgs`.

`phenoDataFile` (character) File or connection from which to read phenotypic data. [read.AnnotatedDataFrame](#) is called with this as its `file` argument and further arguments given by `phenoDataArgs`.

`experimentDataFile` (character) File or connection from which to read experiment data. [read.MIAME](#) is called with this as its `file` argument and further arguments given by `experimentDataArgs`.

`notesFile` (character) File or connection from which to read notes; [readLines](#) is used to input the file.



|   |  |
|---|--|
| path  | (optional) directory in which to find all the above files.   |
| annotation                                      | (character) A single character string indicating the annotation associated with this ExpressionSet.  |
| exprsArgs                                       | A list of arguments to be used with <code>read.table</code> when reading in the expression matrix.   |
| phenoDataArgs                                   | A list of arguments to be used (with <code>read.AnnotatedDataFrame</code> ) when reading the phenotypic data.  |
| experimentDataArgs                              | A list of arguments to be used (with <code>read.MIAME</code> ) when reading the experiment data.   |
| sep, header, quote, stringsAsFactors, row.names | arguments used by the <code>read.table</code> -like functions.   |
| widget  | A boolean value indicating whether widgets can be used. Widgets are NOT yet implemented for <code>read.AnnotatedDataFrame</code> .   |
| ...   | Further arguments that can be passed on to the <code>read.table</code> -like functions.<br>Additional argument, specific to <code>readMSnSet</code> :  |
| featureDataFile                                 | (character) File or connection from which to read feature data. <code>read.AnnotatedDataFrame</code> is called with this as its <code>file</code> argument and further arguments given by <code>phenoDataArgs</code> .   |
| featureDataArgs                                 | A list of arguments to be used (with <code>read.AnnotatedDataFrame</code> ) when reading the phenotypic data.<br>Arguments for <code>readMSnSet2</code> :  |
| file  | A character indicating the spreadsheet file. Default is to read the file as a comma-separated values (csv). If different, use the additional arguments, passed to <code>read.csv</code> , to parametrise file import.  |
| ecol  | A numeric indicating the indices of the columns to be used as expression values. Can also be a character indicating the names of the columns. Caution must be taken of the column names are composed of special characters like '(' or '-' that will be converted to a '.'. If <code>ecol</code> does not match, the error message will display the column names as seen by R. |
| fnames  | An optional character indicating the column to be used as feature names.   |

**Value**

An instance of the `MSnSet` class.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

The `grepEcols` and `getEcols` helper functions to identify the `ecol` values. The `MSnbase-io` vignette illustrates these functions in detail. It can be accessed with `vignette("MSnbase-io")`.

## Examples

```
## Not run:
exprsFile <- "path_to_intensity_file.csv"
fdatafile <- "path_to_featuredata_file.csv"
pdatafile <- "path_to_sampledata_file.csv"
## Read ExpressionSet with appropriate parameters
res <- readMSnSet(exprsFile, pdataFile, fdataFile, sep = "\t", header=TRUE)

## End(Not run)
```

---

|               |                             |
|---------------|-----------------------------|
| readMzTabData | <i>Read an 'mzTab' file</i> |
|---------------|-----------------------------|

---

## Description

This function can be used to create a "MSnSet" by reading and parsing an mzTab file. The metadata section is always used to populate the MSnSet's experimentData slot.

## Usage

```
readMzTabData(file, what = c("PRT", "PEP"),
              verbose = TRUE)
```

## Arguments

|         |  |
|---------|--|
| file    | A character with the mzTab file to be read in.   |
| what    | One of "PRT" or "PEP", defining which of protein or peptide section should be parse. The metadata section, when available, is always used to populate the experimentData slot. |
| verbose | Produce verbose output.  |

## Value

An instance of class MSnSet.

## Author(s)

Laurent Gatto

## See Also

[writeMzTabData](#) to save an "MSnSet" as an mzTab file.

## Examples

```
testfile <- "http://mztab.googlecode.com/svn/legacy/jmztab-1.0/examples/mztab_itraq_example.txt"
prot <- readMzTabData(testfile, "PRT")
prot
pep <- readMzTabData(testfile, "PEP")
pep
```

---

|                    |  |
|--------------------|--|
| removeNoId-methods | <i>Removes non-identified features</i> |
|--------------------|--|

---

## Description

The method removes non-identified features in MSnExp and MSnSet instances using relevant information from the featureData slot of a user-provide filtering vector of logicals.

## Methods

signature(object = "MSnExp", fcol = "pepseq", keep = NULL) Removes the feature from object that have a feature fcol (default is "pepseq") equal to NA. Alternatively, one can also manually define keep, a vector of logical, defining the feature to be retained.

signature(object = "MSnSet", fcol = "pepseq", keep = NULL) As above of MSnSet instances.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## See Also

[MSnExp](#) and [MSnSet](#).

## Examples

```
quantFile <- dir(system.file(package = "MSnbase", dir = "extdata"),
  full.name = TRUE, pattern = "mzXML$")
identFile <- dir(system.file(package = "MSnbase", dir = "extdata"),
  full.name = TRUE, pattern = "mzid$")
msexp <- readMSData(quantFile)
msexp <- addIdentificationData(msexp, identFile)
fData(msexp)$pepseq
length(msexp)

## using default fcol
msexp2 <- removeNoId(msexp)
length(msexp2)
fData(msexp2)$pepseq

## using keep
```

```

(k <- fData(msexp)$ms-gf:value > 75)
k[is.na(k)] <- FALSE
k
msexp3 <- removeNoId(msexp, keep = k)
length(msexp3)
fData(msexp3)$pepseq

```

---

removePeaks-methods      *Removes low intensity peaks*

---

### Description

This method sets low intensity peaks from individual spectra (Spectrum instances) or whole experiments (MSnExp instances) to 0. The intensity threshold is set with the `t` parameter. Default is the "min" character. The threshold is then set as the non-0 minimum intensity found in the spectrum. Any other numeric values is valid. All peaks with maximum intensity smaller or equal to `t` are set to 0.

Note that the number of peaks is not changed; the peaks below the threshold are set to 0 and the object is not cleaned out (see [clean](#)). An illustrative example is shown below.

### Methods

`signature(object = "MSnExp", t, verbose = "logical" )` Removes low intensity peaks of all spectra in MSnExp object. `t` sets the minimum peak intensity. Default is "min", i.e the smallest intensity in each spectrum. Other numeric values are valid. Displays a control bar if `verbose` set to TRUE (default). Returns a new MSnExp instance.

`signature(object = "Spectrum", t)` Removes low intensity peaks of Spectrum object. `t` sets the minimum peak intensity. Default is "min", i.e the smallest intensity in each spectrum. Other numeric values are valid. Returns a new Spectrum instance.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

### See Also

[clean](#) and [trimMz](#) for other spectra processing methods.

### Examples

```

int <- c(2,0,0,0,1,5,1,0,0,1,3,1,0,0,1,4,2,1)
sp1 <- new("Spectrum2",
          intensity=int,
          mz=1:length(int))
sp2 <- removePeaks(sp1) ## no peaks are removed here
                        ## as min intensity is 1 and
                        ## no peak has a max int <= 1
sp3 <- removePeaks(sp1,3)

```

```
intensity(sp1)
intensity(sp2)
intensity(sp3)

peaksCount(sp1) == peaksCount(sp2)
peaksCount(sp3) <= peaksCount(sp1)

data(itraqdata)
itraqdata2 <- removePeaks(itraqdata, t = 2.5e5)
table(unlist(intensity(itraqdata)) == 0)
table(unlist(intensity(itraqdata2)) == 0)
processingData(itraqdata2)
```

---

removeReporters-methods

*Removes reporter ion tag peaks*

---

## Description

This methods sets all the reporter tag ion peaks from one MS2 spectrum or all the MS2 spectra of an experiment to 0. Reporter data is specified using an "ReporterIons" instance. The peaks are selected around the expected reporter ion m/z value +/- the reporter width. Optionally, the spectrum/spectra can be cleaned to remove successive 0 intensity data points (see the [clean](#) function for details).

Note that this method only works for MS2 spectra or experiments that contain MS2 spectra. It will fail for MS1 spectrum.

## Methods

```
signature(object = "MSnExp", reporters = "ReporterIons", clean = "logical", verbose = "logical" )
```

The reporter ion peaks defined in the reporters instance of all the MS2 spectra of the "MSnExp" instance are set to 0 and, if clean is set to TRUE, cleaned. The default value of reporters is NULL, which leaves the spectra as unchanged. The verbose parameter (default is TRUE) defines whether a progress bar should be showed.

```
signature(object = "Spectrum", reporters = "ReporterIons", clean = "FALSE")
```

The reporter ion peaks defined in the reporters instance of MS2 "Spectrum" instance are set to 0 and, if clean is set to TRUE, cleaned. The default value of reporters is NULL, which leaves the spectrum as unchanged.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## See Also

[clean](#) and [removePeaks](#) for other spectra processing methods.

**Examples**

```

sp1 <- itraqdata[[1]]
sp2 <- removeReporters(sp1,reporters=iTRAQ4)
sel <- mz(sp1) > 114 & mz(sp1) < 114.2
mz(sp1)[sel]
intensity(sp1)[sel]
plot(sp1,full=TRUE,reporters=iTRAQ4)
intensity(sp2)[sel]
plot(sp2,full=TRUE,reporters=iTRAQ4)

```

---

ReporterIons-class      *The "ReporterIons" Class*

---

**Description**

The ReporterIons class allows to define a set of isobaric reporter ions that are used for quantification in MSMS mode, e.g. iTRAQ (isobaric tag for relative and absolute quantitation) or TMT (tandem mass tags). ReporterIons instances can then be used when quantifying "MSnExp" data or plotting the reporters peaks based on in "Spectrum2" objects.

Some reporter ions are provided with MSnbase and can be loaded with the [data](#) function. These reporter ions data sets are:

iTRAQ4: ReporterIon object for the iTRAQ 4-plex set. Load with `data(iTRAQ4)`.

iTRAQ5: ReporterIon object for the iTRAQ 4-plex set plus the isobaric tag. Load with `data(iTRAQ5)`.

TMT6: ReporterIon object for the TMT 6-plex set. Load with `data(TMT6)`.

TMT7: ReporterIon object for the TMT 6-plex set plus the isobaric tag. Load with `data(TMT6)`.

**Objects from the Class**

Objects can be created by calls of the form `new("ReporterIons", ...)`.

**Slots**

**name:** Object of class "character" to identify the ReporterIons instance.

**reporterNames:** Object of class "character" naming each individual reporter of the ReporterIons instance. If not provided explicitly, they are names by concatenating the ReporterIons name and the respective MZ values.

**description:** Object of class "character" to describe the ReporterIons instance.

**mz:** Object of class "numeric" providing the MZ values of the reporter ions.

**col:** Object of class "character" providing colours to highlight the reporters on plots.

**width:** Object of class "numeric" indicating the width around the individual reporter ions MZ values were to search for peaks. This is dependent on the mass spectrometer's resolution and is used for peak picking when quantifying the reporters. See [quantify](#) for more details about quantification.

**.\_\_classVersion\_\_:** Object of class "Versions" indicating the version of the ReporterIons instance. Intended for developer use and debugging.

**Extends**

Class "[Versioned](#)", directly.

**Methods**

`show(object)` Displays object content as text.

`object[]` Subsets one or several reporter ions of the ReporterIons object and returns a new instance of the same class.

`length(object)` Returns the number of reporter ions in the instance.

`mz(object)` Returns the expected mz values of reporter ions.

`reporterColours(object)` **or** `reporterColors(object)` Returns the colours used to highlight the reporter ions.

`reporterNames(object)` Returns the name of the individual reporter ions. If not specified or is an incorrect number of names is provided at initialisation, the names are generated automatically by concatenating the instance name and the reporter's MZ values.

`reporterNames(object) <- value` Sets the reporter names to value, which must be a character of the same length as the number of reporter ions.

`width(object)` Returns the widths in which the reporter ion peaks are expected.

`names(object)` Returns the name of the ReporterIons object.

`description(object)` Returns the description of the ReporterIons object.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**References**

Ross PL, Huang YN, Marchese JN, Williamson B, Parker K, Hattan S, Khainovski N, Pillai S, Dey S, Daniels S, Purkayastha S, Juhasz P, Martin S, Bartlet-Jones M, He F, Jacobson A, Pappin DJ. "Multiplexed protein quantitation in *Saccharomyces cerevisiae* using amine-reactive isobaric tagging reagents." *Mol Cell Proteomics*, 2004 Dec;3(12):1154-69. Epub 2004 Sep 22. PubMed PMID: 15385600.

Thompson A, Sch\afner J, Kuhn K, Kienle S, Schwarz J, Schmidt G, Neumann T, Johnstone R, Mohammed AK, Hamon C. "Tandem mass tags: a novel quantification strategy for comparative analysis of complex protein mixtures by MS/MS." *Anal Chem*. 2003 Apr 15;75(8):1895-904. *Erratum in: Anal Chem*. 2006 Jun 15;78(12):4235. Mohammed, A Karim A [added] and *Anal Chem*. 2003 Sep 15;75(18):4942. Johnstone, R [added]. PubMed PMID: 12713048.

**See Also**

[TMT6](#) or [iTRAQ4](#) for readily available examples.

**Examples**

```
## Code used for the iTRAQ4 set
ri <- new("ReporterIons",
         description="4-plex iTRAQ",
         name="iTRAQ4",
         reporterNames=c("iTRAQ4.114","iTRAQ4.115",
                        "iTRAQ4.116","iTRAQ4.117"),
         mz=c(114.1,115.1,116.1,117.1),
         col=c("red","green","blue","yellow"),
         width=0.05)

ri
reporterNames(ri)
ri[1:2]
```

---

Spectrum-class

*The "Spectrum" Class*


---

**Description**

Virtual container for spectrum data common to all different types of spectra. A Spectrum object can not be directly instantiated. Use "[Spectrum1](#)" and "[Spectrum2](#)" instead.

**Slots**

**msLevel:** Object of class "integer" indicating the MS level: 1 for MS1 level Spectrum1 objects and 2 for MSMSM Spectrum2 objects. Levels > 2 have not been tested and will be handled as MS2 spectra.

**peaksCount:** Object of class "integer" indicating the number of MZ peaks.

**rt:** Object of class "numeric" indicating the retention time (in seconds) for the current ions.

**tic:** Object of class "numeric" indicating the total ion current.

**acquisitionNum:** Object of class "integer" corresponding to the acquisition number of the current spectrum.

**scanIndex:** Object of class "integer" indicating the scan index of the current spectrum.

**mz:** Object of class "numeric" of length equal to the peaks count (see peaksCount slot) indicating the MZ values that have been measured for the current ion.

**intensity:** Object of class "numeric" of same length as mz indicating the intensity at which each mz datum has been measured.

**centroided:** Object of class "logical" indicating if instance is centroided ('TRUE') of uncentroided ('FALSE').

**fromFile:** Object of class "integer" referencing the file the spectrum originates. The file names are stored in the processingData slot of the "[MSnExp](#)" or "[MSnSet](#)" instance that contains the current "Spectrum" instance.

**.\_\_classVersion\_\_:** Object of class "Versions" indicating the version of the Spectrum class. Intended for developer use and debugging.



**Extends**

Class "[Versioned](#)", directly.

**Methods**

`acquisitionNum(object)` Returns the acquisition number of the spectrum as an integer.

`scanIndex(object)` Returns the scan index of the spectrum as an integer.

`centroided(object)` Indicates whether spectrum is centroided ('TRUE') or uncentroided ('FALSE').

`centroided(object) <- value` Sets the 'centroided' status of the spectrum object.

`fromFile(object)` Returns the index of the raw data file from which the current instances originates as an integer.

`intensity(object)` Returns an object of class "numeric" containing the intensities of the spectrum.

`msLevel(object)` Returns an MS level of the spectrum as an integer.

`mz(object)` Returns an object of class "numeric" containing the MZ value of the spectrum peaks.

`peaksCount(object)` Returns the number of peaks (possibly of 0 intensity) as an integer.

`rtime(object)` Returns the retention time for the spectrum as an integer.

`ionCount(object)` Returns the total ion count for the spectrum as a numeric.

`tic(object)` Returns the total ion current for the spectrum as a numeric.

**clean** signature(object = "Spectrum"): Removes unused 0 intensity data points. See [clean](#) documentation for more details and examples.

**plot** signature(x = "Spectrum", y = "missing"): Plots intensity against mz. See [plot.Spectrum](#) documentation for more details.

**quantify** signature(object = "Spectrum"): Quantifies defined peaks in the spectrum. See [quantify](#) documentation for more details.

**removePeaks** signature(object = "Spectrum"): Remove peaks lower than a threshold t. See [removePeaks](#) documentation for more details and examples.

**show** signature(object = "Spectrum"): Displays object content as text.

**trimMz** signature(object = "Spectrum"): Trims the MZ range of all the spectra of the MSnExp instance. See [trimMz](#) documentation for more details and examples.

**as** signature(object = "Spectrum", "data.frame"): Coerces the Spectrum object to a two-column data.frame containing intensities and MZ values.

**Note**

This is a virtual class and can not be instantiated directly.

**Author(s)**

Laurent Gatto <[lg390@cam.ac.uk](mailto:lg390@cam.ac.uk)>

**See Also**

Instantiable sub-classes "[Spectrum1](#)" and "[Spectrum2](#)" for MS1 and MS2 spectra.

---

Spectrum1-class      *The "Spectrum1" Class for MS1 Spectra*

---

### Description

Spectrum1 extends the "Spectrum" class and introduces an MS1 specific attribute in addition to the slots in "Spectrum". Spectrum1 instances are not created directly but are contained in the assayData slot of an "MSnExp".

### Slots

**polarity:** Object of class "integer" indicating the polarity of the ion.

**msLevel:** Object of class "integer" indicating the MS level: always 1 in this case (inherited from "Spectrum").

**peaksCount:** Object of class "integer" indicating the number of MZ peaks (inherited from "Spectrum").

**rt:** Object of class "numeric" indicating the retention time (in seconds) for the current ions (inherited from "Spectrum").

**acquisitionNum:** Object of class "integer" corresponding to the acquisition number of the current spectrum (inherited from "Spectrum").

**scanIndex:** Object of class "integer" indicating the scan index of the current spectrum (inherited from "Spectrum").

**mz:** Object of class "numeric" of length equal to the peaks count (see peaksCount slot) indicating the MZ values that have been measured for the current ion (inherited from "Spectrum").

**intensity:** Object of class "numeric" of same length as mz indicating the intensity at which each mz datum has been measured "Spectrum").

**.\_\_classVersion\_\_:** Object of class "Versions" indicating the versions of the Spectrum and Spectrum1 classes of the instance. Intended for developer use and debugging.

### Extends

Class "Spectrum", directly. Class "Versioned", by class "Spectrum", distance 2.

### Methods

See "Spectrum" for additional accessors and methods to process Spectrum1 objects.

**polarity(object)** Returns the polarity of the spectrum as an integer.

### Author(s)

Laurent Gatto <lg390@cam.ac.uk>

### See Also

Virtual super-class "Spectrum", "Spectrum2" for MS2 spectra and "MSnExp" for a full experiment container.

## Description

Spectrum2 extends the "Spectrum" class and introduces several MS2 specific attributes in addition to the slots in "Spectrum". Spectrum2 are not created directly but are contained in the assayData slot of an "MSnExp".

## Slots

- merged:** Object of class "numeric" indicating of how many combination the current spectrum is the result of.
- precScanNum:** Object of class "integer" indicating the precursor MS scan index in the original input file. Accessed with the `precScanNum` or `precAcquisitionNum` methods.
- precursorMz:** Object of class "numeric" providing the precursor ion MZ value.
- precursorIntensity:** Object of class "numeric" providing the precursor ion intensity.
- precursorCharge:** Object of class "integer" indicating the precursor ion charge.
- collisionEnergy:** Object of class "numeric" indicating the collision energy used to fragment the parent ion.
- msLevel:** Object of class "integer" indicating the MS level: 2 in this case (inherited from "Spectrum").
- peaksCount:** Object of class "integer" indicating the number of MZ peaks (inherited from "Spectrum").
- rt:** Object of class "numeric" indicating the retention time (in seconds) for the current ions (inherited from "Spectrum").
- acquisitionNum:** Object of class "integer" corresponding to the acquisition number of the current spectrum (inherited from "Spectrum").
- scanIndex:** Object of class "integer" indicating the scan index of the current spectrum (inherited from "Spectrum").
- mz:** Object of class "numeric" of length equal to the peaks count (see `peaksCount` slot) indicating the MZ values that have been measured for the current ion (inherited from "Spectrum").
- intensity:** Object of class "numeric" of same length as `mz` indicating the intensity at which each `mz` datum has been measured "Spectrum").
- .\_\_classVersion\_\_:** Object of class "Versions" indicating the versions of the Spectrum and Spectrum2 classes of the instance. Intended for developer use and debugging.

## Extends

Class "Spectrum", directly. Class "Versioned", by class "Spectrum", distance 2.

## Methods

See "[Spectrum](#)" for additional accessors and methods for `Spectrum2` objects.

`precursorMz(object)` Returns the precursor MZ value as a numeric.

`precursorMz(object)` Returns the precursor scan number in the original data file as an integer.

`precursorIntensity(object)` Returns the precursor intensity as a numeric.

`precursorCharge(object)` Returns the precursor intensity as an integer.

`collisionEnergy(object)` Returns the collision energy as a numeric.

`removeReporters(object, ...)` Removes all reporter ion peaks. See [removeReporters](#) documentation for more details and examples.

`precAcquisitionNum`: Returns the precursor's acquisition number.

`precScanNum`: See `precAcquisitionNum`.

## Author(s)

Laurent Gatto <lg390@cam.ac.uk>

## See Also

Virtual super-class "[Spectrum](#)", "[Spectrum1](#)" for MS1 spectra and "[MSnExp](#)" for a full experiment container.

---

TMT6

*TMT 6-plex set*

---

## Description

This instance of class "[ReporterIons](#)" corresponds to the TMT 6-plex set, i.e the 126, 127, 128, 129, 130 and 131 isobaric tags. In the TMT7 data set, an unfragmented tag, i.e reporter and attached isobaric tag, is also included at MZ 229. These objects are used to plot the reporter ions of interest in an MSMS spectra (see "[Spectrum2](#)") as well as for quantification (see [quantify](#)).

## Usage

TMT6

TMT7

## References

Thompson A, Sch" afer J, Kuhn K, Kienle S, Schwarz J, Schmidt G, Neumann T, Johnstone R, Mohammed AK, Hamon C. "Tandem mass tags: a novel quantification strategy for comparative analysis of complex protein mixtures by MS/MS." *Anal Chem*. 2003 Apr 15;75(8):1895-904. *Erratum* in: *Anal Chem*. 2006 Jun 15;78(12):4235. Mohammed, A Karim A [added] and *Anal Chem*. 2003 Sep 15;75(18):4942. Johnstone, R [added]. PubMed PMID: 12713048.

**See Also**

[iTRAQ4](#).

**Examples**

```
TMT6
TMT6[1:2]

newReporter <- new("ReporterIons",
  description="an example",
  name="my reporter ions",
  reporterNames=c("myrep1", "myrep2"),
  mz=c(121, 122),
  col=c("red", "blue"),
  width=0.05)

newReporter
```

---

trimMz-methods

*Trims 'MSnExp' or 'Spectrum' instances*

---

**Description**

This method selects a range of MZ values in a single spectrum (Spectrum instances) or all the spectra of an experiment (MSnExp instances). The regions to trim are defined by the range of `mzlim` argument, such that MZ values  $< \min(\text{mzlim})$  and MZ values  $> \max(\text{mzlim})$  are trimmed away.

**Methods**

`signature(object = "MSnExp", mzlim = "numeric")` Trims all spectra in MSnExp object according to `mzlim`. Returns a cleaned MSnExp instance.

`signature(object = "Spectrum", mzlim = "numeric")` Trims the Spectrum object and retruns a new trimmed object.

**Author(s)**

Laurent Gatto <lg390@cam.ac.uk>

**See Also**

[removePeaks](#) and [clean](#) for other spectra processing methods.

**Examples**

```
mz <- 1:100
sp1 <- new("Spectrum2",
  mz=mz,
  intensity=abs(rnorm(length(mz))))
sp2 <- trimMz(sp1, c(25, 75))
```

```
range(mz(sp1))
range(mz(sp2))

data(itraqdata)
itraqdata2 <- trimMz(itraqdata,c(113,117))
range(mz(itraqdata))
range(mz(itraqdata2))
processingData(itraqdata2)
```

---

writeMgfData-methods    *Write an experiment or spectrum to an mgf file*

---

## Description

Methods `writeMgfData` write individual "Spectrum" instances of whole "MSnExp" experiments to a file in Mascot Generic Format (mgf) (see [http://www.matrixscience.com/help/data\\_file\\_help.html](http://www.matrixscience.com/help/data_file_help.html) for more details). Function `readMgfData` read spectra from and mgf file and creates an "MSnExp" object.

## Arguments

|        |   |
|--------|---|
| object | An instance of class "Spectrum" or "MSnExp".  |
| con    | A valid connection or a character string with the name of the file to save the object. In case of the latter, a file connection is created. If not specified, 'spectrum.mgf' or 'experiment.mgf' are used depending on the class of object. Note that existing files are overwritten. |
| COM    | Optional character vector with the value for the 'COM' field.   |
| TITLE  | Optional character vector with the value for the spectrum 'TITLE' field. Not applicable for experiments.  |

## Details

Note that when reading an mgf file, the original order of the spectra is lost. Thus, if the data was originally written to mgf from an MSnExp object using `writeMgfData`, although the feature names will be identical, the spectra are not as a result of the reordering. See example below.

## Methods

`signature(object = "MSnExp")` Writes the full experiment to an mgf file.  
`signature(object = "Spectrum")` Writes an individual spectrum to an mgf file.

## See Also

[readMgfData](#) function to read data from and mgf file.

## Examples

```
## Not run:
data(itraqdata)
writeMgfData(itraqdata,file="itraqdata.mgf",COM="MSnbase itraqdata")
itraqdata2 <- readMgfData("itraqdata.mgf")
## note that the order of the spectra
## and precision of some values (precursorMz for instance)
## are altered
match(signif(precursorMz(itraqdata2),4),signif(precursorMz(itraqdata),4))
## [1] 1 10 11 12 13 14 15 16 17 18 ...
## ... but all the precursors are there
all.equal(sort(precursorMz(itraqdata2)),sort(precursorMz(itraqdata)),
          check.attributes=FALSE,
          tolerance=10e-5)

## is TRUE
all.equal(as.data.frame(itraqdata2[[1]]),as.data.frame(itraqdata[[1]]))
## is TRUE
all.equal(as.data.frame(itraqdata2[[3]]),as.data.frame(itraqdata[[11]]))
## is TRUE
## But, beware that
all(featureNames(itraqdata2)==featureNames(itraqdata))
## is TRUE too!

## End(Not run)
```

---

writeMzTabData

*Writes an 'MSnSet' to an mzTab file*

---

## Description

This function generates an mzTab file based on the data available in the x MSnSet instance and additional information passed by the user. It makes use of the respective section generators to create appropriate metadata, peptide and protein sections. If peptide and protein sections need to be generated, one has to first create the mzTab file with (metadata, optional, but recommended and) protein data and then append the peptide data, as per mzTab specification (<http://code.google.com/p/mztab/>). See the example section.

## Usage

```
writeMzTabData(x, what = c("PEP", "PRT"), append = FALSE,
              MTD = TRUE, file, ...)
```

## Arguments

|        |  |
|--------|--|
| x      | An instance of class MSnSet.   |
| what   | One of "PEP" or "PRT" defining whether peptide or protein data is to be saved. |
| append | Logical. Should the data be appended to file. Default is FALSE.                |
| MTD    | Logical. Should the metadata section be generated. Default is TRUE.            |

file            A character naming the file to print to.  
...            Additional parameters passed to the respective section generators: [makeMTD](#) for metadata, [makePEP](#) for peptides and [makePRT](#) for proteins.

### Value

None (invisible NULL).

### Author(s)

Laurent Gatto

### References

The mzTab specification document and example files: <http://code.google.com/p/mztab/>.

### See Also

Functions to generate metadata ([makeMTD](#)), peptide data ([makePEP](#)) and proteins ([makePRT](#)). [readMzTabData](#) to create "MSnSet" instances from an mzTab file.

### Examples

```
mzTabFile <- tempfile()
data(itraqdata)
pep <- quantify(itraqdata, reporters = iTRAQ4)
prot <- combineFeatures(pep, groupBy = fData(pep)$ProteinAccession)
fvarLabels(pep)
## First write metadata and protein data
writeMzTabData(prot, what = "PRT", file = mzTabFile,
               append = FALSE, MTD = TRUE,
               protAccession = fData(prot)$ProteinAccession,
               protDescription = fData(prot)$ProteinDescription,
               protAbundance = exprs(prot))
## append peptide data, without metadata section
writeMzTabData(pep, what = "PEP", file = mzTabFile,
               append = TRUE, MTD = FALSE,
               sequence = fData(pep)$PeptideSequence,
               charge = fData(pep)$charge,
               retentionTime = fData(pep)$retention.time,
               pepAbundance = exprs(pep))
```



## Description

These methods produce an extracted ion chromatogram given mass-spectrometry data and an ion to be extracted. In addition to the object (see 'Methods' section below), additional arguments are

**mz** A numeric specifying the ion mass to be extracted.

**width** The M/Z extraction width. Default is 0.5.

**rtlim** The retention time limit to be displayed. When missing (default), the complete range of the matching extracted ions is plotted.

**npeaks** The number of peaks to be annotated. Default is 3.

**charge** The charge of the ion to be extracted. This value is optional; when provided, the mass of the ion (mz above) will first be divided by its charge before extraction.

**clean** A logical, defining if the XIC data should be cleaned before plotting. Default is TRUE. See [clean](#) for details.

**legend** A logical defining if the figure should be annotated.

**plot** A logical defining if the plot should be rendered.

**points** A logical specifying if points should be added to for each individual MS spectrum. Annotated peaks are coloured in orange and MS2 spectra with precursor M/Z matching the extracted ion are highlighted in red.

**hd** The header data frame corresponding to the object input. hd is generated automatically and can generally be omitted.

... Additional arguments passed to the plot function.

Note: the methods are currently not vectorised.

xcms::plotEIC provides a similar functionality.

## Value

The methods invisibly return the data frame with the XIC intensities (column `int`), retention times (column `rt`) and extracted M/Z values (column `mz`) used to generate the figure.

## Methods

`signature(object = "character")` Plots the XIC for the mass-spectrometry data stored in the object file. The file format must be supported by `mzR`. See `mzR::openMSfile` for details.

`signature(object = "mzRramp")` Plots the XIC for the `mzRramp` instance. See the `mzR` package for details.

## Examples

```
## Not run:
library("RforProteomics")
(f <- getPXD000001mzXML())
x <- xic(ms, mz = 636.925, width = 0.01)
head(x)
xic(ms, mz = 636.925, width = 0.01,
    npeaks = 1,
```

```
rtlim = c(2000, 2300))  
## End(Not run)
```

# Index

- \*Topic **chron**
  - formatRt, 12
- \*Topic **classes**
  - MIAPE-class, 24
  - MSnExp-class, 26
  - MSnProcess-class, 29
  - MSnSet-class, 30
  - NAnnotatedDataFrame-class, 34
  - pSet-class, 44
  - ReporterIons-class, 62
  - Spectrum-class, 64
  - Spectrum1-class, 66
  - Spectrum2-class, 67
- \*Topic **datasets**
  - iTRAQ4, 15
  - itraqdata, 16
  - TMT6, 68
- \*Topic **file**
  - readIspyData, 52
  - readMgfData, 53
  - readMSData, 54
  - readMSnSet, 56
  - writeMgfData-methods, 70
- \*Topic **manip**
  - readIspyData, 52
  - readMSData, 54
  - readMSnSet, 56
- \*Topic **methods**
  - addIdentificationData-methods, 4
  - chromatogram-methods, 5
  - clean-methods, 6
  - exprsToRatios-methods, 9
  - extractPrecSpectra-methods, 10
  - impute-methods, 14
  - normalise-methods, 35
  - plot-methods, 38
  - plot2d-methods, 39
  - plotDensity-methods, 40
  - plotMzDelta-methods, 41
  - plotNA-methods, 42
  - purityCorrect-methods, 47
  - quantify-methods, 49
  - removeNoId-methods, 59
  - removePeaks-methods, 60
  - removeReporters-methods, 61
  - trimMz-methods, 69
  - writeMgfData-methods, 70
  - xic-methods, 72
- \*Topic **package**
  - MSnbase-package, 3
- \*Topic **utilities**
  - formatRt, 12
  - [,MSnSet-method (MSnSet-class), 30
  - [,ReporterIons-method (ReporterIons-class), 62
  - [,pSet-method (pSet-class), 44
  - [[,pSet,ANY,ANY-method (pSet-class), 44
  - [[,pSet-method (pSet-class), 44
  - abstract,MIAPE-method (MIAPE-class), 24
  - abstract,pSet-method (pSet-class), 44
  - acquisitionNum (Spectrum-class), 64
  - acquisitionNum,pSet-method (pSet-class), 44
  - acquisitionNum,Spectrum-method (Spectrum-class), 64
  - addIdentificationData, 28, 33, 50
  - addIdentificationData (addIdentificationData-methods), 4
  - addIdentificationData,MSnExp-method (MSnExp-class), 26
  - addIdentificationData,MSnSet-method (MSnSet-class), 30
  - addIdentificationData-methods, 4
  - analyser (MIAPE-class), 24
  - analyser,MIAPE-method (MIAPE-class), 24
  - analyser,MSnSet-method (MSnSet-class), 30

- analyser, pSet-method (pSet-class), 44
- analyserDetails (MIAPE-class), 24
- analyserDetails, MIAPE-method (MIAPE-class), 24
- analyserDetails, pSet-method (pSet-class), 44
- analyzer (MIAPE-class), 24
- analyzer, MIAPE-method (MIAPE-class), 24
- analyzer, MSnSet-method (MSnSet-class), 30
- analyzer, pSet-method (pSet-class), 44
- analyzerDetails (MIAPE-class), 24
- analyzerDetails, MIAPE-method (MIAPE-class), 24
- analyzerDetails, pSet-method (pSet-class), 44
- AnnotatedDataFrame, 27, 30, 31, 34, 35, 45
- as.data.frame.MSnSet (MSnSet-class), 30
- as.data.frame.Spectrum (Spectrum-class), 64
- as.ExpressionSet.MSnSet (MSnSet-class), 30
- as.MIAME.MIAPE (MIAPE-class), 24
- AssayData, 30
- assayData, 30
- assayData, pSet-method (pSet-class), 44
- centroided (Spectrum-class), 64
- centroided, pSet-method (pSet-class), 44
- centroided, Spectrum-method (Spectrum-class), 64
- centroided<- (Spectrum-class), 64
- centroided<-, pSet, ANY-method (pSet-class), 44
- centroided<-, pSet, logical-method (pSet-class), 44
- centroided<-, Spectrum, ANY-method (Spectrum-class), 64
- centroided<-, Spectrum, logical-method (Spectrum-class), 64
- chromatogram (chromatogram-methods), 5
- chromatogram, character-method (chromatogram-methods), 5
- chromatogram, data.frame-method (chromatogram-methods), 5
- chromatogram, mzRramp-method (chromatogram-methods), 5
- chromatogram-methods, 5
- class:MIAPE (MIAPE-class), 24
- class:MSnExp (MSnExp-class), 26
- class:MSnProcess (MSnProcess-class), 29
- class:MSnSet (MSnSet-class), 30
- class:NAnnotatedDataFrame (NAnnotatedDataFrame-class), 34
- class:pSet (pSet-class), 44
- class:ReporterIons (ReporterIons-class), 62
- class:Spectrum (Spectrum-class), 64
- class:Spectrum1 (Spectrum1-class), 66
- class:Spectrum2 (Spectrum2-class), 67
- clean, 27, 29, 55, 60, 61, 65, 69, 73
- clean (clean-methods), 6
- clean, MSnExp-method (MSnExp-class), 26
- clean, Spectrum-method (Spectrum-class), 64
- clean-methods, 6
- coerce, MIAPE, MIAME-method (MIAPE-class), 24
- coerce, MSnSet, data.frame-method (MSnSet-class), 30
- coerce, MSnSet, ExpressionSet-method (MSnSet-class), 30
- coerce, Spectrum, data.frame-method (Spectrum-class), 64
- collisionEnergy (Spectrum2-class), 67
- collisionEnergy, pSet-method (pSet-class), 44
- collisionEnergy, Spectrum-method (Spectrum2-class), 67
- combine, MIAPE, MIAPE-method (MIAPE-class), 24
- combine, MSnProcess, MSnProcess-method (MSnProcess-class), 29
- combine, MSnSet, MSnSet-method (MSnSet-class), 30
- combineFeatures, 7, 11, 37, 49
- data, 62
- description, MSnSet-method (MSnSet-class), 30
- description, pSet-method (pSet-class), 44
- description, ReporterIons-method (ReporterIons-class), 62
- detectorType (MIAPE-class), 24
- detectorType, MIAPE-method (MIAPE-class), 24
- detectorType, MSnSet-method (MSnSet-class), 30

- detectorType, pSet-method (pSet-class), 44
- dim (pSet-class), 44
- dim, MSnSet-method (MSnSet-class), 30
- dim, NAnnotatedDataFrame-method (NAnnotatedDataFrame-class), 34
- dim, pSet-method (pSet-class), 44
- droplevels, 32
- droplevels.MSnSet (MSnSet-class), 30
- eSet, 27, 30, 31, 33, 44, 45, 47
- expemail (MIAPE-class), 24
- expemail, MIAPE-method (MIAPE-class), 24
- expemail, MSnSet-method (MSnSet-class), 30
- expemail, pSet-method (pSet-class), 44
- experimentData, 27, 31, 45
- experimentData, pSet-method (pSet-class), 44
- experimentData<-, MSnSet, MIAPE-method (MSnSet-class), 30
- expinfo, MIAPE-method (MIAPE-class), 24
- ExpressionSet, 30, 33
- exprs, 30
- exprsToRatios, 32
- exprsToRatios (exprsToRatios-methods), 9
- exprsToRatios, matrix-method (exprsToRatios-methods), 9
- exprsToRatios, MSnSet-method (exprsToRatios-methods), 9
- exprsToRatios-methods, 9
- exptitle (MIAPE-class), 24
- exptitle, MIAPE-method (MIAPE-class), 24
- exptitle, MSnSet-method (MSnSet-class), 30
- exptitle, pSet-method (pSet-class), 44
- extractPrecSpectra, 27, 38
- extractPrecSpectra (extractPrecSpectra-methods), 10
- extractPrecSpectra, MSnExp, numeric-method (MSnExp-class), 26
- extractPrecSpectra, MSnExp-method (MSnExp-class), 26
- extractPrecSpectra-methods, 10
- fData, pSet-method (pSet-class), 44
- featureCV, 8, 10
- featureData, 27, 30, 45
- featureData, pSet-method (pSet-class), 44
- featureNames, pSet-method (pSet-class), 44
- fileNames (pSet-class), 44
- fileNames, MSnProcess-method (MSnProcess-class), 29
- fileNames, MSnSet-method (MSnSet-class), 30
- fileNames, pSet-method (pSet-class), 44
- fillUp, 11
- filterNA, 43
- filterNA (MSnSet-class), 30
- filterNA, matrix-method (MSnSet-class), 30
- filterNA, MSnSet-method (MSnSet-class), 30
- formatRt, 12
- fromFile (Spectrum-class), 64
- fromFile, pSet-method (pSet-class), 44
- fromFile, Spectrum-method (Spectrum-class), 64
- fvarLabels, pSet-method (pSet-class), 44
- fvarMetadata, pSet-method (pSet-class), 44
- geom\_histogram, 41
- getEcols, 57
- getEcols (grepEcols), 13
- getRatios (exprsToRatios-methods), 9
- getVariableName, 13
- grep, 14
- grepEcols, 13, 57
- header (pSet-class), 44
- header, pSet, missing-method (pSet-class), 44
- header, pSet, numeric-method (pSet-class), 44
- idSummary (MSnSet-class), 30
- idSummary, MSnExp-method (MSnExp-class), 26
- idSummary, MSnSet-method (MSnSet-class), 30
- image, MSnSet-method (MSnSet-class), 30
- impute, 32
- impute (impute-methods), 14
- impute, MSnSet-method (impute-methods), 14

- impute-methods, 14
- instrumentCustomisations (MIAPE-class), 24
- instrumentCustomisations, MIAPE-method (MIAPE-class), 24
- instrumentCustomisations, pSet-method (pSet-class), 44
- instrumentManufacturer (MIAPE-class), 24
- instrumentManufacturer, MIAPE-method (MIAPE-class), 24
- instrumentManufacturer, pSet-method (pSet-class), 44
- instrumentModel (MIAPE-class), 24
- instrumentModel, MIAPE-method (MIAPE-class), 24
- instrumentModel, pSet-method (pSet-class), 44
- intensity (Spectrum-class), 64
- intensity, pSet-method (pSet-class), 44
- intensity, Spectrum-method (Spectrum-class), 64
- ionCount (Spectrum-class), 64
- ionCount, pSet-method (pSet-class), 44
- ionCount, Spectrum-method (Spectrum-class), 64
- ionSource (MIAPE-class), 24
- ionSource, MIAPE-method (MIAPE-class), 24
- ionSource, MSnSet-method (MSnSet-class), 30
- ionSource, pSet-method (pSet-class), 44
- ionSourceDetails (MIAPE-class), 24
- ionSourceDetails, MIAPE-method (MIAPE-class), 24
- ionSourceDetails, pSet-method (pSet-class), 44
- is.na.MSnSet, 32
- is.na.MSnSet (plotNA-methods), 42
- iTRAQ4, 15, 63, 69
- iTRAQ5 (iTRAQ4), 15
- iTRAQ8 (iTRAQ4), 15
- iTRAQ9 (iTRAQ4), 15
- itraqdata, 16
- length (pSet-class), 44
- length, pSet-method (pSet-class), 44
- length, ReporterIons-method (ReporterIons-class), 62
- length-method (ReporterIons-class), 62
- log, MSnSet-method (MSnSet-class), 30
- ma.plot, 32
- makeImpuritiesMatrix (purityCorrect-methods), 47
- makeMTD, 17, 21, 24, 72
- makePEP, 19, 19, 24, 72
- makePRT, 19, 21, 21, 72
- MAplot, MSnSet-method (MSnSet-class), 30
- meanSdPlot, 32
- meanSdPlot, MSnSet-method (MSnSet-class), 30
- MIAME, 25
- MIAPE, 3, 27, 31, 32, 45, 47
- MIAPE (MIAPE-class), 24
- MIAPE-class, 24
- MIAxE, 26
- ms2df (MSnSet-class), 30
- msInfo (MIAPE-class), 24
- msInfo, MIAPE-method (MIAPE-class), 24
- msInfo, MSnSet-method (MSnSet-class), 30
- msInfo, pSet-method (pSet-class), 44
- msLevel (Spectrum-class), 64
- msLevel, pSet-method (pSet-class), 44
- msLevel, Spectrum-method (Spectrum-class), 64
- MSnbase (MSnbase-package), 3
- MSnbase-package, 3
- MSnExp, 3, 4, 10, 30, 35, 36, 38–40, 44, 47, 49, 53–55, 59, 61, 62, 64, 66–68, 70
- MSnExp (MSnExp-class), 26
- MSnExp-class, 26
- MSnProcess, 3, 27, 30, 45, 53, 55
- MSnProcess (MSnProcess-class), 29
- MSnProcess-class, 29
- MSnSet, 3, 4, 7–11, 17, 19–22, 30, 35–37, 48, 50, 52, 56–59, 64, 72
- MSnSet (MSnSet-class), 30
- MSnSet-class, 30
- multiLabels (NAnnotatedDataFrame-class), 34
- multiLabels, NAnnotatedDataFrame-method (NAnnotatedDataFrame-class), 34
- multiplex (NAnnotatedDataFrame-class), 34
- multiplex, NAnnotatedDataFrame-method (NAnnotatedDataFrame-class), 34
- mva.pairs, 33
- mz (Spectrum-class), 64
- mz, pSet-method (pSet-class), 44

- mz, ReporterIons-method  
(ReporterIons-class), 62
- mz, Spectrum-method (Spectrum-class), 64
- mz-method (ReporterIons-class), 62
- names, ReporterIons-method  
(ReporterIons-class), 62
- NAnnotatedDataFrame, 53, 55
- NAnnotatedDataFrame  
(NAnnotatedDataFrame-class), 34
- NAnnotatedDataFrame-class, 34
- normalise, 11, 31
- normalise (normalise-methods), 35
- normalise, MSnExp-method  
(normalise-methods), 35
- normalise, MSnSet-method  
(normalise-methods), 35
- normalise, Spectrum-method  
(normalise-methods), 35
- normalise-methods, 35
- normalize (normalise-methods), 35
- normalize, MSnExp-method  
(normalise-methods), 35
- normalize, MSnSet-method  
(normalise-methods), 35
- normalize, Spectrum-method  
(normalise-methods), 35
- normalize-methods (normalise-methods),  
35
- normalize.quantiles, 36
- normalize.quantiles.robust, 36
- notes, MIAPE-method (MIAPE-class), 24
- notes, pSet-method (pSet-class), 44
- notes<-, MIAPE-method (MIAPE-class), 24
- nQuants, 32, 37
- otherInfo, MIAPE-method (MIAPE-class), 24
- pData, pSet-method (pSet-class), 44
- peaksCount (Spectrum-class), 64
- peaksCount, pSet, missing-method  
(pSet-class), 44
- peaksCount, pSet, numeric-method  
(pSet-class), 44
- peaksCount, Spectrum, missing-method  
(Spectrum-class), 64
- phenoData, 27, 30, 45
- phenoData, pSet-method (pSet-class), 44
- plot (plot-methods), 38
- plot, MSnExp (MSnExp-class), 26
- plot, MSnExp, missing-method  
(MSnExp-class), 26
- plot, Spectrum, missing-method  
(Spectrum-class), 64
- plot, Spectrum-method (Spectrum-class),  
64
- plot-methods, 38
- plot.MSnExp, 27
- plot.MSnExp (plot-methods), 38
- plot.Spectrum, 65
- plot.Spectrum (plot-methods), 38
- plot2d, 27, 40, 42
- plot2d (plot2d-methods), 39
- plot2d, data.frame-method  
(plot2d-methods), 39
- plot2d, MSnExp-method (plot2d-methods),  
39
- plot2d-methods, 39
- plotDensity, 27, 39, 40, 42
- plotDensity (plotDensity-methods), 40
- plotDensity, data.frame-method  
(plotDensity-methods), 40
- plotDensity, MSnExp-method  
(plotDensity-methods), 40
- plotDensity-methods, 40
- plotMzDelta, 28, 39
- plotMzDelta (plotMzDelta-methods), 41
- plotMzDelta, MSnExp-method  
(plotMzDelta-methods), 41
- plotMzDelta, mzRramp-method  
(plotMzDelta-methods), 41
- plotMzDelta-methods, 41
- plotNA, 32
- plotNA (plotNA-methods), 42
- plotNA, matrix-method (plotNA-methods),  
42
- plotNA, MSnSet-method (plotNA-methods),  
42
- plotNA-methods, 42
- polarity (Spectrum1-class), 66
- polarity, pSet-method (pSet-class), 44
- polarity, Spectrum-method  
(Spectrum1-class), 66
- precAcquisitionNum (Spectrum2-class), 67
- precAcquisitionNum, pSet-method  
(pSet-class), 44
- precAcquisitionNum, Spectrum-method

- (Spectrum2-class), 67
- precScanNum (Spectrum2-class), 67
- precScanNum, pSet-method (pSet-class), 44
- precScanNum, Spectrum-method (Spectrum2-class), 67
- precSelection, 43
- precSelectionTable (precSelection), 43
- precursorCharge (Spectrum2-class), 67
- precursorCharge, pSet-method (pSet-class), 44
- precursorCharge, Spectrum-method (Spectrum2-class), 67
- precursorIntensity (Spectrum2-class), 67
- precursorIntensity, pSet-method (pSet-class), 44
- precursorIntensity, Spectrum-method (Spectrum2-class), 67
- precursorMz, 41
- precursorMz (Spectrum2-class), 67
- precursorMz, pSet-method (pSet-class), 44
- precursorMz, Spectrum-method (Spectrum2-class), 67
- processingData (pSet-class), 44
- processingData, MSnSet-method (MSnSet-class), 30
- processingData, pSet-method (pSet-class), 44
- protocolData, 27, 31, 45
- protocolData, pSet-method (pSet-class), 44
- pSet, 26–28, 31, 45
- pSet (pSet-class), 44
- pSet-class, 44
- pubMedIds, MIAPE-method (MIAPE-class), 24
- pubMedIds, pSet-method (pSet-class), 44
- pubMedIds<- , MIAPE-method (MIAPE-class), 24
- purityCorrect, 31
- purityCorrect (purityCorrect-methods), 47
- purityCorrect, MSnSet, matrix-method (MSnSet-class), 30
- purityCorrect, MSnSet-method (MSnSet-class), 30
- purityCorrect-methods, 47
- qual (MSnSet-class), 30
- qual, MSnSet-method (MSnSet-class), 30
- quantify, 15, 28, 62, 65, 68
- quantify (quantify-methods), 49
- quantify, MSnExp, character-method (MSnExp-class), 26
- quantify, MSnExp-method (MSnExp-class), 26
- quantify, Spectrum, character-method (Spectrum-class), 64
- quantify, Spectrum-method (Spectrum-class), 64
- quantify-methods, 49
- read.AnnotatedDataFrame, 56, 57
- read.csv, 57
- read.MIAME, 56, 57
- read.table, 56, 57
- readExpressionSet, 56
- readIspyData, 52
- readLines, 14, 56
- readMgfData, 53, 55, 70
- readMSData, 26–28, 53, 54, 54
- readMSnSet, 56
- readMSnSet2, 14
- readMSnSet2 (readMSnSet), 56
- readMzTabData, 58, 72
- removeMultipleAssignment, 50
- removeMultipleAssignment (MSnSet-class), 30
- removeMultipleAssignment, MSnExp-method (MSnExp-class), 26
- removeMultipleAssignment, MSnSet-method (MSnSet-class), 30
- removeMultipleAssignment-method (MSnSet-class), 30
- removeNoId, 28, 33
- removeNoId (removeNoId-methods), 59
- removeNoId, MSnExp-method (MSnExp-class), 26
- removeNoId, MSnSet-method (MSnSet-class), 30
- removeNoId-methods, 59
- removePeaks, 6, 28, 29, 55, 61, 65, 69
- removePeaks (removePeaks-methods), 60
- removePeaks, MSnExp-method (MSnExp-class), 26
- removePeaks, Spectrum-method (Spectrum-class), 64
- removePeaks-methods, 60
- removeReporters, 28, 68



- removeReporters
  - (removeReporters-methods), 61
- removeReporters, MSnExp-method
  - (MSnExp-class), 26
- removeReporters, Spectrum-method
  - (Spectrum2-class), 67
- removeReporters-methods, 61
- reporterColors (ReporterIons-class), 62
- reporterColors, ReporterIons-method
  - (ReporterIons-class), 62
- reporterColors-method
  - (ReporterIons-class), 62
- reporterColours (ReporterIons-class), 62
- reporterColours, ReporterIons-method
  - (ReporterIons-class), 62
- reporterColours-method
  - (ReporterIons-class), 62
- ReporterIons, 3, 15, 18, 30, 38, 41, 49, 50, 61, 68
- ReporterIons (ReporterIons-class), 62
- ReporterIons-class, 62
- reporterNames (ReporterIons-class), 62
- reporterNames, ReporterIons-method
  - (ReporterIons-class), 62
- reporterNames-method
  - (ReporterIons-class), 62
- reporterNames<- (ReporterIons-class), 62
- reporterNames<-, ReporterIons, ANY-method
  - (ReporterIons-class), 62
- reporterNames<-, ReporterIons, character-method
  - (ReporterIons-class), 62
- reporterNames<-, ReporterIons-method
  - (ReporterIons-class), 62
- round, 44
- rtime (Spectrum-class), 64
- rtime, pSet-method (pSet-class), 44
- rtime, Spectrum-method (Spectrum-class), 64
- sampleNames, pSet-method (pSet-class), 44
- samples, MIAPE-method (MIAPE-class), 24
- scale, 36
- scale, MSnSet-method
  - (normalise-methods), 35
- scanIndex (Spectrum-class), 64
- scanIndex, pSet-method (pSet-class), 44
- scanIndex, Spectrum-method
  - (Spectrum-class), 64
- show, MIAPE-method (MIAPE-class), 24
- show, MSnExp-method (MSnExp-class), 26
- show, MSnProcess-method
  - (MSnProcess-class), 29
- show, MSnSet-method (MSnSet-class), 30
- show, NAnnotatedDataFrame-method
  - (NAnnotatedDataFrame-class), 34
- show, ReporterIons-method
  - (ReporterIons-class), 62
- show, Spectrum-method (Spectrum-class), 64
- spectra (pSet-class), 44
- spectra, MSnExp-method (MSnExp-class), 26
- spectra, pSet-method (pSet-class), 44
- Spectrum, 3, 35, 36, 38, 44, 49, 54, 61, 66–68, 70
- Spectrum (Spectrum-class), 64
- Spectrum-class, 64
- Spectrum1, 3, 27, 38, 45, 64, 65, 68
- Spectrum1 (Spectrum1-class), 66
- Spectrum1-class, 66
- Spectrum2, 3, 15, 25, 27, 38, 45, 62, 64–66, 68
- Spectrum2 (Spectrum2-class), 67
- Spectrum2-class, 67
- strsplit, 14
- t.MSnSet (MSnSet-class), 30
- tic (Spectrum-class), 64
- tic, pSet-method (pSet-class), 44
- tic, Spectrum-method (Spectrum-class), 64
- TMT6, 16, 63, 68
- TMT7 (TMT6), 68
- topN, 37
- topN (MSnSet-class), 30
- topN, matrix-method (MSnSet-class), 30
- topN, MSnSet, MSnSet-method
  - (MSnSet-class), 30
- topN, MSnSet-method (MSnSet-class), 30
- trimMz, 6, 28, 60, 65
- trimMz (trimMz-methods), 69
- trimMz, MSnExp, numeric-method
  - (MSnExp-class), 26
- trimMz, MSnExp-method (MSnExp-class), 26
- trimMz, Spectrum, numeric-method
  - (Spectrum-class), 64
- trimMz, Spectrum-method
  - (Spectrum-class), 64
- trimMz-methods, 69
- updateFeatureNames (MSnSet-class), 30

updateFvarLabels (MSnSet-class), 30  
updateSampleNames (MSnSet-class), 30

varLabels, pSet-method (pSet-class), 44  
varMetadata, pSet-method (pSet-class), 44  
Versioned, 26, 27, 29, 31, 35, 45, 63, 65–67  
VersionedBiobase, 27, 31, 45  
Versions, 27, 31, 45  
vsn2, 36

width (ReporterIons-class), 62  
width, ReporterIons-method  
    (ReporterIons-class), 62  
width-method (ReporterIons-class), 62  
write.exprs, 33  
write.exprs (MSnSet-class), 30  
write.exprs, MSnSet-method  
    (MSnSet-class), 30  
writeMgfData, 54  
writeMgfData (writeMgfData-methods), 70  
writeMgfData, MSnExp-method  
    (writeMgfData-methods), 70  
writeMgfData, Spectrum-method  
    (writeMgfData-methods), 70  
writeMgfData-methods, 70  
writeMzTabData, 58, 71

xic (xic-methods), 72  
xic, character-method (xic-methods), 72  
xic, mzRramp-method (xic-methods), 72  
xic-methods, 72