

# BSgenome.Ptroglodytes.UCSC.panTro2

October 16, 2009

---

Ptroglodytes

*Pan troglodytes (Chimp) full genome (UCSC version panTro2)*

---

## Description

Pan troglodytes (Chimp) full genome as provided by UCSC (panTro2, Mar. 2006) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

```
sequences: chromFa.tar.gz, upstream1000.fa.gz, upstream2000.fa.gz, upstream5000.
from http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/
AGAPS masks: gap.txt.gz from ftp://hgdownload.cse.ucsc.edu/goldenPath/panTro2/da
RM masks: http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/chromOut.tar
TRF masks: http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/chromTrf.ta
```

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

## Author(s)

H. Pages

## See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

## Examples

```
Ptroglodytes
seqlengths(Ptroglodytes)
Ptroglodytes$chr1 # same as Ptroglodytes[["chr1"]]

if ("AGAPS" %in% masknames(Ptroglodytes)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
```

```
## Replace all masks by the inverted AGAPS mask
masks(seq) <- gaps(masks(seq) ["AGAPS"])
unique_letters <- uniqueLetters(seq)
if (any(unique_letters != "N"))
  stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(Ptroglydytes)) {
  cat("Checking sequence", seqname, "... ")
  seq <- Ptroglydytes[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

## \*Topic **data**

`Ptroglogytes`, [1](#)

## \*Topic **package**

`Ptroglogytes`, [1](#)

`available.genomes`, [1](#)

`BSgenome-class`, [1](#)

`BSgenome.Ptroglogytes.UCSC.panTro2`  
(`Ptroglogytes`), [1](#)

`BSgenome.Ptroglogytes.UCSC.panTro2-package`  
(`Ptroglogytes`), [1](#)

`BSgenomeForge`, [1](#)

`DNASTring-class`, [1](#)

`Ptroglogytes`, [1](#)