

int.did.db

February 3, 2010

`int.did_dbconn` *Collect information about the package annotation DB*

Description

Some convenience functions for getting a connection object to (or collecting information about) the package annotation DB.

Usage

```
int.did_dbconn()
int.did_dbfile()
int.did_dbschema(file="", show.indices=FALSE)
int.did_dbInfo()
```

Arguments

`file` A connection, or a character string naming the file to print to (see the file argument of the `cat` function for the details).

`show.indices` The CREATE INDEX statements are not shown by default. Use `show.indices=TRUE` to get them.

Details

`int.did_dbconn` returns a connection object to the package annotation DB. **IMPORTANT:** Don't call `dbDisconnect` on the connection object returned by `int.did_dbconn` or you will break all the `AnnDbObj` objects defined in this package!

`int.did_dbfile` returns the path (character string) to the package annotation DB (this is an SQLite file).

`int.did_dbschema` prints the schema definition of the package annotation DB.

`int.did_dbInfo` prints other information about the package annotation DB.

Examples

```
## Show the first three rows.
dbGetQuery(int.did_dbconn(), "select * from did limit 3")

## The connection object returned by int.did_dbconn() was created with:
dbConnect(SQLite(), dbname=int.did_dbfile(), cache_size=64000, synchronous=0)

int.did_dbschema()

int.did_dbInfo()
```

```
int.did.db           annotation data package
```

Description

Welcome to the int.did.db annotation Package. The annotation package was built using a downloadable R package - PAnnBuilder (download and build your own). The purpose is to provide detailed information about the domain-domain interactions from 3did (database of 3D Interacting Domains): http://gatealoy.pcb.ub.es/3did/download/3did_flat.gz 08-Mar-2009

Each of these objects has their own manual page detailing where relevant data was obtained along with examples of how to use it. Many of these objects also have a reverse map available. When this is true, expect to usually find relevant information on the same manual page as the forward map.

Examples

```
# You can learn what objects this package supports with the following command:
ls("package:int.did.db")
```

```
int.didDDI          Domain-Domain interaction
```

Description

int.didDDI gives domain-domain interactions from 3DID database.

Details

Domain identifier is given as Pfam identifier.

Mappings were based on data provided by: 3DID (http://gatealoy.pcb.ub.es/3did/download/3did_flat.gz) on 08-Mar-2009

Examples

```
# Convert to a list
xx <- as.list(int.didDDI)
if(length(xx) > 0){
  # Gets the first five interaction list
  xx[1:5]
  # Get the first one
  xx[[1]]
}
```

int.didMAPCOUNTS *Number of mapped keys for the maps in package int.did.db*

Description

int.didMAPCOUNTS provides the "map count" (i.e. the count of mapped keys) for each map in package int.did.db.

Details

This "map count" information is precalculated and stored in the package annotation DB. This allows some quality control and is used by the [checkMAPCOUNTS](#) function defined in AnnotationDbi to compare and validate different methods (like `count.mappedkeys(x)` or `sum(!is.na(as.list(x)))`) for getting the "map count" of a given map.

See Also

[mappedkeys](#), [count.mappedkeys](#), [checkMAPCOUNTS](#)

Examples

```
int.didMAPCOUNTS
mapnames <- names(int.didMAPCOUNTS)
int.didMAPCOUNTS[mapnames[1]]
x <- get(mapnames[1])
sum(!is.na(as.list(x)))
count.mappedkeys(x)     # much faster!

## Check the "map count" of all the maps in package int.did.db
checkMAPCOUNTS("int.did.db")
```

Index

*Topic **datasets**

`int.didMAPCOUNTS`, 3

`AnnDbObj`, 1

`checkMAPCOUNTS`, 3

`count.mappedkeys`, 3

`dbDisconnect`, 1

`int.did.db`, 2

`int.did_dbconn`, 1

`int.did_dbfile` (`int.did_dbconn`), 1

`int.did_dbInfo` (`int.did_dbconn`), 1

`int.did_dbschema`
(`int.did_dbconn`), 1

`int.didDDI`, 2

`int.didMAPCOUNTS`, 3

`mappedkeys`, 3