

# lumiBarnes

October 5, 2010

---

lumiBarnes

*Barnes Benchmark Illumina Tissues Titration Data*

---

## Description

The Barnes data set measured a titration series of two human tissues, blood and placenta. It includes six samples with the titration ratio of blood and placenta as 100:0, 95:5, 75:25, 50:50, 25:75 and 0:100. The samples were hybridized on HumanRef-8 BeadChip (Illumina, Inc) in duplicate. See (Barnes, et al., 2005) for details. The data is saved as a LumiBatch object and should be use together with lumi package.

Because the Barnes data utilized the pre-released version of HumanRef-8 version 1 BeadChip, some probes on the chip do not exist in the public released HumanRef-8 version 1 BeadChip. For annotation consistence, these probes was removed in the lumiBarnes package. For the interested users, the raw data can be downloaded from the paper companion website: <http://www.bioinformatics.ubc.ca/pavlidis/lab/platformC>

## Usage

```
data(lumiBarnes)
```

## Format

lumiBarnes is a `LumiBatch-class` object.

## Source

Barnes, M., Freudenberg, J., Thompson, S., Aronow, B. and Pavlidis, P. (2005) Ex-perimental comparison and cross-validation of the Affymetrix and Illumina gene expression analysis platforms, *Nucleic Acids Res*, 33, 5914-5923.

## Examples

```
data(lumiBarnes)
lumiBarnes
```

# Index

## \*Topic **datasets**

lumiBarnes, [1](#)

lumiBarnes, [1](#)

LumiBatch-class, [1](#)