

Package ‘hiReadsProcessor’

April 10, 2015

Title Functions to process LM-PCR reads from 454/Illumina data.

Version 1.0.0

Date 2014-08-25

Author Nirav V Malani <malnirav@gmail.com>

Maintainer Nirav V Malani <malnirav@gmail.com>

Description hiReadsProcessor contains set of functions which allow users to process LM-PCR products sequenced using any platform. Given an excel/txt file containing parameters for demultiplexing and sample metadata, the functions automate trimming of adaptors and identification of the genomic product. Genomic products are further processed for QC and abundance quantification.

Depends Biostrings, GenomicAlignments, xlsx, BiocParallel, hiAnnotator, R (>= 3.0)

Imports sonicLength, plyr

License GPL-3

VignetteBuilder knitr

Suggests knitr, testthat, BiocGenerics, rSFFreader

biocViews Sequencing, Preprocessing

LazyLoad yes

SystemRequirements BLAT, JRE, UCSC hg18 in 2bit format for BLAT

R topics documented:

addFeature	3
addListNameToReads	4
annotateSites	4
blatListedSet	6
blatSeqs	6
chunkize	8
clusterSites	8

crossOverCheck	10
dereplicateReads	11
doRCtest	12
extractFeature	13
extractSeqs	14
findAndRemoveVector	15
findAndTrimSeq	16
findBarcodes	17
findIntegrations	19
findLinkers	20
findLTRs	22
findPrimers	23
findVector	25
getIntegrationSites	26
getSectorsForSamples	27
getSonicAbund	28
hiReadsProcessor	29
isuSites	29
otuSites	31
pairUpAlignments	32
pairwiseAlignSeqs	33
primerIDAlignSeqs	35
psl	36
pslCols	37
pslToRangedObject	37
read.BAMasPSL	38
read.blast8	39
read.psl	40
read.sampleInfo	41
read.SeqFolder	43
read.seqsFromSector	44
removeReadsWithNs	45
replicateReads	45
sampleSummary	46
seqProps	47
splitByBarcode	47
splitSeqsToFiles	48
startgfServer	49
trimSeqs	50
troubleshootLinkers	51
vpairwiseAlignSeqs	52
write.listedDNAStringSet	53
write.psl	54

addFeature	<i>Add a specific feature/attribute to the sampleInfo object.</i>
------------	---

Description

Given a sampleInfo object, the function adds a new feature for the given samples & sectors.

Usage

```
addFeature(sampleInfo, sector = NULL, samplename = NULL, feature = NULL,
           value = NULL)
```

Arguments

sampleInfo	sample information SimpleList object, which samples per sector/quadrant information along with other metadata.
sector	a vector or a specific sector to add the new feature(s) to. Default is NULL, in which case the sectors are searched from samplename parameter.
samplename	a character vector or a specific sample to add the new feature(s) to. Default is NULL.
feature	a string of naming the new feature to add for the defined samplename and sector.
value	named vector of samplenames & values which is assigned for the defined sector, samplename, and feature. Example: c("Sample1"="ACDTDASD")

Value

modified sampleInfo object with new feature(s) added.

See Also

[findPrimers](#), [extractSeqs](#), [trimSeqs](#), [extractFeature](#), [getSectorsForSamples](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
extractFeature(seqProps, sector="2",
              samplename="Roth-MLV3p-CD4TMLVWell6-MseI", feature="metadata")
seqProps <- addFeature(seqProps, sector="2",
                    samplename="Roth-MLV3p-CD4TMLVWell6-MseI", feature="foo",
                    value=c("Roth-MLV3p-CD4TMLVWell6-MseI"="woo"))
extractFeature(seqProps, sector="2",
              samplename="Roth-MLV3p-CD4TMLVWell6-MseI", feature="metadata")
```

addListNameToReads *Prepend name attribute of a list to DNAStrngSet*

Description

Given a named listed DNAStrngSet object returned from [extractSeqs](#), the function prepends the sample name to read names.

Usage

```
addListNameToReads(dnaSet, flatten = FALSE)
```

Arguments

dnaSet output from [extractSeqs](#)
 flatten should the output be unlisted? Default is FALSE.

Value

listed DNAStrngSet with the names attribute prepended with the name of the list. If flatten is TRUE, then a DNAStrngSet object

See Also

[extractFeature](#), [extractSeqs](#), [getSectorsForSamples](#), [write.listedDNAStrngSet](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
samples <- c(Roth-MLV3p-CD4TMLVWell6-Tsp509I,
Roth-MLV3p-CD4TMLVWell6-MseI, Roth-MLV3p-CD4TMLVWell15-MuA)
seqs <- extractSeqs(seqProps, sector=2, samplename=samples,
feature="genomic")
addListNameToReads(seqs, TRUE)
```

annotateSites *Find the 5' primers and add results to SampleInfo object.*

Description

Given a sampleInfo object, the function finds 5' primers for each sample per sector and adds the results back to the object. This is a specialized function which depends on many other functions shown in 'see also section' to perform specialized trimming of 5' primer/adaptor found in the sampleInfo object. The sequence itself is never trimmed but rather coordinates of primer portion is recorded back to the object and used subsequently by [extractSeqs](#) function to perform the trimming.

Usage

```
annotateSites(sampleInfo, annots = NULL, samplenames = NULL,  
              parallel = TRUE, ...)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findIntegrations , which holds genomic integration sites.
annots	a named list of GRanges object holding features for annotating integration sites. The name attribute of the list is used as column name.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.
parallel	use parallel backend to perform calculation. Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Parallelization is done at sample level per sector. Use parallel2 for parallelization at sequence level.
...	additional parameters to be passed to doAnnotation except for sites.rd, features.rd, and colnam.

Value

a SimpleList object similar to sampleInfo paramter supplied with new data added under each sector and sample. New data attributes include: primed

See Also

[clusterSites](#), [isuSites](#), [crossOverCheck](#), [findIntegrations](#), [getIntegrationSites](#), [pslToRangedObject](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),  
"FLX_seqProps.RData"))  
data(genes)  
genes <- makeGRanges(genes)  
cpgs <- getUCSCTable("cpgIslandExt", "CpG Islands")  
cpgs <- makeGRanges(cbind(cpgs, strand="*"), chromCol = "chrom")  
annots <- list("RefGenes"=genes, "CpG"=cpgs)  
annotateSites(seqProps, annots, annotType="nearest", side="5p")
```

blatListedSet	<i>Align a listed DNAStrngSet to a reference using gfClient or standalone BLAT.</i>
---------------	---

Description

Align sequences from a listed DNAStrngSet object returned from [extractSeqs](#) to an indexed reference genome using gfServer/gfClient protocol or using standalone BLAT and return the psl file as a GRanges object. This function heavily relies on defaults of [blatSeqs](#).

Usage

```
blatListedSet(dnaSetList = NULL, ...)
```

Arguments

dnaSetList	DNAStrngSet object containing sequences to be aligned against the reference.
...	parameters to be passed to blatSeqs .

Value

a list of GRanges object reflecting psl file type per set of sequences.

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [startgfServer](#), [stopgfServer](#), [blatSeqs](#), [read.psl](#), [pslToRangedObject](#), [read.blast8](#)

blatSeqs	<i>Align sequences using BLAT.</i>
----------	------------------------------------

Description

Align batch of sequences using standalone BLAT or gfServer/gfClient protocol against an indexed reference genome. Depending on parameters provided, the function either aligns batch of files to a reference genome using gfClient or takes sequences from query & subject parameters and aligns them using standalone BLAT. If standaloneBlat=FALSE and gfServer is not launched apriori, this function will start one using [startgfServer](#) and kill it using [stopgfServer](#) upon successful execution.

Usage

```
blatSeqs(query = NULL, subject = NULL, standaloneBlat = TRUE,
port = 5560, host = "localhost", parallel = TRUE, numServers = 1L,
gzipResults = TRUE, blatParameters = c(minIdentity = 90, minScore = 10,
stepSize = 5, tileSize = 10, repMatch = 112312, dots = 50, maxDnaHits = 10, q
= "dna", t = "dna", out = "psl"))
```

Arguments

query	an object of DNASTringSet, a character vector of filename(s), or a path/pattern of fasta files to BLAT. Default is NULL.
subject	an object of DNASTringSet, a character vector, or a path to an indexed genome (nibs,2bits) to serve as a reference or target to the query. Default is NULL. If the subject is a path to a nib or 2bit file, then standaloneBlat will not work!
standaloneBlat	use standalone BLAT as suppose to gfServer/gfClient protocol. Default is TRUE.
port	the same number you started the gfServer with. Required if standaloneBlat=FALSE. Default is 5560.
host	name of the machine running gfServer. Default is 'localhost' and only used when standaloneBlat=FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .
numServers	launch >1 gfServer and load balance jobs? This only applies when parallel=TRUE and standaloneBlat=FALSE. Enable this option only if the machine has a lot of RAM! Option ignored if launched gfServer is found at specified host and port. Default is 1.
gzipResults	gzip the output files? Default is TRUE.
blatParameters	a character vector of options to be passed to gfClient/BLAT command except for 'nohead' option. Default: c(minIdentity=90, minScore=10, stepSize=5, tileSize=10, repMatch=112312, dots=50, maxDnaHits=10, q="dna", t="dna", out="psl"). Be sure to only pass parameters accepted by either BLAT or gfClient. For example, if repMatch or stepSize parameters are specified when using gfClient, then the function will simply ignore them! The defaults are configured to align a 19bp sequence with 90% identity.

Value

a character vector of psl filenames. Each file provided is split by number of parallel workers and with read number denoting the cut. Files are cut in smaller pieces to for the ease of read & write into a single R session.

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [startgfServer](#), [stopgfServer](#), [read.psl](#), [splitSeqsToFiles](#), [read.blast8](#)

Examples

```
blatSeqs(dnaSeqs, subjectSeqs, blatParameters=c(minIdentity=90, minScore=10,
tileSize=10, dots=10, q="dna", t="dna", out="blast8"))
blatSeqs(dnaSeqs, "/usr/local/genomeIndex/hg18.2bit", standaloneBlat=FALSE)
blatSeqs("mySeqs.fa", "/usr/local/genomeIndex/hg18.2bit", standaloneBlat=FALSE)
blatSeqs("my.*.fa", "/usr/local/genomeIndex/hg18.2bit", standaloneBlat=FALSE)
```

chunkize	<i>Breaks an object into chunks of N size.</i>
----------	--

Description

Given a linear/vector like object, the function breaks it into equal sized chunks either by chunkSize. This is a helper function used by functions in 'See Also' section where each chunk is sent to a parallel node for processing.

Usage

```
chunkize(x, chunkSize = NULL)
```

Arguments

x	a linear object.
chunkSize	number of rows to use per chunk of query. Defaults to length(x)/detectCores() or length(query)/bpworkers() depending on parallel backend registered.

Value

a list of object split into chunks.

See Also

[primerIDAlignSeqs](#), [vpairwiseAlignSeqs](#), [pairwiseAlignSeqs](#)

Examples

```
x <- c("GAGGCTGTCACCGACAAGTTCTGA", "AATAGCGTGGTGACAGCCCACATGC",
      "GGTCTTCTAGGGAACCTACGCCACA", "TTTCCGGCGGCAGTCAGAGCCAAAG",
      "TCCTGTCAACTCGTAGATCCAATCA", "ATGGTCACCTACACACAACGGCAAT",
      "GTCAGGACACCTAATCACAACGGA", "AGACGCAGGTTTCAGGCTGGACTAGA",
      "ATCGTTTCCGGAATTCGTGCACTGG", "CAATGCGGGCACACGCTCTTACAGT")
chunkize(DNAStringSet(x), 5)
```

clusterSites	<i>Cluster/Correct values within a window based on their frequency given discrete factors</i>
--------------	---

Description

Given a group of discrete factors (i.e. position ids) and integer values, the function tries to correct/cluster the integer values based on their frequency in a defined window size.

Usage

```
clusterSites(posID = NULL, value = NULL, grouping = NULL, psl.rd = NULL,
             weight = NULL, windowSize = 5L, byQuartile = FALSE, quartile = 0.7,
             parallel = TRUE, sonicAbund = FALSE)
```

Arguments

posID	a vector of groupings for the value parameter (i.e. Chr,strand). Required if psl.rd parameter is not defined.
value	a vector of integer with values that needs to corrected or clustered (i.e. Positions). Required if psl.rd parameter is not defined.
grouping	additional vector of grouping of length posID or psl.rd by which to pool the rows (i.e. samplenames). Default is NULL.
psl.rd	a GRanges object returned from getIntegrationSites . Default is NULL.
weight	a numeric vector of weights to use when calculating frequency of value by posID and grouping if specified. Default is NULL.
windowSize	size of window within which values should be corrected or clustered. Default is 5.
byQuartile	flag denoting whether quartile based technique should be employed. See notes for details. Default is TRUE.
quartile	if byQuartile=TRUE, then the quartile which serves as the threshold. Default is 0.70.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Process is split by the grouping the column.
sonicAbund	calculate breakpoint abundance using getSonicAbund . Default is FALSE.

Value

a data frame with clusteredValues and frequency shown alongside with the original input. If psl.rd parameter is defined then a GRanges object is returned with three new columns appended at the end: clusteredPosition, clonecount, and clusterTopHit (a representative for a given cluster chosen by best scoring hit!).

Note

The algorithm for clustering when byQuartile=TRUE is as follows: for all values in each grouping, get a distribution and test if their frequency is \geq quartile threshold. For values below the quartile threshold, test if any values overlap with the ones that passed the threshold and is within the defined windowSize. If there is a match, then merge with higher value, else leave it as is. This is only useful if the distribution is wide and polynodal. When byQuartile=FALSE, for each group the values within the defined window are merged with the next highest frequently occurring value, if frequencies are tied then lowest value is used to represent the cluster. When psl.rd is passed, then multihits are ignored and only unique sites are clustered. All multihits will be tagged as a good 'clusterTopHit'.

See Also

[findIntegrations](#), [getIntegrationSites](#), [otuSites](#), [isuSites](#), [crossOverCheck](#), [pslToRangedObject](#), [getSonicAbund](#)

Examples

```
clusterSites(posID=c(chr1-, chr1-, chr1-, chr2+, chr15-,
chr16-, chr11-), value=c(rep(1000,2), 5832, 1000, 12324, 65738, 928042),
grouping=c(a, a, a, b, b, b, c))
data(psl)
psl <- psl[sample(nrow(psl), 100), ]
psl.rd <- getIntegrationSites(pslToRangedObject(psl))
psl.rd$grouping <- sub("(.)-.+", "\\1", psl.rd$qName)
clusterSites(grouping=psl.rd$grouping, psl.rd=psl.rd)
```

crossOverCheck	<i>Remove values/positions which are overlapping between discrete groups based on their frequency.</i>
----------------	--

Description

Given a group of discrete factors (i.e. position ids) and integer values, the function tests if they overlap between groups. If overlap is found, then the group having highest frequency of a given position wins, else the position is filtered out from all the groups. The main use of this function is to remove crossover sites from different samples in the data.

Usage

```
crossOverCheck(posID = NULL, value = NULL, grouping = NULL,
weight = NULL, windowSize = 1, psl.rd = NULL)
```

Arguments

posID	a vector of groupings for the value parameter (i.e. Chr,strand). Required if psl.rd parameter is not defined.
value	a vector of integer locations/positions that needs to be binned, i.e. genomic location. Required if psl.rd parameter is not defined.
grouping	additional vector of grouping of length posID or psl.rd by which to pool the rows (i.e. samplenames). Default is NULL.
weight	a numeric vector of weights to use when calculating frequency of value by posID and grouping if specified. Default is NULL.
windowSize	size of window within which values should be checked. Default is 1.
psl.rd	a GRanges object. Default is NULL.

Value

a data frame of the original input with columns denoting whether a given row was a Candidate and isCrossover. If psl.rd parameter is defined, then a GRanges object with 'isCrossover', 'Candidate', and 'FoundIn' columns appended at the end.

See Also

[clusterSites](#), [otuSites](#), [findIntegrations](#), [getIntegrationSites](#), [pslToRangedObject](#)

Examples

```
crossOverCheck(posID=c(chr1-,chr1-,chr1-,chr1-,chr2+,chr15-,
chr16-,chr11-), value=c(rep(1000,3),5832,1000,12324,65738,928042),
grouping=c(a,a,b,b,b,b,c,c))
```

dereplicateReads	<i>Removes duplicate sequences from DNASTringSet object.</i>
------------------	--

Description

Given a DNASTringSet object, the function dereplicates reads and adds counts=X to the definition line to indicate replication.

Usage

```
dereplicateReads(dnaSet)
```

Arguments

dnaSet DNASTringSet object to dereplicate.

Value

DNASTringSet object with names describing frequency of repeat.

See Also

[replicateReads](#), [removeReadsWithNs](#), [findBarcodes](#), [splitByBarcode](#)

Examples

```
dnaSet <- c("CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTCTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC",
"CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTCTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC")
dereplicateReads(dnaSet)
```

doRCTest

*Test if pattern aligns better in +/- orientation.***Description**

Given a fixed length pattern sequence and variable length subject sequences, the function roughly finds which orientation of pattern yields the most hits. The function doing the heavylifting is [vcountPattern](#). This is an accessory function used in function listed under See Also section below.

Usage

```
doRCTest(subjectSeqs = NULL, patternSeq = NULL, qualityThreshold = 0.5,
         parallel = TRUE)
```

Arguments

subjectSeqs	DNASTringSet object containing sequences to be searched for the pattern.
patternSeq	DNASTring object or a sequence containing the query sequence to search.
qualityThreshold	percent of patternSeq to match. Default is 0.50, half match. This is supplied to max.mismatch parameter of vcountPattern as round(nchar(patternSeq)*(1-qualityThreshold)).
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to FALSE. If no parallel backend is registered, then a serial version is ran using SerialParam .

Value

patternSeq that aligned the best.

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [primerIDAlignSeqs](#)

Examples

```
subjectSeqs <- c("CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
               "ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTGCA",
               "CCGCGTCTGCAATGTGAGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC")
subjectSeqs <- xscat("AAAAAAAAA", subjectSeqs)
doRCTest(subjectSeqs, "TTTTTTTTT")
```

extractFeature	<i>Extract a specific feature/attribute of the sampleInfo object.</i>
----------------	---

Description

Given a sampleInfo object, the function extracts a defined feature(s) for given sample or sector.

Usage

```
extractFeature(sampleInfo, sector = NULL, samplename = NULL,
              feature = NULL)
```

Arguments

sampleInfo	sample information SimpleList object, which samples per sector/quadrant information along with other metadata.
sector	a vector or specific sector to extract the feature from. Default is NULL, which extracts all sectors.
samplename	a character vector or a specific sample to extract feature from. Default is NULL, which extracts all samples.
feature	Options include: primed, LTRed, linkered, decoded, and any of the metadata. Default is NULL. When feature='metadata', then it returns names of all the metadata elements associated with the sample as a comma separated list.

Value

a list or list of lists depending upon which parameters were supplied.

See Also

[addFeature](#), [findPrimers](#), [findLTRs](#), [findLinkers](#), [extractSeqs](#), [trimSeqs](#), [getSectorsForSamples](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
samples <- c(Roth-MLV3p-CD4TMLVWell6-Tsp509I,
Roth-MLV3p-CD4TMLVWell6-MseI, Roth-MLV3p-CD4TMLVwell15-MuA)
extractFeature(seqProps, sector=2, samplename=samples, feature="primed")
extractFeature(seqProps, sector=2, samplename=samples, feature="linkered")
extractFeature(seqProps, sector=2, samplename=samples, feature="metadata")
```

 extractSeqs

Extract sequences for a feature in the sampleInfo object.

Description

Given a sampleInfo object, the function extracts sequences for a defined feature.

Usage

```
extractSeqs(sampleInfo, sector = NULL, samplename = NULL,
  feature = "genomic", trim = TRUE, minReadLength = 1,
  sideReturn = NULL, pairReturn = "both", strict = FALSE)
```

Arguments

sampleInfo	sample information SimpleList object, which samples per sector/quadrant information along with other metadata.
sector	specific sector to extract sequences from. Default is NULL, which extracts all sectors.
samplename	specific sample to extract sequences from. Default is NULL, which extracts all samples.
feature	which part of sequence to extract (case sensitive). Options include: primed, !primed, LTRed, !LTRed, linkered, !linkered, primerIDs, genomic, genomicLinkered, decoded, and unDecoded. If a sample was primerIDed and processed by primerIDAlignSeqs , then all the rejected and unmatched attributes can be prepended to the feature. Example: vectored, Rejectedlinkered, RejectedprimerIDslinkered, Absentlinkered, or unAnchoredprimerIDslinkered. When feature is genomic, it includes sequences which are primed, LTRed, linkered, and !linkered. The genomicLinkered is same as genomic minus the !linkered. When feature is decoded, it includes everything that demultiplexed. The '!' in front of a feature extracts the inverse. One can only get unDecoded sequences if returnUnmatched was TRUE in findBarcodes . If findVector was run and "vectored" feature was found in the sampleInfo object, then genomic & genomicLinkered output will have vectored reads removed.
trim	whether to trim the given feature from sequences or keep it. Default is TRUE. This option is ignored for feature with '!'.
minReadLength	threshold for minimum length of trimmed sequences to return.
sideReturn	if trim=TRUE, which side of the sequence to return: left, middle, or right. Defaults to NULL and determined automatically. Doesn't apply to features: decoded, genomic or genomicLinkered.
pairReturn	if the data is paired end, then from which pair to return the feature. Options are "pair1", "pair2", or defaults to "both". Ignored if data is single end.

strict this option is used when feature is either 'genomic' or 'genomicLinkered'. When a sample has no LTRed reads, primer ends are used as starting points by default to extract the genomic part. Enabling this option will strictly ensure that only reads with primer and LTR are trimmed for the 'genomic' or 'genomicLinkered' feature. Default is FALSE.

Value

a listed DNASTringSet object structured by sector then sample. Note: when feature='genomic' or 'genomicLinkered' and when data is paired end, then "pair2" includes union of reads from both pairs which found LTR.

See Also

[findPrimers](#), [findLTRs](#), [findLinkers](#), [trimSeqs](#), [extractFeature](#), [getSectorsForSamples](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
samples <- c(Roth-MLV3p-CD4TMLVWell6-Tsp509I,
Roth-MLV3p-CD4TMLVWell6-MseI, Roth-MLV3p-CD4TMLVwell15-MuA)
extractSeqs(seqProps, sector=2, samplename=samples, feature="primed")
extractSeqs(seqProps, sector=2, samplename=samples, feature="!primed")
extractSeqs(seqProps, sector=2, samplename=samples, feature="linkered")
extractSeqs(seqProps, sector=2, samplename=samples, feature="genomic")
```

findAndRemoveVector *Find and trim vector sequence from reads.*

Description

This function facilitates finding and trimming of long/short fragments of vector present in LM-PCR products. The algorithm looks for vector sequence present anywhere within the read and trims according longest contiguous match on either end of the read. Alignment is doing using BLAT

Usage

```
findAndRemoveVector(reads, Vector, minLength = 10, returnCoords = FALSE,
parallel = TRUE)
```

Arguments

reads DNASTringSet object containing sequences to be trimmed for vector.

Vector DNASTring object containing vector sequence to be searched in reads.

minLength integer value dictating minimum length of trimmed sequences to return. Default is 10.

returnCoords	return the coordinates of vector start-stop for the matching reads. Defaults to FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .

Value

DNAStrngSet object with Vector sequence removed from the reads. If returnCoords=TRUE, then a list of two named elements "hits" & "reads". The first element, "hits" is a GRanges object with properties of matched region and whether it was considered valid denoted by 'good.row'. The second element, "reads" is a DNAStrngSet object with Vector sequence removed from the reads.

Note

If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [pslToRangedObject](#), [blatSeqs](#), [read.blast8](#), [findAndTrimSeq](#)

findAndTrimSeq	<i>Find and trim a short pattern sequence from the subject.</i>
----------------	---

Description

This function facilitates finding and trimming of a short pattern sequence from a collection of subject sequences. The trimming is dictated by side parameter. For more information on the trimming process see the 'side' parameter documentation in [trimSeqs](#). For information regarding the pattern alignment see the documentation for [pairwiseAlignSeqs](#). This function is meant for aligning a short pattern onto large collection of subjects. If you are looking to align a vector sequence to subjects, then please use BLAT.

Usage

```
findAndTrimSeq(patternSeq, subjectSeqs, side = "left", offBy = 0,
  alignWay = "slow", ...)
```

Arguments

patternSeq	DNAStrng object or a sequence containing the query sequence to search.
subjectSeqs	DNAStrngSet object containing sequences to be searched for the pattern.
side	which side of the sequence to perform the search & trimming: left, right or middle. Default is 'left'.
offBy	integer value dictating if the trimming base should be offset by X number of bases. Default is 0.

`alignWay` method to utilize for detecting the primers. One of following: "slow" (Default), "fast", or "blat". Fast, calls `vpairwiseAlignSeqs` and uses `vmatchPattern` at its core, which is less accurate with indels and mismatches but much faster. Slow, calls `pairwiseAlignSeqs` and uses `pairwiseAlignment` at its core, which is accurate with indels and mismatches but slower. Blat will use `blatSeqs`.

... parameters to be passed to `pairwiseAlignment`, `vpairwiseAlignSeqs` or `blatSeqs` depending on which method is defined in 'alignWay' parameter.

Value

DNASTringSet object with pattern sequence removed from the subject sequences.

Note

If `parallel=TRUE`, then be sure to have a parallel backend registered before running the function. One can use any of the following `MulticoreParam` `SnowParam`

See Also

`pairwiseAlignSeqs`, `vpairwiseAlignSeqs`, `extractFeature`, `extractSeqs`, `primerIDAlignSeqs`, `findPrimers`, `findLinkers`

Examples

```
findAndTrimSeq(patternSeq="AGACCCTTTT",
subjectSeqs=DNASTringSet(c("AGACCCTTTTGAGCAGCAT", "AGACCCTTGGTCGACTCA",
"AGACCCTTTTGACGAGCTAG")), qualityThreshold=.85, doRC=FALSE, side="left",
offBy=1, alignWay = "slow")
```

findBarcodes

Demultiplex reads by their barcodes

Description

Given a sample information object, the function reads in the raw fasta/fastq file, demultiplexes reads by their barcodes, and appends it back to the sampleInfo object. Calls `splitByBarcode` to perform the actual splitting of file by barcode sequences. If supplied with a character vector and reads themselves, the function behaves a bit differently. See the examples.

Usage

```
findBarcodes(sampleInfo, sector = NULL, dnaSet = NULL, showStats = FALSE,
returnUnmatched = FALSE, dereplicate = FALSE, alreadyDecoded = FALSE)
```

Arguments

sampleInfo	sample information SimpleList object created using read.sampleInfo , which holds barcodes and sample names per sector/quadrant/lane or a character vector of barcodes to sample name associations. Ex: <code>c("ACATCCAT"="Sample1", "GAATGGAT"="Sample2",...)</code>
sector	If sampleInfo is a SimpleList object, then a numeric/character value or vector representing sector(s) in sampleInfo. Optionally if on high memory machine <code>sector='all'</code> will decode/demultiplex sequences from all sectors/quadrants. This option is ignored if sampleInfo is a character vector. Default is NULL.
dnaSet	DNAStringSet object containing sequences to be decoded or demultiplexed. Default is NULL. If sampleInfo is a SimpleList object, then reads are automatically extracted using read.seqsFromSector and parameters defined in sampleInfo object.
showStats	toggle output of search statistics. Default is FALSE.
returnUnmatched	return unmatched sequences. Returns results as a list where <code>x[["unDecodedSeqs"]]</code> has culprits. Default is FALSE.
dereplicate	return dereplicated sequences. Calls dereplicateReads , which appends counts= <code>X</code> to sequence names/defines. Default is FALSE. Not applicable for paired end data since it can cause insyncronicity.
alreadyDecoded	if reads have be already decoded and split into respective files per sample and 'seqfilePattern' parameter in read.SeqFolder is set to reading sample files and not the sector files, then set this to TRUE. Default is FALSE. Enabling this parameter skips the barcode detection step and loads the sequence file as is into the sampleInfo object.

Value

If sampleInfo is an object of SimpleList then decoded sequences are appended to respective sample slots, else a named list of DNAStringSet object. If returnUnmatched=TRUE, then `x[["unDecodedSeqs"]]` has the unmatched sequences.

See Also

[splitByBarcode](#), [dereplicateReads](#), [replicateReads](#)

Examples

```
dnaSet <- DNAStringSet(c("read1"="ACATCCATAGAGCTACGACGACATCGACATA",
"read2"="GAATGGATGACGACTACAGCACGACGACGACTACT",
"read3"="GAATGGATGCGCTAAGAAGAGA", "read4"="ACATCCATTCTACACATCT"))
findBarcodes(sampleInfo=c("ACATCCAT"="Sample1", "GAATGGAT"="Sample2"),
dnaSet=dnaSet, showStats=TRUE, returnUnmatched=TRUE)
## Not run:
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
findBarcodes(seqProps, sector="all", showStats=TRUE)
```

```
## End(Not run)
```

findIntegrations *Find the integration sites and add results to SampleInfo object.*

Description

Given a SampleInfo object, the function finds integration sites for each sample using their respective settings and adds the results back to the object. This is an all-in-one function which aligns, finds best hit per read per sample, cluster sites, and assign ISU IDs. It calls [blatSeqs](#), [read.psl](#), [getIntegrationSites](#), [clusterSites](#), [otuSites](#). here must be linkered reads within the sampleInfo object in order to use this function using the default parameters. If you are planning on BLATing non-linkered reads, then change the seqType to one of accepted options for the 'feature' parameter of [extractSeqs](#), except for '!' based features.

Usage

```
findIntegrations(sampleInfo, seqType = NULL, genomeIndices = NULL,
  samplenames = NULL, parallel = TRUE, autoOptimize = FALSE,
  doSonic = FALSE, doISU = FALSE, ...)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findLinkers , which holds decoded, primed, LTRed, and Linkered sequences for samples per sector/quadrant along with metadata.
seqType	which type of sequence to align and find integration sites. Default is NULL and determined automatically based on type of restriction enzyme or isolation method used. If restriction enzyme is Fragmentase, MuA, Sonication, or Sheared then this parameter is set to genomicLinkered, else it is genomic. Any one of following options are valid: genomic, genomicLinkered, decoded, primed, LTRed, linkered.
genomeIndices	an associative character vector of freeze to full or relative path of respective of indexed genomes from BLAT(.nib or .2bit files). For example: c("hg18"="/usr/local/blatSuite34/hg18.2bit", "mm8"="/usr/local/blatSuite34/mm8.2bit"). Be sure to supply an index per freeze supplied in the sampleInfo object. Default is NULL.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .
autoOptimize	if aligner='BLAT', then should the blatParameters be automatically optimized based on the reads? Default is FALSE. When TRUE, following parameters are adjusted within the supplied blatParameters vector: stepSize, tileSize, minScore, minIdentity. This parameter is useful when aligning reads of various lengths to the genome. Optimization is done using only read lengths. In beta phase!

doSonic	calculate integration sites abundance using breakpoints. See getSonicAbund for more details. Default is FALSE.
doISU	calculate integration site unit for multihits. See isuSites for more details. Default is FALSE.
...	additional parameters to be passed to blatSeqs .

Value

a SimpleList object similar to sampleInfo parameter supplied with new data added under each sector and sample. New data attributes include: psl, and sites. The psl attributes holds the genomic hits per read along with QC information. The sites attribute holds the condensed integration sites where genomic hits have been clustered by the Position column and cherry picked to have each site pass all the QC steps.

Note

If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[findPrimers](#), [findLTRs](#), [findLinkers](#), [startgfServer](#), [read.psl](#), [blatSeqs](#), [blatListedSet](#), [pslToRangedObject](#), [clusterSites](#), [isuSites](#), [crossOverCheck](#), [getIntegrationSites](#), [getSonicAbund](#), [annotateSites](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
findIntegrations(seqProps, genomeIndices=c("hg18"="/usr/local/genomeIndexes/hg18.noRandom.2bit"), numServers=2)
```

findLinkers

Find the 3' linkers and add results to SampleInfo object.

Description

Given a sampleInfo object, the function finds 3' linkers for each sample per sector and adds the results back to the object. This is a specialized function which depends on many other functions shown in 'see also section' to perform specialized trimming of 3' primer/linker adaptor sequence found in the sampleInfo object. The sequence itself is never trimmed but rather coordinates of linker portion is recorded back to the object and used subsequently by [extractSeqs](#) function to perform the trimming. This function heavily relies on either [pairwiseAlignSeqs](#) or [primerIDAlignSeqs](#) depending upon whether linkers getting aligned have primerID in it or not.

Usage

```
findLinkers(sampleInfo, showStats = FALSE, doRC = FALSE, parallel = TRUE,  
            samplenames = NULL, bypassChecks = FALSE, parallel2 = FALSE, ...)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findPrimers or findLTRs , which holds decoded sequences for samples per sector/quadrant along with information of sample to primer associations.
showStats	toggle output of search statistics. Default is FALSE.
doRC	perform reverse complement search of the defined pattern/linker sequence. Default is FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Parallelization is done at sample level per sector.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.
bypassChecks	skip checkpoints which detect if something was odd with the data? Default is FALSE.
parallel2	perform parallelization is sequence level. Default is FALSE. Useful in cases where each sector has only one sample with numerous sequences.
...	extra parameters to be passed to pairwiseAlignment .

Value

a SimpleList object similar to sampleInfo parameter supplied with new data added under each sector and sample. New data attributes include: linkered. If linkers have primerID then, primerIDs attribute is appended as well.

Note

- For paired end data, qualityThreshold for pair 2 is increased by 0.25 or set to 1 whichever is lower to increase quality & full match to linker sequence.
- If no linker matches are found with default options, then try doRC=TRUE.
- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [primerIDAlignSeqs](#), [findLTRs](#), [findPrimers](#), [extractFeature](#), [extractSeqs](#), [findAndTrimSeq](#), [findIntegrations](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
findLinkers(seqProps, showStats=TRUE, doRC=TRUE)
```

findLTRs

Find the 5' LTRs and add results to SampleInfo object.

Description

Given a sampleInfo object, the function finds 5' LTR following the primer for each sample per sector and adds the results back to the object. This is a specialized function which depends on many other functions shown in 'see also section' to perform specialized trimming of 5' viral LTRs found in the sampleInfo object. The sequence itself is never trimmed but rather coordinates of LTR portion is added to primer coordinates and recorded back to the object and used subsequently by [extractSeqs](#) function to perform the trimming. This function heavily relies on [pairwiseAlignSeqs](#).

Usage

```
findLTRs(sampleInfo, showStats = FALSE, doRC = FALSE, parallel = TRUE,
  samplenames = NULL, bypassChecks = FALSE, parallel2 = FALSE, ...)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findPrimers , which holds decoded and primed sequences for samples per sector/quadrant along with information of sample to LTR associations.
showStats	toggle output of search statistics. Default is FALSE. For paired end data, stats for "pair2" is relative to decoded and/or primed reads.
doRC	perform reverse complement search of the defined pattern/LTR sequence. Default is FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Parallelization is done at sample level per sector.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.
bypassChecks	skip checkpoints which detect if something was odd with the data? Default is FALSE.
parallel2	perform parallelization is sequence level. Default is FALSE. Useful in cases where each sector has only one sample with numerous sequences.
...	extra parameters to be passed to pairwiseAlignment .

Value

a SimpleList object similar to sampleInfo paramter supplied with new data added under each sector and sample. New data attributes include: LTRed

Note

- For paired end data, qualityThreshold for pair 2 is decreased by 0.05 to increase chances of matching LTR sequence.
- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [extractFeature](#), [extractSeqs](#), [primerIDAlignSeqs](#), [findPrimers](#), [findLinkers](#), [findAndTrimSeq](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
findLTRs(seqProps, showStats=TRUE)
```

findPrimers

Find the 5' primers and add results to SampleInfo object.

Description

Given a sampleInfo object, the function finds 5' primers for each sample per sector and adds the results back to the object. This is a specialized function which depends on many other functions shown in 'see also section' to perform specialized trimming of 5' primer/adaptor found in the sampleInfo object. The sequence itself is never trimmed but rather coordinates of primer portion is recorded back to the object and used subsequently by [extractSeqs](#) function to perform the trimming.

Usage

```
findPrimers(sampleInfo, alignWay = "slow", showStats = FALSE,
doRC = FALSE, parallel = TRUE, samplenames = NULL,
bypassChecks = FALSE, parallel2 = FALSE, ...)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findBarcodes , which holds decoded sequences for samples per sector/quadrant along with information of sample to primer associations.
alignWay	method to utilize for detecting the primers. One of following: "slow" (Default), or "fast". Fast, calls vpairwiseAlignSeqs and uses vmatchPattern at its core, which is less accurate with indels and mismatches but much faster. Slow, calls pairwiseAlignSeqs and uses pairwiseAlignment at its core, which is accurate with indels and mismatches but slower.
showStats	toggle output of search statistics. Default is FALSE.
doRC	perform reverse complement search of the defined pattern/primer. Default is FALSE.
parallel	use parallel backend to perform calculation . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Parallelization is done at sample level per sector. Use parallel2 for parallelization at sequence level.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.
bypassChecks	skip checkpoints which detect if something was odd with the data? Default is FALSE.
parallel2	perform parallelization is sequence level. Default is FALSE. Useful in cases where each sector has only one sample with numerous sequences.
...	extra parameters to be passed to either vmatchPattern or pairwiseAlignment depending on 'alignWay' parameter.

Value

a SimpleList object similar to sampleInfo paramter supplied with new data added under each sector and sample. New data attributes include: primed

Note

- For paired end data, qualityThreshold for pair 2 is decreased by 0.10 to increase chances of matching primer sequence.
- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [extractFeature](#), [extractSeqs](#), [primerIDAlignSeqs](#), [findLTRs](#), [findLinkers](#), [findAndTrimSeq](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
findPrimers(seqProps, showStats=TRUE)
```

findVector

Find vector DNA in reads and add results to SampleInfo object.

Description

Given a sampleInfo object, the function finds vector fragments following the LTR piece for each sample per sector and adds the results back to the object. This is a specialized function which depends on many other functions shown in 'see also section' to perform specialized trimming of 5' viral LTRs found in the sampleInfo object. The sequence itself is never trimmed but rather coordinates of vector portion is added to LTR coordinates and recorded back to the object and used subsequently by [extractSeqs](#) function to perform the trimming. This function heavily relies on [blatSeqs](#). In order for this function to work, it needs vector sequence which is read in using 'vectorFile' metadata supplied in the sample information file in [read.sampleInfo](#)

Usage

```
findVector(sampleInfo, showStats = FALSE, parallel = TRUE,
  samplenames = NULL)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findLTRs , which holds decoded, primed, and LTRed sequences for samples per sector/quadrant.
showStats	toggle output of search statistics. Default is FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Parallelization is done at sample level per sector. Use parallel2 for parallelization at sequence level.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.

Value

a SimpleList object similar to sampleInfo paramter supplied with new data added under each sector and sample. New data attributes include: vectored

Note

- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [blatSeqs](#), [extractFeature](#), [extractSeqs](#), [findPrimers](#), [findLTRs](#), [findLinkers](#), [findAndTrimSeq](#), [findAndRemoveVector](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
findVector(seqProps, showStats=TRUE)
```

getIntegrationSites *Obtain integration sites from BLAT output*

Description

Given a GRanges object from [read.psl](#), the function uses specified filtering parameters to obtain integration sites and maintain sequence attrition. The function will remove any non-best scoring alignments from the object if not already filtered apriori.

Usage

```
getIntegrationSites(psl.rd = NULL, startWithin = 3,
  alignRatioThreshold = 0.7, genomicPercentIdentity = 0.98,
  correctByqStart = TRUE, oneBased = FALSE)
```

Arguments

psl.rd	a GRanges object reflecting psl format where tName is the seqnames.
startWithin	upper bound limit of where the alignment should start within the query. Default is 3.
alignRatioThreshold	cutoff for (alignment span/read length). Default is 0.7.
genomicPercentIdentity	cutoff for (1-(misMatches/matches)). Default is 0.98.
correctByqStart	use qStart to correct genomic position. This would account for sequencing/trimming errors. Position=ifelse(strand=="+",tStart-qStart,tEnd+qStart). Default is TRUE.
oneBased	the coordinates in psl files are "zero based half open". The first base in a sequence is numbered zero rather than one. Enabling this would add +1 to the start and leave the end as is. Default is FALSE.

Value

a GRanges object with integration sites which passed all filtering criteria. Each filtering parameter creates a new column to flag if a sequence/read passed that filter which follows the scheme: 'pass.FilterName'. Integration Site is marked by new column named 'Position'.

See Also

[startgfServer](#), [read.psl](#), [blatSeqs](#), [blatListedSet](#), [findIntegrations](#), [pslToRangedObject](#), [clusterSites](#), [isuSites](#), [crossOverCheck](#), [read.blast8](#)

Examples

```
data(psl)
psl.rd <- pslToRangedObject(psl)
getIntegrationSites(psl.rd)
```

`getSectorsForSamples` *Get sectors for samples defined in the sampleInfo object.*

Description

Given a `sampleInfo` object, the function gets the sectors for each samplename. This is an accessory function utilized by other functions of this package to aid sector retrieval.

Usage

```
getSectorsForSamples(sampleInfo, sector = NULL, samplename = NULL,
  returnDf = FALSE)
```

Arguments

<code>sampleInfo</code>	sample information SimpleList object, which samples per sector/quadrant information along with other metadata.
<code>sector</code>	a specific sector or vector of sectors if known ahead of time. Default is NULL, which extracts all sectors.
<code>samplename</code>	a specific sample or vector of samplenames to get sectors for. Default is NULL, which extracts all samples.
<code>returnDf</code>	return results in a dataframe. Default is FALSE.

Value

If `returnDf=TRUE`, then a dataframe of sector associated with each samplename, else a named list of length two: `x[["sectors"]]` and `x[["samplenames"]]`

See Also

[extractSeqs](#), [extractFeature](#), [addFeature](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
samples <- c(Roth-MLV3p-CD4TMLVWell6-Tsp509I,
Roth-MLV3p-CD4TMLVWell6-MseI, Roth-MLV3p-CD4TMLVwell15-MuA)
getSectorsForSamples(seqProps, samplename=samples)
getSectorsForSamples(seqProps, samplename=samples, returnDf=TRUE)
```

getSonicAbund	<i>Calculate breakpoint/sonic abundance of integration sites in a population</i>
---------------	--

Description

Given distinct fragment lengths per integration, the function calculates sonic abundance as described in [sonicLength](#). This function is called by [clusterSites](#) and needs all individual fragments lengths per position to properly estimate the clonal abundance of an integration sites in a given population.

Usage

```
getSonicAbund(posID = NULL, fragLen = NULL, grouping = NULL,
replicateNum = NULL, psl.rd = NULL, parallel = TRUE)
```

Arguments

posID	a vector of discrete positions, i.e. Chr,strand,Position. Required if psl.rd parameter is not defined.
fragLen	a vector of fragment length per posID. Required if psl.rd parameter is not defined.
grouping	additional vector of grouping of length posID or psl.rd by which to pool the rows (i.e. samplenames). Default is NULL.
replicateNum	an optional vector of the replicate number per grouping and posID. Default is NULL.
psl.rd	a GRanges object returned from getIntegrationSites Default is NULL.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Process is split by the grouping the column.

Value

a data frame with estimated sonic abundance shown alongside with the original input. If psl.rd parameter is defined then a GRanges object is returned with a new column 'estAbund'.

Note

For samples isolated using traditional restriction digest method, the abundance will be inaccurate as it is designed for sonicated or sheared sample preparation method.

See Also

[clusterSites](#), [otuSites](#), [findIntegrations](#), [getIntegrationSites](#), [pslToRangedObject](#)

Examples

```
data("A1", package=sonicLength)
A1 <- droplevels(A1[1:1000,])
bore <- with(A1, getSonicAbund(locations, lengths, "A", replicates))
head(bore)
```

hiReadsProcessor

Functions to process LM-PCR reads from 454/Illumina data.

Description

hiReadsProcessor contains set of functions which allow users to process LM-PCR products sequenced using any platform. Given an excel/txt file containing parameters for demultiplexing and sample metadata, the functions automate trimming of adaptors and identification of the genomic product. Genomic products are further processed for QC and abundance quantification.

Author(s)

Nirav V Malani

isuSites

Bin values or make ISUs by assigning a unique ID to them within discrete factors.

Description

Given a group of values or genomic positions per read/clone, the function tries to yield a unique ISU (Integration Site Unit) ID for the collection based on overlap of locations to other reads/clones by grouping. This is mainly useful when each read has many locations which needs to be considered as one single group of sites.

Usage

```
isuSites(posID = NULL, value = NULL, readID = NULL, grouping = NULL,
         psl.rd = NULL, maxgap = 5, parallel = TRUE)
```

Arguments

posID	a vector of groupings for the value parameter (i.e. Chr,strand). Required if psl.rd parameter is not defined.
value	a vector of integer locations/positions that needs to be binned, i.e. genomic location. Required if psl.rd parameter is not defined.
readID	a vector of read/clone names which is unique to each row, i.e. defines.
grouping	additional vector of grouping of length posID or psl.rd by which to pool the rows (i.e. samplenames). Default is NULL.
psl.rd	a GRanges object returned from clusterSites . Default is NULL.
maxgap	max distance allowed between two non-overlapping position to trigger the merging. Default is 5.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Process is split by the grouping the column.

Value

a data frame with binned values and isuID shown alongside the original input. If psl.rd parameter is defined, then a GRanges object where object is first filtered by clusterTopHit column and the isuID column appended at the end.

Note

The algorithm for making isus of sites is as follows: for each readID check how many positions are there. Separate readIDs with only position from the rest. Check if any readIDs with >1 position match to any readIDs with only one position. If there is a match, then assign both readIDs with the same ISU ID. Check if any positions from readIDs with >1 position match any other readIDs with >1 position. If yes, then assign same ISU ID to all readIDs sharing 1 or more positions.

See Also

[clusterSites](#), [isuSites](#), [crossOverCheck](#), [findIntegrations](#), [getIntegrationSites](#), [pslToRangedObject](#)

Examples

```
isuSites(posID=c(chr1-, chr1-, chr1-, chr2+, chr15-, chr16-, chr11-),
value=c(rep(1000, 2), 5832, 1000, 12324, 65738, 928042),
readID=paste(read, sample(letters, 7), sep=-),
grouping=c(a, a, a, b, b, b, c))
```

otuSites	<i>Bin values or make OTUs by assigning a unique ID to them within discrete factors.</i>
----------	--

Description

Given a group of values or genomic positions per read/clone, the function tries to yield a unique OTU (operation taxinomical unit) ID for the collection based on overlap of locations to other reads/clones by grouping. This is mainly useful when each read has many locations which needs to be considered as one single group of sites.

Usage

```
otuSites(posID = NULL, value = NULL, readID = NULL, grouping = NULL,
         psl.rd = NULL, maxgap = 5, parallel = TRUE)
```

Arguments

posID	a vector of groupings for the value parameter (i.e. Chr,strand). Required if psl.rd parameter is not defined.
value	a vector of integer locations/positions that needs to be binned, i.e. genomic location. Required if psl.rd parameter is not defined.
readID	a vector of read/clone names which is unique to each row, i.e. defines.
grouping	additional vector of grouping of length posID or psl.rd by which to pool the rows (i.e. samplenames). Default is NULL.
psl.rd	a GRanges object returned from clusterSites . Default is NULL.
maxgap	max distance allowed between two non-overlapping position to trigger the merging. Default is 5.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Process is split by the grouping the column.

Value

a data frame with binned values and otuID shown alongside the original input. If psl.rd parameter is defined, then a GRanges object.

Note

The algorithm for making OTUs of sites is as follows:

- for each grouping & posID, fix values off by maxgap parameter
- create bins of fixed values per readID
- assign arbitrary numeric ID to each distinct bins above & obtain its frequency

- perform overlap b/w readIDs with only one value (singletons) to readIDs with >1 value (non-singletons)
- - for any overlapping values, tag non-singleton readID with the ID of singleton readID
- - if non-singleton readID matched with more than one singleton readID, then pick on at random
- for any non-tagged & non-singleton readIDs, perform an overlap of values within themselves using the maxgap parameter
- - tag any overlapping positions across any readID with the ID of most frequently occurring bin
- positions with no overlap are left as is with the original arbitrary ID

See Also

[clusterSites](#), [isuSites](#), [crossOverCheck](#), [findIntegrations](#), [getIntegrationSites](#), [pslToRangedObject](#)

Examples

```
otuSites(posID=c(chr1-,chr1-,chr1-,chr2+,chr15-,chr16-,chr11-),
value=c(1000,1003,5832,1000,12324,65738,928042),
readID=paste(read,sample(letters,7),sep=-),
grouping=c(a,a,a,b,b,b,c))
```

pairUpAlignments *Pair up alignments in a GRanges object*

Description

Given a GRanges object, the function uses specified gaplength parameter to pair up reads where the qName column ends with "atpersand pairname atpersand" which is outputted by [extractSeqs](#).

Usage

```
pairUpAlignments(psl.rd = NULL, maxGapLength = 2500, sameStrand = TRUE,
parallel = TRUE)
```

Arguments

psl.rd	a GRanges object with qNames ending in "atpersand pairname atpersand".
maxGapLength	maximum gap allowed between end of pair1 and start of pair2. Default is 2500 bp.
sameStrand	should pairs be aligned to the same strand or in same orientation in the reference genome? Default is TRUE. This is 'TRUE' because pair2 reads are reverseComplemented when reading in data in findBarcodes
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .

Value

a GRanges object with reads paired up denoted by "paired" column. Improper pairs or unpaired reads are returned with "paired" column as FALSE.

See Also

[pairwiseAlignSeqs](#), [blatSeqs](#), [read.blast8](#), [read.psl](#), [getIntegrationSites](#), [read.BAMasPSL](#)

Examples

```
psl.rd <- read.BAMasPSL(bamFile=c("sample1hits.bam", "sample2hits.bam"))
pairUpAlignments(psl.rd)
```

pairwiseAlignSeqs *Align a short pattern to variable length target sequences.*

Description

Align a fixed length short pattern sequence (i.e. primers or adaptors) to subject sequences using [pairwiseAlignment](#). This function uses default of type="overlap", gapOpening=-1, and gapExtension=-1 to align the patternSeq against subjectSeqs. One can adjust these parameters if preferred, but not recommended. This function is meant for aligning a short pattern onto large collection of subjects. If you are looking to align a vector sequence to subjects, then please use BLAT or see one of following [blatSeqs](#), [findAndRemoveVector](#)

Usage

```
pairwiseAlignSeqs(subjectSeqs = NULL, patternSeq = NULL, side = "left",
  qualityThreshold = 1, showStats = FALSE, bufferBases = 5, doRC = TRUE,
  returnUnmatched = FALSE, returnLowScored = FALSE, parallel = FALSE, ...)
```

Arguments

subjectSeqs	DNAStrngSet object containing sequences to be searched for the pattern. This is generally bigger than patternSeq, and cases where subjectSeqs is smaller than patternSeq will be ignored in the alignment.
patternSeq	DNAStrng object or a sequence containing the query sequence to search. This is generally smaller than subjectSeqs.
side	which side of the sequence to perform the search: left, right or middle. Default is 'left'.
qualityThreshold	percent of patternSeq to match. Default is 1, full match.
showStats	toggle output of search statistics. Default is FALSE.

bufferBases	use x number of bases in addition to patternSeq length to perform the search. Beneficial in cases where the pattern has homopolymers or indels compared to the subject. Default is 5. Doesn't apply when side='middle'.
doRC	perform reverse complement search of the defined pattern. Default is TRUE.
returnUnmatched	return sequences which had no or less than 5% match to the patternSeq. Default is FALSE.
returnLowScored	return sequences which had quality score less than the defined qualityThreshold. Default is FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to FALSE. If no parallel backend is registered, then a serial version is ran using SerialParam .
...	extra parameters for pairwiseAlignment

Value

- IRanges object with starts, stops, and names of the aligned sequences.
- If returnLowScored or returnUnmatched = T, then a CompressedIRangesList where x[["hits"]] has the good scoring hits, x[["Rejected"]] has the failed to match qualityThreshold hits, and x[["Absent"]] has the hits where the aligned bit is <=10% match to the patternSeq.

Note

- For qualityThreshold, the alignment score is calculated by (matches*2)-(mismatches+gaps) which programatically translates to round(nchar(patternSeq)*qualityThreshold)*2.
- Gaps and mismatches are weighed equally with value of -1 which can be overridden by defining extra parameters 'gapOpening' & 'gapExtension'.
- If qualityThreshold is 1, then it is a full match, if 0, then any match is accepted which is useful in searching linker sequences at 3' end. Beware, this function only searches for the pattern sequence in one orientation. If you are expecting to find the pattern in both orientation, you might be better off using BLAST/BLAT!
- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[primerIDAlignSeqs](#), [vpairwiseAlignSeqs](#), [doRCtest](#), [findAndTrimSeq](#), [blatSeqs](#), [findAndRemoveVector](#)

Examples

```
subjectSeqs <- c("CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTGTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC")
subjectSeqs <- DNASTringSet(xscat("AAAAAAAAA", subjectSeqs))
pairwiseAlignSeqs(subjectSeqs, "AAAAAAAAA", showStats=TRUE)
pairwiseAlignSeqs(subjectSeqs, "AAATAATAAA", showStats=TRUE,
qualityThreshold=0.5)
```

primerIDAlignSeqs	<i>Align a short pattern with PrimerID to variable length target sequences.</i>
-------------------	---

Description

Align a fixed length short pattern sequence containing primerID to variable length subject sequences using [pairwiseAlignment](#). This function uses default of type="overlap", gapOpening=-1, and gapExtension=-1 to align the pattenSeq against subjectSeqs. The search is broken up into as many pieces +1 as there are primerID and then compared against subjectSeqs. For example, patternSeq="AGCATCAGCANNNNNNNNNNNACGATCTACGCC" will launch two search jobs one per either side of Ns. For each search, qualityThreshold is used to filter out candidate alignments and the area in between is chosen to be the primerID. This strategy is beneficial because of Indels introduced through homopolymer errors. Most likely the length of primerID(s) wont the same as you expected!

Usage

```
primerIDAlignSeqs(subjectSeqs = NULL, patternSeq = NULL,
  qualityThreshold1 = 0.75, qualityThreshold2 = 0.5, doAnchored = FALSE,
  doRC = TRUE, returnUnmatched = FALSE, returnRejected = FALSE,
  showStats = FALSE, ...)
```

Arguments

subjectSeqs	DNAStrngSet object containing sequences to be searched for the pattern.
patternSeq	DNAStrng object or a sequence containing the query sequence to search with the primerID.
qualityThreshold1	percent of first part of patternSeq to match. Default is 0.75.
qualityThreshold2	percent of second part of patternSeq to match. Default is 0.50.
doAnchored	for primerID based patternSeq, use the base before and after primer ID in patternSeq as anchors?. Default is FALSE.
doRC	perform reverse complement search of the defined pattern. Default is TRUE.
returnUnmatched	return sequences if it had no or less than 5% match to the first part of patternSeq before the primerID. Default is FALSE.
returnRejected	return sequences if it only has a match to one side of patternSeq or primerID length does not match # of Ns +/-2 in the pattern. Default is FALSE.
showStats	toggle output of search statistics. Default is FALSE.
...	extra parameters for pairwiseAlignment

Value

- A CompressedIRangesList of length two, where x[["hits"]] is hits covering the entire patternSeq, and x[["primerIDs"]] is the potential primerID region.
- If returnUnmatched = T, then x[["Absent"]] is appended which includes reads not matching the first part of patternSeq.
- If returnRejected=TRUE, then x[["Rejected"]] includes reads that only matched one part of patternSeq or places where no primerID was found in between two part of patternSeq, and x[["RejectedprimerIDs"]] includes primerIDs that didn't match the correct length.
- If doAnchored=TRUE, then x[["unAnchoredprimerIDs"]] includes reads that didn't match the base before and after primer ID on patternSeq.

Note

- For qualityThreshold1 & qualityThreshold2, the alignment score is calculated by (matches*2)-(mismatches+gaps) which programatically translates to round(nchar(patternSeq)*qualityThreshold)*2
- Gaps and mismatches are weighed equally with value of -1 which can be overridden by defining extra parameters 'gapOpening' & 'gapExtension'.
- If qualityThreshold is 1, then it is a full match, if 0, then any match is accepted which is useful in searching linker sequences at 3' end. Beware, this function only searches for the pattern sequence in one orientation. If you are expecting to find the pattern in both orientation, you might be better off using BLAST/BLAT!

See Also

[vpairwiseAlignSeqs](#), [pairwiseAlignSeqs](#), [doRCTest](#), [blatSeqs](#), [findAndRemoveVector](#)

Examples

```
subjectSeqs <- c("CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTGTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC")
ids <- c("GGTTCTACGT", "AGGAGTATGA", "TGTCGGTATA", "GTTATAAAAC",
"AGGCTATATC", "ATGGTTTGT")
subjectSeqs <- xscat(subjectSeqs, xscat("AAGCGGAGCCC",ids,"TTTTTTTTTTTT"))
patternSeq <- "AAGCGGAGCCNNNNNNNNNTTTTTTTTTTTT"
primerIDAlignSeqs(DNAStringSet(subjectSeqs), patternSeq, doAnchored = TRUE)
```

psl

PSL file output

Description

Sample BLAT PSL file output from samples included Integration Sites Sequencing Data [seqProps](#)

Format

a data frame of 1000 rows and 21 columns

pslCols *Return PSL file columns with classes*

Description

Print out required fields & classes of PSL file format

Usage

```
pslCols(withClass = TRUE)
```

Arguments

withClass return classes for each column.

Value

vector of PSL column names

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [startgfServer](#), [blatSeqs](#), [read.blast8](#), [read.BAMasPSL](#), [pslToRangedObject](#)

Examples

```
pslCols()
```

pslToRangedObject *Convert psl dataframe to GRanges*

Description

Convert psl dataframe to GRanges object using either the query or target as the reference data column.

Usage

```
pslToRangedObject(x, useTargetAsRef = TRUE, isblast8 = FALSE)
```

Arguments

x dataframe reflecting psl format

useTargetAsRef use target(tName) or query(qName) as the chromosome or the reference data. Default is TRUE.

isblast8 the input dataframe blast8 format output from BLAT. Default is FALSE.

Value

a GRanges object reflecting psl file type.

See Also

[read.psl](#), [read.blast8](#), [blatListedSet](#)

Examples

```
data(psl)
psl <- head(psl)
pslToRangedObject(psl)
pslToRangedObject(psl, useTargetAsRef=FALSE)
```

read.BAMasPSL

Reads a BAM/SAM file and converts it into a PSL like format.

Description

Given filename(s), the function reads the BAM/SAM file, converts into a PSL like format. Any other file format will yield errors or erroneous results. This is intended to be used independently with other short read aligners.

Usage

```
read.BAMasPSL(bamFile = NULL, removeFile = TRUE, asGRanges = TRUE)
```

Arguments

bamFile	BAM/SAM filename, or vector of filenames, or a pattern of files to import.
removeFile	remove the file(s) supplied in bamFile paramter after importing. Default is FALSE.
asGRanges	return a GRanges object. Default is TRUE

Value

a GRanges or GAlignments object reflecting psl file type.

See Also

[pairwiseAlignSeqs](#), [blatSeqs](#), [read.blast8](#), [read.psl](#), [pslToRangedObject](#), [pairUpAlignments](#)

Examples

```
read.BAMasPSL(bamFile="processed.*.bam$")
read.BAMasPSL(bamFile=c("sample1hits.bam", "sample2hits.bam"))
```

read.blast8	<i>Read blast8 file(s) outputted by BLAT</i>
-------------	--

Description

Given filename(s), the function reads the blast8 file format from BLAT as a data frame and performs basic score filtering if indicated. Any other file format will yield errors or erroneous results.

Usage

```
read.blast8(files = NULL, asGRanges = FALSE, removeFile = TRUE,  
            parallel = FALSE)
```

Arguments

files	blast8 filename, or vector of filenames, or a pattern of files to import.
asGRanges	return a GRanges object instead of a dataframe. Default is TRUE Saves memory!
removeFile	remove the blast8 file(s) after importing. Default is FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .

Value

a dataframe or GRanges object reflecting blast8 file type.

Note

If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [startgfServer](#), [blatSeqs](#), [read.psl](#)

Examples

```
# this function works similar to read.psl #  
#read.blast8(files="processed.*.blast8$")  
#read.blast8(files=c("sample1hits.blast8", "sample2hits.blast8"))
```

read.psl

*Read PSL file(s) outputted by BLAT***Description**

Given filename(s), the function reads the PSL file format from BLAT as a data frame and performs basic score filtering if indicated. Any other file format will yield errors or erroneous results. Make sure there is no header row! See required columns in [pslCols](#).

Usage

```
read.psl(pslFile = NULL, bestScoring = TRUE, asGRanges = FALSE,
         removeFile = TRUE, parallel = FALSE)
```

Arguments

pslFile	PSL filename, or vector of filenames, or a pattern of files to import.
bestScoring	report only best scoring hits instead of all hits. Default is TRUE. Score is calculated by matches-misMatches-qBaseInsert-tBaseInsert.
asGRanges	return a GRanges object instead of a dataframe. Default is FALSE
removeFile	remove the PSL file(s) after importing. Default is FALSE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .

Value

a dataframe reflecting psl file type. If asGRanges=TRUE, then a GRanges object.

Note

If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [startgfServer](#), [blatSeqs](#), [read.blast8](#), [read.BAMasPSL](#), [pslToRangedObject](#), [write.psl](#)

Examples

```
data(psl)
pslFile <- tempfile()
write.psl(psl, filename = pslFile)
head(read.psl(pslFile=pslFile))
## Not run:
# read many PSL files matching the regex #
```



```
psl <- read.psl(pslFile="processed.*.psl$")

## End(Not run)
```

read.sampleInfo	<i>Read a sample information file and format appropriate metadata.</i>
-----------------	--

Description

Given a sample information file, the function checks if it includes required information to process samples present on each sector/quadrant/region/lane. The function also adds other columns required for processing with default values if not already defined ahead of time.

Usage

```
read.sampleInfo(sampleInfoPath = NULL, splitBySector = TRUE,
  interactive = TRUE)
```

Arguments

sampleInfoPath	full or relative path to the sample information file, which holds samples to quadrant/lane associations along with other metadata required to trim sequences or process it.
splitBySector	split the data frame into a list by sector column. Default is TRUE.
interactive	whether to prompt each time the function encounters an issue, or use the defaults. Default is TRUE.

Details

- Required Column Description:
 - sector => region/quadrant/lane of the sequencing plate the sample comes from. If files have been split by samples apriori, then the filename associated per sample without the extension. If this is a filename, then be sure to enable 'alreadyDecoded' parameter in [findBarcodes](#), since contents of this column is pasted together with 'seqfilePattern' parameter in [read.SeqFolder](#) to find the appropriate file needed. For paired end data, this is basename of the FASTA/Q file holding the sample data from the LTR side. For example, files such as Lib3_L001_R2_001.fastq.gz or Lib3_L001_R2_001.fastq would be Lib3_L001_R2_001, and consequently Lib3_L001_R1_001 would be used as the second pair!
 - barcode => unique 4-12bp DNA sequence which identifies the sample. If providing filename as sector, then leave this blank since it is assumed that the data is already demultiplexed.
 - primerltrsequence => DNA sequence of the viral LTR primer with/without the viral LTR sequence following the primer landing site. If already trimmed, then mark this as SKIP.
 - sampleName => Name of the sample associated with the barcode
 - sampleDescription => Detailed description of the sample

- gender => sex of the sample: male or female or NA
- species => species of the sample: homo sapien, mus musculus, etc.
- freeze => UCSC freeze to which the sample should be aligned to.
- linkerSequence => DNA sequence of the linker adaptor following the genomic sequence. If already trimmed, then mark this as SKIP.
- restrictionEnzyme => Restriction enzyme used for digestion and sample recovery. Can also be one of: Fragmentase or Sonication!
- Metadata Parameter Column Description:
 - ltrBitSequence => DNA sequence of the viral LTR following the primer landing site. Default is last 7bps of the primerltrsequence.
 - ltrBitIdentity => percent of LTR bit sequence to match during the alignment. Default is 1.
 - primerLTRidentity => percent of primer to match during the alignment. Default is .85
 - linkerIdentity => percent of linker sequence to match during the alignment. Default is 0.55. Only applies to non-primerID/random tag based linker search.
 - primerIdInLinker => whether the linker adaptor used has primerID/random tag in it? Default is FALSE.
 - primerIdInLinkerIdentity1 => percent of sequence to match before the random tag. Default is 0.75. Only applies to primerID/random tag based linker search and when primeridin-linker is TRUE.
 - primerIdInLinkerIdentity2 => percent of sequence to match after the random tag. Default is 0.50. Only applies to primerID/random tag based linker search and when primeridin-linker is TRUE.
 - celltype => celltype information associated with the sample
 - user => name of the user who prepared or processed the sample
 - pairedEnd => is the data paired end? Default is FALSE.
 - vectorFile => fasta file containing the vector sequence
- Processing Parameter Column Description:
 - startWithin => upper bound limit of where the alignment should start within the query. Default is 3.
 - alignRatioThreshold => cutoff for (alignment span/read length). Default is 0.7.
 - genomicPercentIdentity => cutoff for (1-(misMatches/matches)). Default is 0.98.
 - clusterSitesWithin => cluster integration sites within a defined window size based on frequency which corrects for any sequencing errors. Default is 5.
 - keepMultiHits => whether to keep sequences/reads that return multiple best hits, aka ambiguous locations.
 - processingDate => the date of processing

Value

if splitBySector=TRUE, then an object of SimpleList named by quadrant/lane information defined in sampleInfo file, else a dataframe.

See Also

[read.SeqFolder](#), [findBarcodes](#), [splitByBarcode](#)

Examples

```
runData <- system.file("extdata/FLX_sample_run",
  package = "hiReadsProcessor")
read.sampleInfo(file.path(runData,"sampleInfo.xls"))
```

read.SeqFolder	<i>Read contents of a sequencing folder and make a SimpleList object</i>
----------------	--

Description

Given a sequencing folder path, sample information file path, and sequence file extension pattern, the function returns a list of variables required to process the data. The function also calls [read.sampleInfo](#) which reads in sample processing metadata and formats it if needed.

Usage

```
read.SeqFolder(sequencingFolderPath = NULL, sampleInfoFilePath = NULL,
  seqfilePattern = NULL, interactive = TRUE)
```

Arguments

sequencingFolderPath	full or relative path to the sequencing folder
sampleInfoFilePath	full or relative path to the sample information file, which holds samples to quadrant/lane associations along with other metadata required to trim sequences or process it. Default to NULL, where the function tries to find xls or tab delimited txt file in the sequencing folder which sounds similar to 'sampleinfo' and present you with choices of file to select from.
seqfilePattern	regex/string to describe sequence file endings. See examples. Default is NULL.
interactive	whether to prompt each time the function encounters an issue or use the defaults. Default is TRUE.

Value

a SimpleList list which is used by other functions to process and decode the data.

Note

- One must make sure that each sequencing file has sector name/number prefixed at the beginning, else [findBarcodes](#) will fail trying to find the filename.
- For paired end Illumina runs, make sure the filenames include R1, R2, and I1 somewhere in the name denoting pair1, pair2, and index/barcode reads, respectively.

See Also

[read.sampleInfo](#), [findBarcodes](#), [splitByBarcode](#)

Examples

```
runData <- system.file("extdata/FLX_sample_run/",
  package = "hiReadsProcessor")
read.SeqFolder(runData, seqfilePattern=".+fna.gz$")
## Not run:
read.SeqFolder(".", seqfilePattern="\\.TCA.454Reads.fna$")
read.SeqFolder(".", seqfilePattern=".+fastq$")
read.SeqFolder(".", seqfilePattern=".+sff$")

## End(Not run)
```

read.seqsFromSector *Read fasta/fastq/sff given the path or sampleInfo object.*

Description

Given a sequence reads file path, the function returns a DNASTringSet object.

Usage

```
read.seqsFromSector(seqFilePath = NULL, sector = 1, isPaired = FALSE)
```

Arguments

seqFilePath	a path to fasta/fastq/sff reads file or a sampleInfo object returned by read.SeqFolder
sector	specific sector to reads sequences from. Default is 1, and not required if seqFilePath is a direct file path rather than sampleInfo object.
isPaired	does the sector contain paired end reads? Default is FALSE

Value

if isPaired is FALSE, then a DNASTringSet object, else a list of DNASTringSet objects of three elements corresponding to reads from "barcode", "pair1", and "pair2". Note: "pair2" is reverse complemented!

See Also

[findBarcodes](#), [read.SeqFolder](#), [extractSeqs](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
  "FLX_seqProps.RData"))
read.seqsFromSector(seqProps, sector="2")
```

removeReadsWithNs *Remove sequences with ambiguous nucleotides.*

Description

Given a DNASTringSet object, the function removes any reads that has either repeating or total Ns which is greater than to maxNs threshold

Usage

```
removeReadsWithNs(dnaSet, maxNs = 5, consecutive = TRUE)
```

Arguments

dnaSet	DNASTringSet object to evaluate.
maxNs	integer value denoting the threshold of maximum allowed Ns. Default is 5.
consecutive	boolean flag denoting whether Ns to filter is consecutive or total . Default is TRUE.

Value

DNASTringSet object.

See Also

[dereplicateReads](#), [replicateReads](#), [findBarcodes](#), [splitByBarcode](#)

Examples

```
dnaSet <- c("CCTGAATCCTNNCAATGTCATCATC", "ATCCTGGCNAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTGCA",
"CCGNNTCTGCAATGTGNGNCCTAN", "GAAGNNNNNGTTGAAGTTCACAC")
removeReadsWithNs(dnaSet)
removeReadsWithNs(dnaSet, maxNs=4, consecutive=FALSE)
```

replicateReads *Replicate sequences from DNASTringSet object using counts identifier or vector*

Description

Given a DNASTringSet object, the function replicates reads using counts=X marker at the end of definition line.

Usage

```
replicateReads(dnaSet, counts = NULL)
```

Arguments

dnaSet	DNAStringSet object to replicate.
counts	an integer or a numeric vector of length length(dnaSet) indicating how many times to repeat each sequence. Default is NULL, in which it uses counts=X notation from the definition line to replicate reads.

Value

DNAStringSet object.

See Also

[dereplicateReads](#), [removeReadsWithNs](#), [findBarcodes](#), [splitByBarcode](#)

Examples

```
dnaSet <- c("CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGGTCTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC",
"CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGGTCTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC")
dnaSet <- dereplicateReads(dnaSet)
replicateReads(dnaSet)
```

sampleSummary

Simple summary of a sampleInfo object.

Description

Give a simple summary of major attributes in sampleInfo/SimpleList object.

Usage

```
sampleSummary(object, ...)
```

Arguments

object	sample information SimpleList object, which samples per sector/quadrant information along with other metadata.
...	ignored for now.

Value

a dataframe summarizing counts of major attributes per sample and sector.

Examples

```
data(F LX_seqProps)
sampleSummary(seqProps)
```

seqProps

*Sample Integration Sites Sequencing Data***Description**

This is a processed data object containing raw sequences and respective alignments to UCSC freeze hg18 from 112 integration site samples. The object is of SimpleList class and follows a certain structural hierarchy explained by the Introductory vignette.

Format

A SimpleList object

splitByBarcode

Split DNASTringSet object using first X number of bases defined by a vector.

Description

Given a character vector of barcodes/MID to sample association and a DNASTringSet object, the function splits/demultiplexes the DNASTringSet object by first few bases dictated by length of barcodes/MID supplied. This is an accessory function used by [findBarcodes](#)

Usage

```
splitByBarcode(barcodesSample, dnaSet, trimFrom = NULL, showStats = FALSE,
  returnUnmatched = FALSE)
```

Arguments

barcodesSample a character vector of barcodes to sample name associations. Ex: c("ACATCCAT"="Sample1", "GAATGGAT"="Sample2",...)

dnaSet DNASTringSet object to evaluate.

trimFrom integer value serving as start point to trim the sequences from. This is calculated internally length barcode+1. Default is NULL.

showStats boolean flag denoting whether to show decoding statistics per sample & barcode. Default is FALSE.

returnUnmatched boolean flag denoting whether to return unmatched reads. Default is FALSE.

Value

DNAStrngSet object split by sample name found in barcodesSample.

See Also

[findBarcodes](#), [dereplicateReads](#), [replicateReads](#)

Examples

```
dnaSet <- DNAStrngSet(c("read1"="ACATCCATAGAGCTACGACGACATCGACATA",
"read2"="GAATGGATGACGACTACAGCACGACGACGACTACT",
"read3"="GAATGGATGCGCTAAGAAGAGA", "read4"="ACATCCATTCTACACATCT"))
splitByBarcode(c("ACATCCAT"="Sample1", "GAATGGAT"="Sample2"), dnaSet,
showStats=TRUE)
```

splitSeqsToFiles *Split DNA sequences into smaller files.*

Description

Given a vector of sequences or DNAStrngSet or a FASTA filename, the function splits it into smaller pieces as denoted by totalFiles parameter.

Usage

```
splitSeqsToFiles(x, totalFiles = 4, suffix = "tempy",
filename = "queryFile.fa")
```

Arguments

x	a DNAStrngSet object, or a FASTA filename.
totalFiles	an integer indicating how many files to create. Default is 4.
suffix	a word to add to each file created. Default is "tempy".
filename	name of the file if x is a DNAStrngSet object. Default is "queryFile.fa".

Value

a vector of filename names created.

See Also

[blatSeqs](#)

Examples

```
seqs <- DNASTringSet(sapply(sample(c(100:1000), 500),
function(size) paste(sample(DNA_BASES, size, replace=TRUE), collapse="")))
splitSeqsToFiles(seqs,5,"tempyQ","myDNAseqs.fa")
```

startgfServer	<i>Start/Stop a gfServer instance</i>
---------------	---------------------------------------

Description

Start or Stop a gfServer with indexed reference genome to align batch of sequences using BLAT gfServer/gfClient protocol.

Usage

```
startgfServer(seqDir = NULL, host = "localhost", port = 5560,
gfServerOpts = c(repMatch = 112312, stepSize = 5, tileSize = 10, maxDnaHits
= 10))

stopgfServer(host = "localhost", port = NULL)
```

Arguments

seqDir	absolute or relative path to the genome index (nib/2bit files).
host	name of the machine to run gfServer on. Default: localhost
port	a port number to host the gfServer with. Default is 5560.
gfServerOpts	a character vector of options to be passed to gfServer command on top of server defaults. Default: c(repMatch=112312, stepSize=5, tileSize=10, maxDnaHits=10). Set this to NULL to start gfServer with defaults.

Value

system command status for executing gfServer command.

See Also

[stopgfServer](#), [read.psl](#), [blatSeqs](#), [read.blast8](#)

Examples

```
#startgfServer(seqDir="/usr/local/blatSuite34/hg18.2bit",port=5560)
#stopgfServer(port=5560)
```

trimSeqs

*Trim sequences from a specific side.***Description**

This function trims a DNASTringSet object using the ranges from left, right, or middle of the sequence. This is a helper function utilized in [primerIDAlignSeqs](#) and [extractSeqs](#). If dnaSet and coords are not the same length, then they are required to have a names attribute to perform the matched trimming.

Usage

```
trimSeqs(dnaSet, coords, side = "middle", offBy = 0)
```

Arguments

dnaSet	DNASTringSet object containing sequences to be trimmed.
coords	IRanges object containing boundaries.
side	either 'left', 'right', or the Default 'middle'.
offBy	integer value dictating if the supplied coordinates should be offset by X number of bases. Default is 0.

Value

a DNASTringSet object with trimmed sequences.

Note

If side is left, then any sequence following end of coords+offBy is returned. If side is right, then sequence preceding start of coords-offBy is returned. If side is middle, then sequence contained in coords is returned where offBy is added to start and subtracted from end in coords.

See Also

[extractSeqs](#), [primerIDAlignSeqs](#)

Examples

```
dnaSet <- DNASTringSet(c("AAAAAAAAACCTGAATCCTGGCAATGTCATCATC",
"AAAAAAAAATCCTGGCAATGTCATCATCAATGG", "AAAAAAAAAATCAGTTGTCAACGGCTAATACGCG",
"AAAAAAAAAATCAATGGCGATTGCCGCTCTGCA", "AAAAAAAAAACCCGCTCTGCAATGTGAGGGCCTAA",
"AAAAAAAAAGAAGGATGCCAGTTGAAGTTCACAC"))
coords <- IRanges(start=1, width=rep(10,6))
trimSeqs(dnaSet, coords, side="left", offBy=1)
trimSeqs(dnaSet, coords, side="middle")
```

troubleshootLinkers *Compare LTRed/Primed sequences to all linkers.*

Description

Given a SampleInfo object, the function compares LTRed sequences from each sample per sector to all the linker sequences present in the run. The output is a summary table of counts of good matches to all the linkers per sample.

Usage

```
troubleshootLinkers(sampleInfo, qualityThreshold = 0.55,
  qualityThreshold1 = 0.75, qualityThreshold2 = 0.5, doRC = TRUE,
  parallel = TRUE, samplenames = NULL, ...)
```

Arguments

sampleInfo	sample information SimpleList object outputted from findPrimers or findLTRs , which holds decoded sequences for samples per sector/quadrant along with information of sample to primer associations.
qualityThreshold	percent of linker length to match, round(nchar(linker)*qualityThreshold). Default is 0.55. Only applies to non-primerID based linkers
qualityThreshold1	percent of first part of patternSeq to match. Default is 0.75. Only applies to primerID based linker search.
qualityThreshold2	percent of second part of patternSeq to match. Default is 0.50. Only applies to primerID based linker search.
doRC	perform reverse complement search of the linker sequence. Default is TRUE. Highly recommended!
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam . Parallelization is done at sample level per sector.
samplenames	a vector of samplenames to process. Default is NULL, which processes all samples from sampleInfo object.
...	extra parameters to be passed to pairwiseAlignment .

Value

a dataframe of counts.

Note

If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [vpairwiseAlignSeqs](#), [primerIDAlignSeqs](#), [findLTRs](#), [findPrimers](#), [findAndTrimSeq](#)

vpairwiseAlignSeqs *Align a short pattern to variable length target sequences.*

Description

Align a fixed length short pattern sequence to subject sequences using [vmatchPattern](#). This function is meant for aligning a short pattern onto large collection of subjects. If you are looking to align a vector sequence to subjects, then please use BLAT.

Usage

```
vpairwiseAlignSeqs(subjectSeqs = NULL, patternSeq = NULL, side = "left",
  qualityThreshold = 1, showStats = FALSE, bufferBases = 5, doRC = TRUE,
  parallel = FALSE, ...)
```

Arguments

subjectSeqs	DNASTringSet object containing sequences to be searched for the pattern. This is generally bigger than patternSeq, and cases where subjectSeqs is smaller than patternSeq will be ignored in the alignment.
patternSeq	DNASTring object or a sequence containing the query sequence to search. This is generally smaller than subjectSeqs.
side	which side of the sequence to perform the search: left, right, or middle. Default is 'left'.
qualityThreshold	percent of patternSeq to match. Default is 1, full match. This is supplied to max.mismatch parameter of vmatchPattern as round(nchar(patternSeq)*(1-qualityThreshold)).
showStats	toggle output of search statistics. Default is FALSE.
bufferBases	use x number of bases in addition to patternSeq length to perform the search. Beneficial in cases where the pattern has homopolymers or indels compared to the subject. Default is 5. Doesn't apply when side='middle'.
doRC	perform reverse complement search of the defined pattern. Default is TRUE.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to FALSE. If no parallel backend is registered, then a serial version is ran using SerialParam .
...	extra parameters for vmatchPattern except for 'max.mismatch' since it's calculated internally using the 'qualityThreshold' parameter.

Value

IRanges object with starts, stops, and names of the aligned sequences.

Note

- For qualityThreshold, the alignment score is calculated by $(\text{matches} * 2) - (\text{mismatches} + \text{gaps})$ which pragmatically translates to $\text{round}(\text{nchar}(\text{patternSeq}) * \text{qualityThreshold}) * 2$.
- No indels are allowed in the function, if expecting indels then use [pairwiseAlignSeqs](#).
- If qualityThreshold is 1, then it is a full match, if 0, then any match is accepted which is useful in searching linker sequences at 3' end. Beware, this function only searches for the pattern sequence in one orientation. If you are expecting to find the pattern in both orientation, you might be better off using BLAST/BLAT!
- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[pairwiseAlignSeqs](#), [primerIDAlignSeqs](#), [doRCTest](#), [findAndTrimSeq](#), [blatSeqs](#), [findAndRemoveVector](#)

Examples

```
subjectSeqs <- c("CCTGAATCCTGGCAATGTCATCATC", "ATCCTGGCAATGTCATCATCAATGG",
"ATCAGTTGTCAACGGCTAATACGCG", "ATCAATGGCGATTGCCGCTGCA",
"CCGCGTCTGCAATGTGAGGGCCTAA", "GAAGGATGCCAGTTGAAGTTCACAC")
subjectSeqs <- DNAStrngSet(xscat("AAAAAAAAA", subjectSeqs))
vpairwiseAlignSeqs(subjectSeqs, "AAAAAAAAA", showStats=TRUE)
vpairwiseAlignSeqs(subjectSeqs, "AAAAAAAAA", showStats=TRUE,
qualityThreshold=0.5)
```

```
write.listedDNAStrngSet
```

Write a fasta file per sample in parallel

Description

Given a listed DNAStrngSet object return from [extractSeqs](#), the function writes a fasta file for each sample as defined in filePath parameter.

Usage

```
write.listedDNAStrngSet(dnaSet, filePath = ".", filePrefix = "processed",
  prependSamplenames = TRUE, format = "fasta", parallel = FALSE)
```

Arguments

dnaSet	listed DNAStrngSet object containing sequences to be written.
filePath	a path write the fasta files per sample. Default is current working directory.
filePrefix	prefix the filenames with a string. Default is 'processed' followed by sample-name.

prependSamplenames	Prepend definition lines with samplenames. Default is TRUE. Make sure the dnaSet parameter is a named list where names are used as samplenames.
format	either fasta (the default) or fastq.
parallel	use parallel backend to perform calculation with BiocParallel . Defaults to TRUE. If no parallel backend is registered, then a serial version is ran using SerialParam .

Note

- Writing of the files is done using [writeXStringSet](#) with parameter append=TRUE. This is to aggregate reads from a sample which might be present in more than one sector.
- If data is paired end, then each pair will be written separately with designations in the filename as well as in the definition line as (at)pairX(at) appended at the end.
- If parallel=TRUE, then be sure to have a parallel backend registered before running the function. One can use any of the following [MulticoreParam](#) [SnowParam](#)

See Also

[findBarcodes](#), [read.SeqFolder](#), [extractSeqs](#), [addListNameToReads](#)

Examples

```
load(file.path(system.file("data", package = "hiReadsProcessor"),
"FLX_seqProps.RData"))
samples <- c(Roth-MLV3p-CD4TMLVWell6-Tsp509I,
Roth-MLV3p-CD4TMLVWell6-MseI, Roth-MLV3p-CD4TMLVwell15-MuA)
seqs <- extractSeqs(seqProps, sector=2, samplename=samples, feature="primed")
write.listedDNAStrngSet(seqs)
```

write.psl

Write PSL file from dataframe or GRanges

Description

Given a data frame or GRanges object, the function write a tab delimited PSL file

Usage

```
write.psl(x, filename = "out.psl", header = FALSE,
includeOtherCols = FALSE)
```

Arguments

<code>x</code>	data frame or GRanges object with required columns for psl file format.
<code>filename</code>	name for the output PSL file. Default is "out.psl"
<code>header</code>	include PSL header line. Default is FALSE.
<code>includeOtherCols</code>	include other non PSL specific columns from x in the output. Default is FALSE.

Value

name of the output PSL file

See Also

[read.psl](#), [blatSeqs](#), [read.blast8](#), [read.BAMasPSL](#), [pslToRangedObject](#)

Examples

```
data(psl)
pslFile <- tempfile()
write.psl(psl, filename = pslFile)
```

Index

*Topic **datasets**

- psl, [36](#)
- seqProps, [47](#)

- addFeature, [3](#), [13](#), [27](#)
- addListNameToReads, [4](#), [54](#)
- annotateSites, [4](#), [20](#)

- BiocParallel, [7](#), [9](#), [12](#), [16](#), [19](#), [21](#), [22](#), [25](#), [28](#),
[30–32](#), [34](#), [39](#), [40](#), [51](#), [52](#), [54](#)
- blatListedSet, [6](#), [20](#), [27](#), [38](#)
- blatSeqs, [6](#), [6](#), [16](#), [17](#), [19](#), [20](#), [25–27](#), [33](#), [34](#),
[36–40](#), [48](#), [49](#), [53](#), [55](#)

- chunkize, [8](#)
- clusterSites, [5](#), [8](#), [11](#), [19](#), [20](#), [27–32](#)
- crossOverCheck, [5](#), [10](#), [10](#), [20](#), [27](#), [30](#), [32](#)

- decodeByBarcode (findBarcodes), [17](#)
- dereplicateReads, [11](#), [18](#), [45](#), [46](#), [48](#)
- doAnnotation, [5](#)
- doRCtest, [12](#), [34](#), [36](#), [53](#)

- extractFeature, [3](#), [4](#), [13](#), [15](#), [17](#), [21](#), [23](#), [24](#),
[26](#), [27](#)
- extractSeqs, [3](#), [4](#), [6](#), [13](#), [14](#), [17](#), [19–27](#), [32](#),
[44](#), [50](#), [53](#), [54](#)

- findAndRemoveVector, [15](#), [26](#), [33](#), [34](#), [36](#), [53](#)
- findAndTrimSeq, [16](#), [16](#), [21](#), [23](#), [24](#), [26](#), [34](#),
[52](#), [53](#)
- findBarcodes, [11](#), [14](#), [17](#), [24](#), [32](#), [41–48](#), [54](#)
- findIntegrations, [5](#), [10](#), [11](#), [19](#), [21](#), [27](#), [29](#),
[30](#), [32](#)
- findLinkers, [13](#), [15](#), [17](#), [19](#), [20](#), [20](#), [23](#), [24](#), [26](#)
- findLTRs, [13](#), [15](#), [20](#), [21](#), [22](#), [24–26](#), [51](#), [52](#)
- findPrimers, [3](#), [13](#), [15](#), [17](#), [20–22](#), [23](#), [23](#), [26](#),
[51](#), [52](#)
- findVector, [14](#), [25](#)

- getIntegrationSites, [5](#), [9–11](#), [19](#), [20](#), [26](#),
[28–30](#), [32](#), [33](#)

- getSectorsForSamples, [3](#), [4](#), [13](#), [15](#), [27](#)
- getSonicAbund, [9](#), [10](#), [20](#), [28](#)

- hiReadsProcessor, [29](#)
- hiReadsProcessor-package
(hiReadsProcessor), [29](#)

- isuSites, [5](#), [10](#), [20](#), [27](#), [29](#), [30](#), [32](#)

- MulticoreParam, [16](#), [17](#), [20](#), [21](#), [23–25](#), [34](#),
[39](#), [40](#), [51](#), [53](#), [54](#)

- otuSites, [10](#), [11](#), [19](#), [29](#), [31](#)

- pairUpAlignments, [32](#), [38](#)
- pairwiseAlignment, [17](#), [21](#), [22](#), [24](#), [33–35](#), [51](#)
- pairwiseAlignSeqs, [6–8](#), [12](#), [16](#), [17](#), [20–24](#),
[26](#), [33](#), [33](#), [36–40](#), [52](#), [53](#)
- primerIDAlignSeqs, [8](#), [12](#), [14](#), [17](#), [20](#), [21](#), [23](#),
[24](#), [34](#), [35](#), [50](#), [52](#), [53](#)

- psl, [36](#)
- pslCols, [37](#), [40](#)
- pslToRangedObject, [5](#), [6](#), [10](#), [11](#), [16](#), [20](#), [27](#),
[29](#), [30](#), [32](#), [37](#), [37](#), [38](#), [40](#), [55](#)

- read.BAMasPSL, [33](#), [37](#), [38](#), [40](#), [55](#)
- read.blast8, [6](#), [7](#), [16](#), [27](#), [33](#), [37](#), [38](#), [39](#), [40](#),
[49](#), [55](#)
- read.psl, [6](#), [7](#), [19](#), [20](#), [26](#), [27](#), [33](#), [38](#), [39](#), [40](#),
[49](#), [55](#)
- read.sampleInfo, [18](#), [25](#), [41](#), [43](#)
- read.SeqFolder, [18](#), [41](#), [42](#), [43](#), [44](#), [54](#)
- read.seqsWithNs, [18](#), [44](#)
- removeReadsWithNs, [11](#), [45](#), [46](#)
- replicateReads, [11](#), [18](#), [45](#), [45](#), [48](#)

- sampleSummary, [46](#)
- seqProps, [36](#), [47](#)
- SerialParam, [5](#), [7](#), [9](#), [12](#), [16](#), [19](#), [21](#), [22](#), [24](#),
[25](#), [28](#), [30–32](#), [34](#), [39](#), [40](#), [51](#), [52](#), [54](#)

SnowParam, 16, 17, 20, 21, 23–25, 34, 39, 40,
51, 53, 54
sonicLength, 28
splitByBarcode, 11, 17, 18, 42, 43, 45, 46, 47
splitSeqsToFiles, 7, 48
startgfServer, 6, 7, 20, 27, 37, 39, 40, 49
stopgfServer, 6, 7, 49
stopgfServer (startgfServer), 49

trimSeqs, 3, 13, 15, 16, 50
troubleshootLinkers, 51

vcountPattern, 12
vmatchPattern, 17, 24, 52
vpairwiseAlignSeqs, 6–8, 12, 16, 17, 21, 23,
24, 34, 36, 37, 39, 40, 52, 52

write.listedDNAStringSet, 4, 53
write.psl, 40, 54
writeXStringSet, 54