

Package ‘mbkmeans’

April 15, 2020

Type Package

Title Mini-batch K-means Clustering for Single-Cell RNA-seq

Version 1.2.0

Description Implements the mini-batch k-means algorithm for large datasets, including support for on-disk data representation.

Depends R (>= 3.6)

Imports methods, DelayedArray, Rcpp, SingleCellExperiment, SummarizedExperiment, ClusterR, benchmarkme, Matrix

Suggests beachmat, HDF5Array, Rhdf5lib, BiocStyle, TENxPBMCDData, scater, DelayedMatrixStats, knitr, testthat

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

LinkingTo Rcpp, RcppArmadillo (>= 0.7.2), Rhdf5lib, beachmat, ClusterR

SystemRequirements C++11

VignetteBuilder knitr

biocViews Clustering, GeneExpression, RNASeq, Software, Transcriptomics, Sequencing, SingleCell

BugReports <https://github.com/drisso/mbkmeans/issues>

git_url <https://git.bioconductor.org/packages/mbkmeans>

git_branch RELEASE_3_10

git_last_commit 6ea1350

git_last_commit_date 2019-10-29

Date/Publication 2020-04-14

Author Yuwei Ni [aut, cph],
Davide Risso [aut, cre, cph],
Stephanie Hicks [aut, cph],
Elizabeth Purdom [aut, cph]

Maintainer Davide Risso <risso.davide@gmail.com>

R topics documented:

blocksize	2
compute_wcss	2
mbkmeans	3
mini_batch	5
predict_mini_batch	6

Index	8
--------------	----------

blocksize	<i>blocksize</i>
-----------	------------------

Description

Return the maximum number of rows to use based on the amount of ram memory.

Usage

```
blocksize(data, ram = get_ram())
```

Arguments

data	matrix-like object.
ram	the max amount of ram (in bytes) to use.

Value

Numeric value of the maximum number of rows.

Examples

```
data <- matrix(NA, nrow = 100, ncol=1000)
blocksize(data, ram=1e6)
```

compute_wcss	<i>Compute Within-Cluster Sum of Squares</i>
--------------	--

Description

Given a vector of cluster labels, a matrix of centroids, and a dataset, it computes the WCSS.

Usage

```
compute_wcss(clusters, cent, data)
```

Arguments

clusters	numeric vector with the cluster assignments.
cent	numeric matrix with the centroids (clusters in rows, variables in columns).
data	matrix-like object containing the data (numeric or integer).

Value

A numeric vector with the value of WCSS per cluster.

Examples

```
data = matrix(1:30,nrow = 10)
cl <- mini_batch(data, 2, 10, 10)
compute_wcss(cl$Clusters, cl$centroids, data)
```

mbkmeans

*Mini-Batch k-means for large single cell sequencing data***Description**

This is an implementation of the mini-batch k-means algorithm of Sculley (2010) for large single cell sequencing data with the dimensionality reduction results as input in the reducedDim() slot.

Usage

```
mbkmeans(x, ...)

## S4 method for signature 'SummarizedExperiment'
mbkmeans(x, whichAssay = 1, ...)

## S4 method for signature 'SingleCellExperiment'
mbkmeans(x, reduceMethod = "PCA",
  whichAssay = 1, ...)

## S4 method for signature 'LinearEmbeddingMatrix'
mbkmeans(x, ...)

## S4 method for signature 'ANY'
mbkmeans(x, clusters, batch_size = ifelse(ncol(x) > 100,
  ceiling(ncol(x) * 0.05), ncol(x)), max_iters = 100, num_init = 1,
  init_fraction = ifelse(ncol(x) > 100, 0.25, 1),
  initializer = "kmeans++", calc_wcss = FALSE, early_stop_iter = 10,
  verbose = FALSE, CENTROIDS = NULL, tol = 1e-04)
```

Arguments

x	The object on which to run mini-batch k-means. It can be a matrix-like object (e.g., matrix, Matrix, DelayedMatrix, HDF5Matrix) with genes in the rows and samples in the columns. Specialized methods are defined for SummarizedExperiment and SingleCellExperiment.
...	Arguments to pass to the matrix method.
whichAssay	The assay to use as input to mini-batch k-means. If x is a SingleCellExperiment, this is ignored unless reduceMethod = NA.
reduceMethod	Name of dimensionality reduction results to use as input to mini-batch k-means. Set to NA to use the full matrix.

clusters	the number of clusters
batch_size	the size of the mini batches. By default, it equals the number of observations if there are less than 100 cells and 5 percent of observations otherwise.
max_iters	the maximum number of clustering iterations
num_init	number of times the algorithm will be run with different centroid seeds
init_fraction	percentage of data to use for the initialization centroids (applies if initializer is <i>kmeans++</i>). Should be a float number between 0.0 and 1.0. By default, it uses all the data if there are less than 100 cells and 25 percent of the data otherwise.
initializer	the method of initialization. One of <i>kmeans++</i> and <i>random</i> . See details for more information
calc_wcss	either TRUE or FALSE, indicating whether the result of WCSS is shown. FALSE is default
early_stop_iter	continue that many iterations after calculation of the best within-cluster-sum-of-squared-error
verbose	either TRUE or FALSE, indicating whether progress is printed during clustering
CENTROIDS	a matrix of initial cluster centroids. The rows of the CENTROIDS matrix should be equal to the number of clusters and the columns should be equal to the columns of the data
tol	a float number. If, in case of an iteration (iteration > 1 and iteration < max_iters) 'tol' is greater than the squared norm of the centroids, then kmeans has converged

Details

The implementation is largely based on the [MiniBatchKmeans](#) function of the ClusterR package. The contribution of this package is to provide support for on-disk data representations such as HDF5, through the use of `DelayedMatrix` and `HDF5Matrix` objects, as well as for sparse data representation through the classes of the `Matrix` package. We also provide high-level methods for objects of class `SummarizedExperiment`, `SingleCellExperiment`, and `LinearEmbeddingMatrix`.

This function performs k-means clustering using mini batches.

kmeans++: kmeans++ initialization. Reference : <http://theory.stanford.edu/~sergei/papers/kMeansPP-soda.pdf> AND <http://stackoverflow.com/questions/5466323/how-exactly-does-k-means-work>

random: random selection of data rows as initial centroids

Value

A list with the following attributes: `centroids`, `WCSS_per_cluster`, `best_initialization`, `iters_per_initialization`.

a list with the following attributes: `centroids`, `WCSS_per_cluster`, `best_initialization`, `iters_per_initialization`

Author(s)

Lampros Mouselimis and Yuwei Ni

References

Sculley. Web-Scale K-Means Clustering. WWW 2010, April 26–30, 2010, Raleigh, North Carolina, USA. ACM 978-1-60558-799-8/10/04.

<https://github.com/mlampros/ClusterR>

Examples

```

library(SummarizedExperiment)
se <- SummarizedExperiment(matrix(rnorm(100), ncol=10))
mbkmeans(se, clusters = 2)
library(SingleCellExperiment)
sce <- SingleCellExperiment(matrix(rnorm(100), ncol=10))
mbkmeans(sce, clusters = 2, reduceMethod = NA)
x<-matrix(rnorm(100), ncol=10)
mbkmeans(x,clusters = 3)

```

mini_batch

Mini_batch

Description

Mini-batch-k-means for matrix-like objects

Usage

```

mini_batch(data, clusters, batch_size, max_iters, num_init = 1L,
  init_fraction = 1, initializer = "kmeans++", calc_wcss = FALSE,
  early_stop_iter = 10L, verbose = FALSE, CENTROIDS = NULL,
  tol = 1e-04)

```

Arguments

data	numeric or integer matrix-like object.
clusters	the number of clusters.
batch_size	the size of the mini batches.
max_iters	the maximum number of clustering iterations.
num_init	number of times the algorithm will be run with different centroid seeds.
init_fraction	percentage of data to use for the initialization centroids (applies if initializer is <i>kmeans++</i>). Should be a float number between 0.0 and 1.0.
initializer	the method of initialization. One of <i>kmeans++</i> and <i>random</i> . See details for more information.
calc_wcss	logical indicating whether the within-cluster sum of squares should be computed and returned.
early_stop_iter	continue that many iterations after calculation of the best within-cluster-sum-of-squared-error.
verbose	logical indicating whether progress is printed on screen.
CENTROIDS	an optional matrix of initial cluster centroids. The rows of the CENTROIDS matrix should be equal to the number of clusters and the columns should be equal to the columns of the data.
tol	convergence tolerance.

Details

This function performs k-means clustering using mini batches. It was inspired by the implementation in <https://github.com/mlampros/ClusterR>.

The input matrix can be in any format supported by the ‘DelayedArray’ / ‘beachmat’ framework, including the matrix classes defined in the ‘Matrix’ package and the ‘HDFMatrix’ class.

There are two possible initializations.

kmeans++: kmeans++ initialization.

random: random selection of data rows as initial centroids.

Value

a list with the following attributes:

centroids: the final centroids;

WCSS_per_cluster: within-cluster sum of squares;

best_initialization: which initialization value led to the best WCSS solution;

iters_per_initialization: number of iterations per each initialization.

References

Sculley, D., 2010, April. Web-scale k-means clustering. In Proceedings of the 19th international conference on World wide web (pp. 1177-1178). ACM.

Arthur, D. and Vassilvitskii, S., 2007, January. k-means++: The advantages of careful seeding. In Proceedings of the eighteenth annual ACM-SIAM symposium on Discrete algorithms (pp. 1027-1035). Society for Industrial and Applied Mathematics.

Examples

```
data = matrix(1:30,nrow = 10)
mini_batch(data, 2, 10, 10)
```

predict_mini_batch *Predict_mini_batch*

Description

Prediction function for mini-batch k-means applied to matrix-like objects.

Usage

```
predict_mini_batch(data, CENTROIDS)
```

Arguments

data	matrix-like object containing numeric or integer data (observations in rows, variables in columns).
CENTROIDS	a matrix of initial cluster centroids. The rows of the CENTROIDS matrix should be equal to the number of clusters and the columns should equal the columns of the data.

Details

This function takes the data and the output centroids and returns the clusters.

This implementation relies very heavily on the [MiniBatchKmeans](#) implementation. We provide the ability to work with other matrix-like objects other than base matrices (e.g. `DelayedMatrix` and `HDF5Matrix`) through the `beachmat` library.

Value

it returns a vector with the clusters.

Author(s)

Yuwei Ni

Examples

```
data(iris)
km = mini_batch(as.matrix(iris[,1:4]), clusters = 3,
               batch_size = 10, max_iters = 10)
clusters = predict_mini_batch(as.matrix(iris[,1:4]),
                             CENTROIDS = km$centroids)
```

Index

`blocksize`, [2](#)

`compute_wcss`, [2](#)

`mbkmeans`, [3](#)

`mbkmeans`, ANY-method (`mbkmeans`), [3](#)

`mbkmeans`, `LinearEmbeddingMatrix`-method
(`mbkmeans`), [3](#)

`mbkmeans`, `SingleCellExperiment`-method
(`mbkmeans`), [3](#)

`mbkmeans`, `SummarizedExperiment`-method
(`mbkmeans`), [3](#)

`mini_batch`, [5](#)

`MiniBatchKmeans`, [4](#), [7](#)

`predict_mini_batch`, [6](#)