

Package ‘msqc1’

April 14, 2020

Title Sigma mix MSQC1 data

Version 1.14.0

Depends R (>= 3.6), lattice, stats, utils

Suggests BiocStyle, knitr, testthat, specL

Description The data set contains an eight technical replicate data set and a three replicate dilution series of the MS Qual/Quant QC Mix standard sample (Sigma-Aldrich, Buchs, Switzerland) measured on five different mass spec platforms at the Functional Genomics Center Zurich.

License GPL

LazyData true

VignetteBuilder knitr

NeedsCompilation no

biocViews ExperimentData, MassSpectrometryData, ReproducibleResearch

URL <https://panoramaweb.org/labkey/MSQC1.url>,
<http://fgcz-bfabric.uzh.ch/bfabric/project.html?projectId=1959>

git_url <https://git.bioconductor.org/packages/msqc1>

git_branch RELEASE_3_10

git_last_commit fcfef179

git_last_commit_date 2019-10-29

Date/Publication 2020-04-14

Author Tobias Kockmann [aut],
Christian Trachsel [aut],
Christian Panse [aut, cre] (<<https://orcid.org/0000-0003-1975-3064>>)

Maintainer Christian Panse <cp@fgcz.ethz.ch>

R topics documented:

msqc1-package	2
msqc1_8rep	3
msqc1_8rep_QEXACTIVEHF_assayDevel	5
msqc1_8rep_tripleTOF5600_assayDevel	6
msqc1_dil	7
msqc1_userstudy	10
peptides	11

msqc1-package	<i>Sigma mix MSQC1 data</i>
---------------	-----------------------------

Description

The data set contains an eight technical replicate data set and a three replicate dilution series of the MS Qual/Quant QC Mix standard sample (Sigma-Aldrich, Buchs, Switzerland) measured on five different mass spec platforms at the Functional Genomics Center Zurich.

Details

To obtain the MSQC1 stock solution, MS Qual/Quant QC Mix (Catalog #: MSQC1, Lot # 081M6281) was purchased from SigmaLaldrich (Buchs, Switzerland).

The first sample `msqc1_8rep` is based on eight technical replicates. To derive a complex sample matrix, 10 μ l of MSQC1 working solution was mixed with 10 μ l (approx 10 μ g) tryptic yeast digest (*Saccharomyces cerevisiae*), 1 μ l iRT peptide stock solution (Biognosys, Schlieren, Switzerland), and 19 μ l 0.1% FA. This sample is denoted as standard sample.

The `msqc1_di1` sample was derived from a six point dilution series containing relative MSQC1 amounts of 0.025, 0.05, 0.2, 1, 2, and 5 with respect to the standard sample. The amount of yeast digest and iRT peptides was kept constant across all dilution steps. The reference L:H ratio vs. the on column amount of SIL peptide can be found in the data set peptides.

Both samples were measured on five mass spectrometers. The mass spectrometers and operation modes are:

- QTRAP (ABSciex, Concord, Canada) - SRM mode
- TSQvantage (ThermoScientific, Bremen, Germany) - SRM mode
- Qexactive (ThermoScientific, Bremen, Germany) - PRM mode
- QExactiveHF (ThermoScientific, Bremen, Germany) - DIA mode
- TRIPLETOF 5600 (ABSciex, Concord, Canada) - SWATH and MS1 mode

All Raw LC-MS data from all platforms were imported into Skyline 3.1 (doi: [10.1093/bioinformatics/btq054](https://doi.org/10.1093/bioinformatics/btq054)). A single expert user adjusted the automatic peak group selection and integration border positioning (skyline legacy peak scoring).

The data were exported from skyline as csv files and included in this package as `data.frame` in RData files.

Author(s)

NA

Maintainer: NA

References

- www.sigmaaldrich.com
- skyline software - doi: [10.1093/bioinformatics/btq054](https://doi.org/10.1093/bioinformatics/btq054)
- peptide mix <http://www.sigmaaldrich.com/life-science/proteomics/mass-spectrometry/ms-qual-quant-qc-mix.html>, 2014
- Functional Genomic Center Zurich data repository (internal project p1959) <http://fgcz-bfabric.uzh.ch/bfabric/userlab/show-project.html?projectId=1959> - contains all mass spectrometer generated raw files. access for registered users.
- <https://panoramaweb.org/labkey/project/PanoramaPublic/> search for msvc1 (not published yet) - contains all skyline files and the export template

Examples

```
# Have Fun!
browseVignettes('msqc1')
```

msqc1_8rep

MSQC1 8 technical replicates

Description

The data set contains a 8 technical replicates measured on five mass spec devices.

Usage

```
data("msqc1_8rep")
```

Format

A data frame with 6272 observations on the following 16 variables.

Replicate.Name a factor with levels 04_MSQC1_in_yd_incl_iRT_1in40_rep1 05_MSQC1_in_yd_incl_iRT_1in40_rep2 06_MSQC1_in_yd_incl_iRT_1in40_rep3 07_MSQC1_in_yd_incl_iRT_1in40_rep4 08_MSQC1_in_yd_incl_iRT_1in40_rep5 09_MSQC1_in_yd_incl_iRT_1in40_rep6 10_MSQC1_in_yd_incl_iRT_1in40_rep7 11_MSQC1_in_yd_incl_iRT_1in40_rep8
 20131204_001_HS_yeast 20131204_002_HS_yeast 20131204_003_HS_yeast 20131204_003_HS_yeast_01 20131204_004_HS_yeast 20131204_004_HS_yeast_02 20131204_005_HS_yeast 20131204_005_HS_yeast_03 20131204_006_HS_yeast 20131204_006_HS_yeast_04 20131204_007_HS_yeast 20131204_008_HS_yeast 20131204_008_HS_yeast_05 20131204_009_HS_yeast_06 20131204_010_HS_yeast_07 20131204_011_HS_yeast_08 20140212_006_MSQC1_QTrap_01 20140212_007_MSQC1_QTrap_02 20140212_008_MSQC1_QTrap_03 20140212_009_MSQC1_QTrap_04 20140212_011_MSQC1_QTrap_05 20140212_012_MSQC1_QTrap_06 20140212_013_MSQC1_QTrap_07 20140212_014_MSQC1_QTrap_08 20140326_01_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_02_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_03_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_04_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_05_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_06_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_07_MSQC1_Yeast_iRT_12MS2_1e5_70k 20140326_08_MSQC1_Yeast_iRT_12MS2_1e5_70k

File.Name a factor with levels 20131204_001_HS_yeast.wiff 20131204_002_HS_yeast.wiff 20131204_003_HS_yeast_01.raw 20131204_003_HS_yeast.wiff 20131204_004_HS_yeast_02.raw 20131204_004_HS_yeast.wiff 20131204_005_HS_yeast_03.raw 20131204_005_HS_yeast.wiff 20131204_006_HS_yeast_04.raw 20131204_006_HS_yeast.wiff 20131204_007_HS_yeast.wiff 20131204_008_HS_yeast_05.raw 20131204_008_HS_yeast.wiff 20131204_009_HS_yeast_06.raw

```

20131204_010_HS_yeast_07.raw 20131204_011_HS_yeast_08.raw 20140212_006_MSQC1_QTrap_01.wiff
20140212_007_MSQC1_QTrap_02.wiff 20140212_008_MSQC1_QTrap_03.wiff 20140212_009_MSQC1_QTrap_04
20140212_011_MSQC1_QTrap_05.wiff 20140212_012_MSQC1_QTrap_06.wiff 20140212_013_MSQC1_QTrap_07
20140212_014_MSQC1_QTrap_08.wiff 20140326_01_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw
20140326_02_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw 20140326_03_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw
20140326_04_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw 20140326_05_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw
20140326_06_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw 20140326_07_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw
20140326_08_MSQC1_Yeast_iRT_12MS2_1e5_70k.raw 20150526_04_MSQC1_in_yd_incl_iRT_1in40_rep1.ra
20150526_05_MSQC1_in_yd_incl_iRT_1in40_rep2.raw 20150526_06_MSQC1_in_yd_incl_iRT_1in40_rep3.
20150526_07_MSQC1_in_yd_incl_iRT_1in40_rep4.raw 20150526_08_MSQC1_in_yd_incl_iRT_1in40_rep5.
20150526_09_MSQC1_in_yd_incl_iRT_1in40_rep6.raw 20150526_10_MSQC1_in_yd_incl_iRT_1in40_rep7.
20150526_11_MSQC1_in_yd_incl_iRT_1in40_rep8.raw

```

Protein.Name a factor with levels CAH1/P00915 CAH2/P00918 Catalase/P04040 CRP/P02741
DT-Diaphorase(NQ01)/P15559 iRT-C18 Standard Peptides PPIA/Q13427

Peptide.Sequence a factor with levels ADVTPADFSEWSK ALIVLAHSER AVQQPDGLAVLGIFLK DGLDAASYAPVR
EGHLSPDIVAEQK ESDTSYVSLK FEDENFILK FSTVAGESGSADTVR GAGAFGYFEVTHDITK GAGSSEPVTGLDAK
GGPFSDSYR GTFIIDPAAVIR GTFIIDPGGVIR GYSIFSYATK LFLQFGAQGSPFLK LGGNEQVTR NLSVEDAAR
SADFTNFDPR TAENFR TPVISGGPYEYR TPVITGAPYEYR VEATFGVDESNK VLDALQAIK VSFELFADK
YILAGVENS

Isotope.Label.Type a factor with levels heavy light

Precursor.Mz a numeric vector

Precursor.Charge a numeric vector

Product.Mz a numeric vector

Product.Charge a numeric vector

Fragment.Ion a factor with levels b8 precursor precursor [M+1] precursor [M+2] y10 y11
y12 y4 y5 y6 y7 y8 y9

Retention.Time a numeric vector

Area a numeric vector

Background a numeric vector

relative.amount a numeric vector

instrument a factor with levels QExactive QExactiveHF QTRAP TRIPLETOF TSQVantage

File.Name.Id a numeric vector

Value

A data.frame and msvc1 S3 object.

Examples

```

data(msqc1_8rep)
## maybe str(msqc1_8rep) ; plot(msqc1_8rep) ...

```

 msvc1_8rep_QEXACTIVEHF_assayDevel

QEXACTIVEHF peptide signal response.

Description

This data set contains peptide signal response for the QEXACTIVEHF mass spec device. The peptide level signals as measured by DIA.

Usage

```
data("msqc1_8rep_QEXACTIVEHF_assayDevel")
```

Format

A data frame with 1864 observations on the following 16 variables.

Replicate.Name a factor with levels 04_MSQC1_in_yd_incl_iRT_1in40_rep1 05_MSQC1_in_yd_incl_iRT_1in40_rep2 06_MSQC1_in_yd_incl_iRT_1in40_rep3 07_MSQC1_in_yd_incl_iRT_1in40_rep4 08_MSQC1_in_yd_incl_iRT_1in40_rep5 09_MSQC1_in_yd_incl_iRT_1in40_rep6 10_MSQC1_in_yd_incl_iRT_1in40_rep7 11_MSQC1_in_yd_incl_iRT_1in40_rep8

File.Name a factor with levels 20150526_04_MSQC1_in_yd_incl_iRT_1in40_rep1.raw 20150526_05_MSQC1_in_yd_incl_iRT_1in40_rep2.raw 20150526_06_MSQC1_in_yd_incl_iRT_1in40_rep3.raw 20150526_07_MSQC1_in_yd_incl_iRT_1in40_rep4.raw 20150526_08_MSQC1_in_yd_incl_iRT_1in40_rep5.raw 20150526_09_MSQC1_in_yd_incl_iRT_1in40_rep6.raw 20150526_10_MSQC1_in_yd_incl_iRT_1in40_rep7.raw 20150526_11_MSQC1_in_yd_incl_iRT_1in40_rep8.raw

Protein.Name a factor with levels CAH1/P00915 CAH2/P00918 Catalase/P04040 CRP/P02741 DT-Diaphorase(NQ01)/P15559 iRT-C18 Standard Peptides P00915MSQC1|CAH1_HUMAN_MSQC1 P00918MSQC1|CAH2_HUMAN_MSQC1 P02741MSQC1|CRP_HUMAN_MSQC1 P04040MSQC1|CATA_HUMAN_MSQC1 P15559MSQC1|NQ01_HUMAN_MSQC1 P62937MSQC1|PPIA_HUMAN_MSQC1 PPIA/Q13427

Peptide.Sequence a factor with levels ADVLTTGAGNPVGDK ADVTPADFSEWSK AFYVNVLNNEEQR ALIVLAHSER APLTKPLK AVQQPDGLAVLGIFLK DAQIFIQK DGLDAASYAPVR DLFNAIATGK DPANFQYPAESVLAYK DPILFPSFIHSQK DYPLIPVGK EGHLSPIVAEQK EIINVGHSHFVNFEDNDNR EPISVSSEQVLK ESDTSYVSLK ESISVSSEQLAQFR FEDENFILK FGLSVGHHLGK FNTANDDNVTQVR FSTVAGESGSADTVR GAGAFGYFEVTHDITK GAGSSEPVTGLDAK GGPFSDSYR GGPLDGTYR GTFIIDPAAVIR GTFIIDPGGVIR GYSIFSYATK HDTSLKPISVSYNPATAK HNGPEHWHK ILNNGHAFNVFDDSDQK IQILEGWK LCENIAGHLK LFAYPDTHR LFLQFGAQGSPFLK LFQFHFWGSTNEHGSEHTVD LGGNEQVTR LGPNYLHIPPVNCYPYR LIQFHFWGSLDQGSEHTVDK LNVITVGR LSQEDPDYGR LVNANGEAVYCK LYPIANGNNQSPVDIK NAIHTFVQSGSHLAAR NGPEQWSK NLSVEDAAR QDNEILIFWSK QSPVDIDHTAK SADFTNFDPR SIPTDNQIK TEWLDGK TPVISGGPYEYR TPVITGAPYEYR VEATFGVDESNK VFEHIGK VGSAPGLQK VLDALQAIK VSFELFADK VVDVLDISK YAAELHLVHWNTK YDPSLKPLSVSYDQATSLR YEYVQGEVFTKPQLWP YILAGVENSK YNAEKPK YSAELHVAHWNSAK YSSLAEAAASK

Isotope.Label.Type a factor with levels light

Precursor.Mz a numeric vector

Precursor.Charge a numeric vector

Product.Mz a numeric vector

Product.Charge a numeric vector

Fragment.Ion a factor with levels b3 b4 b5 b6 b7 b8 y10 y11 y12 y3 y4 y5 y6 y7 y8 y9

Retention.Time a numeric vector

Area a numeric vector

Background a numeric vector
 relative.amount a numeric vector
 QEXACTIVEHF a factor with levels QEXACTIVEHF
 File.Name.Id a numeric vector

Value

A data.frame and msqc1 S3 object.

Examples

```
data(msqc1_8rep_QEXACTIVEHF_assayDevel)
## maybe str(msqc1_8rep_QEXACTIVEHF_assayDevel) ; plot(msqc1_8rep_QEXACTIVEHF_assayDevel) ...
```

```
msqc1_8rep_tripleTOF5600_assayDevel
      tripleTOF5600 peptide signal response
```

Description

This data set contains peptide signal response for the tripleTOF5600 mass spec device. The peptide level signals were measured in SWATH-MS mode.

Usage

```
data("msqc1_8rep_tripleTOF5600_assayDevel")
```

Format

A data frame with 1616 observations on the following 17 variables.

Replicate.Name a factor with levels 20131204_001_HS_yeast 20131204_002_HS_yeast 20131204_003_HS_yeast
 20131204_004_HS_yeast 20131204_005_HS_yeast 20131204_006_HS_yeast 20131204_007_HS_yeast
 20131204_008_HS_yeast

File.Name a factor with levels 20131204_001_HS_yeast.wiff 20131204_002_HS_yeast.wiff
 20131204_003_HS_yeast.wiff 20131204_004_HS_yeast.wiff 20131204_005_HS_yeast.wiff
 20131204_006_HS_yeast.wiff 20131204_007_HS_yeast.wiff 20131204_008_HS_yeast.wiff

Protein.Name a factor with levels CAH1/P00915 CAH2/P00918 Catalase/P04040 CRP/P02741
 DT-Diaphorase(NQ01)/P15559 iRT-C18 Standard Peptides P00915MSQC1|CAH1_HUMAN_MSQC1
 P00918MSQC1|CAH2_HUMAN_MSQC1 P02741MSQC1|CRP_HUMAN_MSQC1 P04040MSQC1|CATA_HUMAN_MSQC1
 P15559MSQC1|NQ01_HUMAN_MSQC1 P62937MSQC1|PPIA_HUMAN_MSQC1 PPIA/Q13427

Peptide.Sequence a factor with levels ADGLAVIGVLMK ADVLTTGAGNPVGDK ADVTPADFSEWSK AFYVNVLNNEEQR
 ALIVLAHSER APLTKPLK AVQQPDGLAVLGIFLK DAQIFIQK DGLDAASYAPVR DLFNAIATGK DPILFPSFIHSQK
 DYPLIPVGK EGHLSPDIVAEQK EGMNIVEAMER EPISVSSEQVLK ESPTSYYVSLK ESISVSSEQLAQFR FEDENFILK
 FGLSVGHHLGK FNTANDDNVTQVR FSTVAGESGSADTVR GAGAFGYFEVTHDITK GAGSSEPVTGLDAK GGPFSDSYR
 GGPLDGTYR GTFIIIDPAAVIR GTFIIIDPGGVIR GYSIFSYATK HDTSLKPISVSYNPATAK ILNNGHAFNVEFDDSQDK
 IQILEGWK LFAYPDTHR LFLQFGAQGSPFLK LGGNEQVTR LNVITVGPR LSQEDPDYGIR LYPIANGNNQSPVDIK
 NAIHTFVQSGSHLAAR NGPEQWSK NLSVEDAAR QSPVDIDHTAK SADFTNFDPR TEWLDGK TPVISGGPYEYR
 TPVITGAPYEYR TSFNAMK VEATFGVDESNK VGSAKPGLQK VLDALQAIK VSFELFADK VVDVLDISK
 YAAELHLVHWNTK YDPSLKPLSVSYDQATSLR YILAGVENSK YSAELHVAHWNSAK YSSLAEAAASK

Isotope.Label.Type a factor with levels light
 Precursor.Mz a numeric vector
 Precursor.Charge a numeric vector
 Product.Mz a numeric vector
 Product.Charge a numeric vector
 Fragment.Ion a factor with levels b2 b3 b7 b8 precursor precursor [M+1] precursor [M+2]
 y10 y11 y12 y13 y14 y2 y3 y4 y5 y6 y7 y8 y9
 Retention.Time a numeric vector
 Area a numeric vector
 Background a numeric vector
 relative.amount a numeric vector
 flag a factor with levels False True
 instrument a factor with levels TRIPLETOF
 File.Name.Id a numeric vector

Details

The signal response of the peptide *TAENF[R]* was not measured due to the lower m/z limit used by the DIA/SWATH-MS methods.

Value

A data.frame and mscq1 S3 object.

Examples

```

data(msqc1_8rep_tripleTOF5600_assayDevel)

#filter <- !(msqc1_8rep_tripleTOF5600_assayDevel$Protein.Name %in% peptides$Protein.Name)

#msqc1:::.signal_response_ident_plot(msqc1_8rep_tripleTOF5600_assayDevel[filter, ],
# instrument="tripleTOF5600",
# prot="P02741")

```

msqc1_dil

msqc1 dilution series

Description

MSQC1 3 technical replicates dilution series measured on five mass spec devices.

Usage

```
data("msqc1_dil")
```

Format

A data frame with 15300 observations on the following 15 variables.

Replicate.Name a factor with levels 20140807_01_MSCQ1_1_40dil_1_140808162146 20140807_02_MSCQ1_1_40dil_1_140808175142 20140807_03_MSCQ1_1_40dil_3_140808192115 20140807_04_MSCQ1_1_20dil_1_140808214050 20140807_05_MSCQ1_1_20dil_2_140808231024 20140807_06_MSCQ1_1_20dil_3_140809004002 20140807_07_MSCQ1_1_5dil_1_140809025941 20140807_08_MSCQ1_1_5dil_2_140809051908 20140807_09_MSCQ1_1_5dil_3_20140807_10_MSCQ1_nodil_1_20140807_11_MSCQ1_nodil_2_20140807_12_MSCQ1_nodil_3_20140807_13_MSCQ1_x2_1_20140807_14_MSCQ1_x2_2_20140807_15_MSCQ1_x2_3_20140807_16_MSCQ1_x5_1_20140807_17_MSCQ1_x5_2_20140807_18_MSCQ1_x5_3_20140808_02_MSCQ1_1_40dil_2_140808175141 20140812_004_QC_dil1_40_1_20140812_005_QC_dil1_40_2_20140812_006_QC_dil1_40_3_20140812_008_QC_dil1_20_1_20140812_009_QC_dil1_20_2_20140812_010_QC_dil1_20_3_20140812_012_QC_dil1_5_1_re_20140812_013_QC_dil1_5_2_re_20140812_014_QC_dil1_5_3_20140812_016_QC_nodil_1_20140812_017_QC_nodil_2_20140812_018_QC_nodil_3_20140812_020_QC_conc2_1_20140812_021_QC_conc2_2_20140812_022_QC_conc2_3_20140812_024_QC_conc5_1_20140812_025_QC_conc5_2_20140812_026_QC_conc5_3_20140818_003_MSCQ1_1_40dil_1_20140818_004_MSCQ1_1_40dil_1_20140818_005_MSCQ1_1_40dil_3_20140818_007_MSCQ1_1_20dil_1_20140818_008_MSCQ1_1_20dil_2_20140818_009_MSCQ1_1_20dil_3_20140818_011_MSCQ1_NoDil_1_20140818_013_MSCQ1_NoDil_2_20140818_015_MSCQ1_NoDil_3_20140818_017_MSCQ1_x2_1_20140818_019_MSCQ1_x2_2_20140818_021_MSCQ1_x2_3_20140818_023_MSCQ1_x5_1_20140818_025_MSCQ1_x5_2_20140818_027_MSCQ1_x5_3_20140818_030_MSCQ1_1_5dil_1_20140818_032_MSCQ1_1_5dil_2_20140818_034_MSCQ1_1_5dil_3_20150526_16_MSCQ1_40xdil_rep1_20150526_17_MSCQ1_40xdil_rep2_20150526_18_MSCQ1_40xdil_rep3_20150526_20_MSCQ1_20xdil_rep1_20150526_21_MSCQ1_20xdil_rep2_20150526_22_MSCQ1_20xdil_rep3_20150526_24_MSCQ1_5xdil_rep1_20150526_25_MSCQ1_5xdil_rep2_20150526_26_MSCQ1_5xdil_rep3_20150526_28_MSCQ1_nodil_rep1_20150526_29_MSCQ1_nodil_rep2_20150526_30_MSCQ1_nodil_rep3_20150526_32_MSCQ1_2x_rep1_20150526_33_MSCQ1_2x_rep2_20150526_34_MSCQ1_2x_rep3_20150526_36_MSCQ1_5x_rep1_20150526_37_MSCQ1_5x_rep2_20150526_38_MSCQ1_5x_rep3_20150601_001_QCdil_40dil_1_20150601_002_QCdil_40dil_2_20150601_003_QCdil_40dil_3_20150601_004_QCdil_20dil_1_20150601_005_QCdil_20dil_2_20150601_006_QCdil_20dil_3_20150601_007_QCdil_5dil_1_20150601_008_QCdil_5dil_2_20150601_009_QCdil_5dil_3_20150601_010_nodil_1_20150601_011_nodil_2_20150601_012_nodil_3_20150601_013_2conc_1_re_20150601_014_2conc_2_re_20150601_015_2conc_3_20150601_016_5conc_1_20150601_017_5conc_2_20150601_018_5conc_3

File.Name a factor with levels 20140807_01_MSCQ1_1_40dil_1_140808162146.raw 20140807_02_MSCQ1_1_40dil_1_140808175142.raw 20140807_03_MSCQ1_1_40dil_3_140808192115.raw 20140807_04_MSCQ1_1_20dil_1_140808214050.raw 20140807_05_MSCQ1_1_20dil_2_140808231024.raw 20140807_06_MSCQ1_1_20dil_3_140809004002.raw 20140807_07_MSCQ1_1_5dil_1_140809025941.raw 20140807_08_MSCQ1_1_5dil_2_140809051908.raw 20140807_09_MSCQ1_1_5dil_3_20140807_10_MSCQ1_nodil_1_20140807_11_MSCQ1_nodil_2_20140807_12_MSCQ1_nodil_3_20140807_13_MSCQ1_x2_1_20140807_14_MSCQ1_x2_2_20140807_15_MSCQ1_x2_3_20140807_16_MSCQ1_x5_1_20140807_17_MSCQ1_x5_2_20140807_18_MSCQ1_x5_3_20140812_004_QC_dil1_40_1_20140812_005_QC_dil1_40_2_20140812_006_QC_dil1_40_3_20140812_008_QC_dil1_20_1_20140812_009_QC_dil1_20_2_20140812_010_QC_dil1_20_3_20140812_012_QC_dil1_5_1_re_20140812_013_QC_dil1_5_2_re_20140812_014_QC_dil1_5_3_20140812_016_QC_nodil_1_20140812_017_QC_nodil_2_20140812_018_QC_nodil_3_20140812_020_QC_conc2_1_20140812_021_QC_conc2_2_20140812_022_QC_conc2_3_20140812_024_QC_conc5_1_20140812_025_QC_conc5_2_20140812_026_QC_conc5_3_20140818_003_MSCQ1_1_40dil_1.wiff 20140818_004_MSCQ1_1_40dil_1.wiff 20140818_005_MSCQ1_1_40dil_3.wiff 20140818_007_MSCQ1_1_20dil_1.wiff 20140818_008_MSCQ1_1_20dil_2.wiff 20140818_009_MSCQ1_1_20dil_3.wiff 20140818_011_MSCQ1_NoDil_1.wiff 20140818_013_MSCQ1_NoDil_2.wiff 20140818_015_MSCQ1_NoDil_3.wiff 20140818_017_MSCQ1_x2_1.wiff 20140818_019_MSCQ1_x2_2.wiff 20140818_021_MSCQ1_x2_3.wiff 20140818_023_MSCQ1_x5_1.wiff 20140818_025_MSCQ1_x5_2.wiff 20140818_027_MSCQ1_x5_3.wiff 20140818_030_MSCQ1_1_5dil_1.wiff 20140818_032_MSCQ1_1_5dil_2.wiff

20140818_034_MSCQ1_1_5dil_3.wiff 20150526_16_MSCQ1_40xdil_rep1.raw 20150526_17_MSCQ1_40xdil_r
 20150526_18_MSCQ1_40xdil_rep3.raw 20150526_20_MSCQ1_20xdil_rep1.raw 20150526_21_MSCQ1_20xdil_r
 20150526_22_MSCQ1_20xdil_rep3.raw 20150526_24_MSCQ1_5xdil_rep1.raw 20150526_25_MSCQ1_5xdil_re
 20150526_26_MSCQ1_5xdil_rep3.raw 20150526_28_MSCQ1_nodil_rep1.raw 20150526_29_MSCQ1_nodil_rep
 20150526_30_MSCQ1_nodil_rep3.raw 20150526_32_MSCQ1_2x_rep1.raw 20150526_33_MSCQ1_2x_rep2.raw
 20150526_34_MSCQ1_2x_rep3.raw 20150526_36_MSCQ1_5x_rep1.raw 20150526_37_MSCQ1_5x_rep2.raw
 20150526_38_MSCQ1_5x_rep3.raw 20150601_001_QCdil_40dil_1.wiff 20150601_002_QCdil_40dil_2.wiff
 20150601_003_QCdil_40dil_3.wiff 20150601_004_QCdil_20dil_1.wiff 20150601_005_QCdil_20dil_2.wiff
 20150601_006_QCdil_20dil_3.wiff 20150601_007_QCdil_5dil_1.wiff 20150601_008_QCdil_5dil_2.wiff
 20150601_009_QCdil_5dil_3.wiff 20150601_010_nodil_1.wiff 20150601_011_nodil_2.wiff
 20150601_012_nodil_3.wiff 20150601_013_2conc_1_re.wiff 20150601_014_2conc_2_re.wiff
 20150601_015_2conc_3.wiff 20150601_016_5conc_1.wiff 20150601_017_5conc_2.wiff
 20150601_018_5conc_3.wiff

Protein.Name a factor with levels CAH1/P00915 CAH2/P00918 Catalase/P04040 CRP/P02741
 DT-Diaphorase(NQ01)/P15559 iRT-C18 Standard Peptides PPIA/Q13427

Peptide.Sequence a factor with levels ADVTPADFSEWSK ALIVLAHSER AVQQPDGLAVLGIFLK DGLDAASYAPVR
 EGHLSPDIVAEQK ESDTSYVSLK FEDENFILK FSTVAGESGSADTVR GAGAFGYFEVTHDITK GAGSSEPVTGLDAK
 GGPFSDSYR GTFIIDPAAVIR GTFIIDPGGVIR GYSIFSYATK LFLQFGAQGSPFLK LGGNEQVTR NLSVEDAAR
 SADFTNFDPR TAENFR TPVISGGPYEYR TPVITGAPYEYR VEATFGVDESNK VLDALQAIK VSFELFADK
 YILAGVENSK

Isotope.Label.Type a factor with levels heavy light

Precursor.Mz a numeric vector

Precursor.Charge a numeric vector

Product.Mz a numeric vector

Product.Charge a numeric vector

Fragment.Ion a factor with levels b8 precursor precursor [M+1] precursor [M+2] y10 y11
 y12 y4 y5 y6 y7 y8 y9

Retention.Time a numeric vector

Area a numeric vector

Background a numeric vector

relative.amount a numeric vector

instrument a factor with levels QExactive QExactiveHF QTRAP TRIPLETOF TSQVantage

Value

A data.frame and msvc1 S3 object.

Examples

```
data(msqc1_dil)
## maybe str(msqc1_dil) ; plot(msqc1_dil) ...
```

msqc1_userstudy *msqc1 user study*

Description

contains a user study

Usage

```
data("msqc1_userstudy")
```

Format

A data frame with 21204 observations on the following 17 variables.

Replicate.Name a factor with levels 01_QCdil_40dil_1 02_QCdil_40dil_2 03_MSQC1_1_40dil_1
 03_QCdil_40dil_3 04_MSQC1_1_40dil_1 04_QCdil_20dil_1 05_MSQC1_1_40dil_3 05_QCdil_20dil_2
 06_QCdil_20dil_3 07_MSQC1_1_20dil_1 07_QCdil_5dil_1 08_MSQC1_1_20dil_2 08_QCdil_5dil_2
 09_MSQC1_1_20dil_3 09_QCdil_5dil_3 10_nodil_1 11_MSQC1_NoDil_1 11_nodil_2 12_nodil_3
 13_2conc_1_re 13_MSQC1_NoDil_2 14_2conc_2_re 15_2conc_3 15_MSQC1_NoDil_3 16_5conc_1
 17_5conc_2 17_MSQC1_x2_1 18_5conc_3 19_MSQC1_x2_2 20140818_003_MSQC1_1_40dil_1
 20140818_004_MSQC1_1_40dil_1 20140818_005_MSQC1_1_40dil_3 20140818_007_MSQC1_1_20dil_1
 20140818_008_MSQC1_1_20dil_2 20140818_009_MSQC1_1_20dil_3 20140818_011_MSQC1_NoDil_1
 20140818_013_MSQC1_NoDil_2 20140818_015_MSQC1_NoDil_3 20140818_017_MSQC1_x2_1
 20140818_019_MSQC1_x2_2 20140818_021_MSQC1_x2_3 20140818_023_MSQC1_x5_1 20140818_025_MSQC1_x5_2
 20140818_027_MSQC1_x5_3 20140818_030_MSQC1_1_5dil_1 20140818_032_MSQC1_1_5dil_2
 20140818_034_MSQC1_1_5dil_3 20150601_001_QCdil_40dil_1 20150601_002_QCdil_40dil_2
 20150601_003_QCdil_40dil_3 20150601_004_QCdil_20dil_1 20150601_005_QCdil_20dil_2
 20150601_006_QCdil_20dil_3 20150601_007_QCdil_5dil_1 20150601_008_QCdil_5dil_2
 20150601_009_QCdil_5dil_3 20150601_010_nodil_1 20150601_011_nodil_2 20150601_012_nodil_3
 20150601_013_2conc_1_re 20150601_014_2conc_2_re 20150601_015_2conc_3 20150601_016_5conc_1
 20150601_017_5conc_2 20150601_018_5conc_3 21_MSQC1_x2_3 23_MSQC1_x5_1 25_MSQC1_x5_2
 27_MSQC1_x5_3 30_MSQC1_1_5dil_1 32_MSQC1_1_5dil_2 34_MSQC1_1_5dil_3

File.Name a factor with levels 20140818_003_MSQC1_1_40dil_1.wiff 20140818_004_MSQC1_1_40dil_1.wiff
 20140818_005_MSQC1_1_40dil_3.wiff 20140818_007_MSQC1_1_20dil_1.wiff 20140818_008_MSQC1_1_20dil_2.wiff
 20140818_009_MSQC1_1_20dil_3.wiff 20140818_011_MSQC1_NoDil_1.wiff 20140818_013_MSQC1_NoDil_2.wiff
 20140818_015_MSQC1_NoDil_3.wiff 20140818_017_MSQC1_x2_1.wiff 20140818_019_MSQC1_x2_2.wiff
 20140818_021_MSQC1_x2_3.wiff 20140818_023_MSQC1_x5_1.wiff 20140818_025_MSQC1_x5_2.wiff
 20140818_027_MSQC1_x5_3.wiff 20140818_030_MSQC1_1_5dil_1.wiff 20140818_032_MSQC1_1_5dil_2.wiff
 20140818_034_MSQC1_1_5dil_3.wiff 20150601_001_QCdil_40dil_1.wiff 20150601_002_QCdil_40dil_2.wiff
 20150601_003_QCdil_40dil_3.wiff 20150601_004_QCdil_20dil_1.wiff 20150601_005_QCdil_20dil_2.wiff
 20150601_006_QCdil_20dil_3.wiff 20150601_007_QCdil_5dil_1.wiff 20150601_008_QCdil_5dil_2.wiff
 20150601_009_QCdil_5dil_3.wiff 20150601_010_nodil_1.wiff 20150601_011_nodil_2.wiff
 20150601_012_nodil_3.wiff 20150601_013_2conc_1_re.wiff 20150601_014_2conc_2_re.wiff
 20150601_015_2conc_3.wiff 20150601_016_5conc_1.wiff 20150601_017_5conc_2.wiff
 20150601_018_5conc_3.wiff

Protein.Name a factor with levels CAH1/P00915 CAH2/P00918 Catalase/P04040 CRP/P02741
 DT-Diaphorase(NQ01)/P15559 iRT-C18 Standard Peptides PPIA/Q13427

Peptide.Sequence a factor with levels ADVTPADPSEWSK ALIVLAHSER AVQQPDGLAVLGIFLK DGLDAASYAPVR
 EGHLSPDIVAEQK ESDTSYVSLK FEDENFILK FSTVAGESGSADTVR GAGAFGYFEVTHDITK GAGSSEPVTGLDAK

```
GGPFSDSYR GTFIIDPAAVIR GTFIIDPGGVIR GYSIFSYATK LFLQFGAQGSPFLK LGGNEQVTR NLSVEDAAR
SADFTNFDPR TAENFR TPVISGGPYEYR TPVITGAPYEYR VEATFGVDES#N/AK VLDALQAQIK VSFELFADK
YILAGVENS
```

```
Isotope.Label.Type a factor with levels heavy light
Precursor.Mz a numeric vector
Precursor.Charge a numeric vector
Product.Mz a numeric vector
Product.Charge a numeric vector
Fragment.Ion a factor with levels b8 y10 y11 y12 y4 y5 y6 y7 y8 y9
Retention.Time a numeric vector
Area a numeric vector
Background a numeric vector
relative.amount a numeric vector
instrument a factor with levels QTRAP TRIPLETOF
user a factor with levels algorithm_1 algorithm_2 algorithm_3 user_1 user_2 user_3 user_4
user_5 user_6
attempt a factor with levels beginner expert legacy mProphet second_best
```

Details

The data were derived by a user study. Therefore each individual was given a skyline document containing the dilution series data recorded on the QTRAP and TripleTOF 5600. Starting from skyline legacy results, users curated the data.

In addition, two mProphet doi: [10.1038/nmeth.1584](https://doi.org/10.1038/nmeth.1584) models (as implemented in skyline) were trained on the 8 replicate data from the same instrument.

Value

A data.frame and msqc1 S3 object.

Examples

```
data(msqc1_userstudy)
## maybe str(msqc1_userstudy) ; plot(msqc1_userstudy) ...
```

peptides

sigma mix peptides

Description

This table contains msqc1 peptide properties.

Usage

```
data("peptides")
```

Format

A data frame with 14 observations on the following 5 variables.

Peptide.Sequence a factor with levels ALIVLAHSER AVQQPDGLAVLGIFLK EGHLSPDIVAEQK ESDTSYVSLK
FEDENFILK FSTVAGESGSADTVR GAGAFGYFEVTHDITK GPPFSDSYR GYSIFSYATK NLSVEDAAR SADFTNFDPR
TAENFR VLDALQAIK VSFELFADK

SIL.peptide.per.vial a numeric vector

LH.ratio a numeric vector

actual.LH.ratio a numeric vector

Protein.Name a factor with levels CAH1/P00915 CAH2/P00918 Catalase/P04040 CRP/P02741
DT-Diaphorase(NQ01)/P15559 PPIA/Q13427

Value

A data.frame.

Source

<http://www.sigmaldrich.com/life-science/proteomics/mass-spectrometry/ms-qual-quant-qc-mix.html>, 2014

Examples

```
data(peptides)
## maybe str(peptides) ; plot(peptides) ...
```

Index

*Topic **datasets**

msqc1_8rep, [3](#)

msqc1_8rep_QEXACTIVEHF_assayDevel, [5](#)

msqc1_8rep_tripleTOF5600_assayDevel, [6](#)

msqc1_dil, [7](#)

msqc1_userstudy, [10](#)

peptides, [11](#)

*Topic **msqc1, proteomics, mass spectrometry, quantification, PRM, SWATH-MS, DIA**

msqc1-package, [2](#)

msqc1 (msqc1-package), [2](#)

msqc1-package, [2](#)

msqc1_8rep, [3](#)

msqc1_8rep_QEXACTIVEHF_assayDevel, [5](#)

msqc1_8rep_tripleTOF5600_assayDevel, [6](#)

msqc1_dil, [7](#)

msqc1_userstudy, [10](#)

peptides, [11](#)