

Package ‘universalmotif’

October 14, 2021

Title Import, Modify, and Export Motifs with R

Version 1.10.2

URL <https://bioconductor.org/packages/universalmotif/>

BugReports <https://github.com/bjmt/universalmotif/issues>

Description Allows for importing most common motif types into R for use by functions provided by other Bioconductor motif-related packages. Motifs can be exported into most major motif formats from various classes as defined by other Bioconductor packages. A suite of motif and sequence manipulation and analysis functions are included, including enrichment, comparison, P-value calculation, shuffling, trimming, higher-order motifs, and others.

Depends R (>= 3.5.0)

License GPL-3

Encoding UTF-8

Imports methods, stats, utils, MASS, ggplot2, yaml, IRanges, Rcpp, Biostrings, BiocGenerics, S4Vectors, rlang, grid

Suggests spelling, knitr, bookdown, TFBSTools, rmarkdown, MotifDb, testthat, BiocParallel, seqLogo, motifStack, dplyr, ape, ggtree, processx, ggseqlogo, cowplot, GenomicRanges, ggbio

Enhances PWMEnrich, rGADEM

LinkingTo Rcpp, RcppThread

VignetteBuilder knitr

biocViews MotifAnnotation, MotifDiscovery, DataImport, GeneRegulation

RoxygenNote 7.1.1

Roxygen list(markdown = TRUE, old_usage = TRUE)

Language en-GB

Collate 'RcppExports.R' 'add_multifreq.R' 'compare_motifs.R' 'universalmotif-class.R' 'convert_motifs.R' 'convert_type.R' 'create_motif.R' 'create_sequences.R' 'data.R' 'enrich_motifs.R' 'filter_motifs.R' 'get_bkg.R' 'make_DBscores.R' 'merge_motifs.R' 'merge_similar.R'

'motif_clusters.R' 'motif_finder.R' 'motif_peaks.R'
 'motif_pvalue.R' 'motif_rc.R' 'motif_tree.R' 'read_cisbp.R'
 'read_homer.R' 'read_jaspar.R' 'read_matrix.R' 'read_meme.R'
 'read_motifs.R' 'read_transfac.R' 'read_uniprobe.R'
 'run_meme.R' 'sample_sites.R' 'scan_sequences.R'
 'shuffle_motifs.R' 'shuffle_sequences.R' 'switch_alph.R'
 'trim_motifs.R' 'universalmotif-methods.R' 'universalmotif.R'
 'universalmotif_df.R' 'utils-internal.R' 'utils-motif.R'
 'utils-sequence.R' 'view_logo.R' 'view_motifs.R'
 'write_homer.R' 'write_jaspar.R' 'write_matrix.R'
 'write_meme.R' 'write_motifs.R' 'write_transfac.R' 'zzz.R'

git_url <https://git.bioconductor.org/packages/universalmotif>

git_branch RELEASE_3_13

git_last_commit 556bc8f

git_last_commit_date 2021-08-03

Date/Publication 2021-10-14

Author Benjamin Jean-Marie Tremblay [aut, cre]

(<<https://orcid.org/0000-0002-7441-2951>>),

Spencer Nystrom [ctb] (<<https://orcid.org/0000-0003-1000-1579>>)

Maintainer Benjamin Jean-Marie Tremblay <benjamin.tremblay@uwaterloo.ca>

R topics documented:

add_multifreq	3
ArabidopsisMotif	5
ArabidopsisPromoters	5
compare_motifs	6
convert_motifs	9
convert_type	13
create_motif	16
create_sequences	20
enrich_motifs	22
examplemotif	24
examplemotif2	25
filter_motifs	25
fontDFroboto	26
get_bkg	27
JASPAR2018_CORE_DBSCORES	29
make_DBscores	29
merge_motifs	31
merge_similar	33
motif_peaks	35
motif_pvalue	37
motif_rc	39
motif_tree	40
read_cisbp	43

read_homer	44
read_jaspar	45
read_matrix	46
read_meme	47
read_motifs	48
read_transfac	49
read_uniprobe	50
run_meme	51
sample_sites	54
scan_sequences	55
shuffle_motifs	57
shuffle_sequences	58
switch_alph	60
tidy-motifs	61
trim_motifs	62
universalmotif-class	63
universalmotif-pkg	67
utilities	67
utils-motif	68
utils-sequence	74
view_logo	76
view_motifs	78
write_homer	81
write_jaspar	82
write_matrix	83
write_meme	84
write_motifs	85
write_transfac	86
Index	88

add_multifreq	<i>Add multi-letter information to a motif.</i>
---------------	---

Description

If the original sequences are available for a particular motif, then they can be used to generate higher-order PPM matrices. See the "Motif import, export, and manipulation" vignette for more information.

Usage

```
add_multifreq(motif, sequences, add.k = 2:3, RC = FALSE,
  threshold = 0.001, threshold.type = "pvalue", motifs.perseq = 1,
  add.bkg = FALSE)
```

Arguments

motif	See <code>convert_motifs()</code> for acceptable formats. If the motif is not a universalmotif motif, then it will be converted.
sequences	<code>XStringSet</code> The alphabet must match that of the motif. If these sequences are all the same length as the motif, then they are all used to generate the multi-freq matrices. Otherwise <code>scan_sequences()</code> is first run to find the best sequence stretches within these.
add.k	<code>numeric(1)</code> The k-let lengths to add.
RC	<code>logical(1)</code> If TRUE, check reverse complement of input sequences.
threshold	<code>numeric(1)</code> See details.
threshold.type	<code>character(1)</code> One of <code>c('logodds', 'logodds.abs', 'pvalue')</code> . See details.
motifs.perseq	<code>numeric(1)</code> If <code>scan_sequences()</code> is run, then this indicates how many hits from each sequence is to be used.
add.bkg	<code>logical(1)</code> Indicate whether to add corresponding higher order background information to the motif. Can sometimes be detrimental when the input consists of few short sequences, which can increase the likelihood of adding zero or near-zero probabilities.

Details

See `scan_sequences()` for more info on scanning parameters.

At each position in the motif, then the probability of each k-let covering from the initial position to `ncol - 1` is calculated. Only positions within the motif are considered: this means that the final k-let probability matrix will have `ncol - 1` fewer columns. Calculating k-let probabilities for the missing columns would be trivial however, as you would only need the background frequencies. Since these would not be useful for `scan_sequences()` though, they are not calculated.

Currently `add_multifreq()` does not try to stay faithful to the default motif matrix when generating multifreq matrices. This means that if the sequences used for training are completely different from the actual motif, the multifreq matrices will be as well. However this is only really a problem if you supply `add_multifreq()` with a set of sequences of the same length as the motif. In this case `add_multifreq()` is forced to create the multifreq matrices from these sequences. Otherwise `add_multifreq()` will scan the input sequences for the motif and use the best matches to construct the multifreq matrices.

This 'multifreq' representation is only really useful within the **universalmotif** environment. Despite this, if you wish it can be preserved in text using `write_motifs()`.

Note: the number of rows for each k-let matrix is n^k , with n being the number of letters in the alphabet being used. This means that the size of the k-let matrix can become quite large as k increases. For example, if one were to wish to represent a DNA motif of length 10 as a 10-let, this would require a matrix with 1,048,576 rows (though at this point if what you want is to search for exact sequence matches, the motif format itself is not very useful).

Value

A **universalmotif** object with filled `multifreq` slot. The `bkg` slot is also expanded with corresponding higher order probabilities if `add.bkg = TRUE`.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[scan_sequences\(\)](#), [convert_motifs\(\)](#), [write_motifs\(\)](#)

Examples

```
sequences <- create_sequences(seqlen = 10)
motif <- create_motif()
motif.trained <- add_multifreq(motif, sequences, add.k = 2:4)
## peek at the 2-let matrix:
motif.trained["multifreq"]$`2`
```

ArabidopsisMotif *Arabidopsis motif in universalmotif format.*

Description

Arabidopsis motif trained from [ArabidopsisPromoters](#) using MEME version 4. This motif was generated at the command line using the following command: `meme promoters.fa -revcomp -nmotifs 3 -mod anr -dna`.

Usage

ArabidopsisMotif

Format

[universalmotif](#)

ArabidopsisPromoters *Arabidopsis promoters as a DNAStrngSet.*

Description

50 Arabidopsis promoters, each 1000 bases long. See the "Sequence manipulation and scanning" vignette for an example workflow describing extracting promoter sequences.

Usage

ArabidopsisPromoters

Format

[DNAStrngSet](#)

compare_motifs *Compare motifs.*

Description

Compare motifs using one of the several available metrics. See the "Motif comparisons and P-values" vignette for detailed information.

Usage

```
compare_motifs(motifs, compare.to, db.scores, use.freq = 1,
  use.type = "PPM", method = "PCC", tryRC = TRUE, min.overlap = 6,
  min.mean.ic = 0.25, min.position.ic = 0, relative_entropy = FALSE,
  normalise.scores = FALSE, max.p = 0.01, max.e = 10, nthreads = 1,
  score.strat = "a.mean", output.report, output.report.max.print = 10)
```

Arguments

motifs	See convert_motifs() for acceptable motif formats.
compare.to	numeric If missing, compares all motifs to all other motifs. Otherwise compares all motifs to the specified motif(s).
db.scores	data.frame or DataFrame. See details.
use.freq	numeric(1). For comparing the multifreq slot.
use.type	character(1) One of 'PPM' and 'ICM'. The latter allows for taking into account the background frequencies if <code>relative_entropy = TRUE</code> . Note that 'ICM' is not allowed when <code>method = c("ALLR", "ALLR_LL")</code> .
method	character(1) One of PCC, EUCL, SW, KL, ALLR, BHAT, HELL, SEUCL, MAN, ALLR_LL, WEUCL, WPCC. See details.
tryRC	logical(1) Try the reverse complement of the motifs as well, report the best score.
min.overlap	numeric(1) Minimum overlap required when aligning the motifs. Setting this to a number higher than the width of the motifs will not allow any overhangs. Can also be a number between 0 and 1, representing the minimum fraction that the motifs must overlap.
min.mean.ic	numeric(1) Minimum mean information content between the two motifs for an alignment to be scored. This helps prevent scoring alignments between low information content regions of two motifs. Note that this can result in some comparisons failing if no alignment passes the mean IC threshold. Use average_ic() to filter out low IC motifs to get around this if you want to avoid getting NAs in your output.
min.position.ic	numeric(1) Minimum information content required between individual alignment positions for it to be counted in the final alignment score. It is recommended to use this together with <code>normalise.scores = TRUE</code> , as this will help punish scores resulting from only a fraction of an alignment.

relative_entropy	logical(1) Change the ICM calculation affecting min.position.ic and min.mean.ic. See convert_type() .
normalise.scores	logical(1) Favour alignments which leave fewer unaligned positions, as well as alignments between motifs of similar length. Similarity scores are multiplied by the ratio of aligned positions to the total number of positions in the larger motif, and the inverse for distance scores.
max.p	numeric(1) Maximum P-value allowed in reporting matches. Only used if compare.to is set.
max.e	numeric(1) Maximum E-value allowed in reporting matches. Only used if compare.to is set. The E-value is the P-value multiplied by the number of input motifs times two.
nthreads	numeric(1) Run compare_motifs() in parallel with nthreads threads. nthreads = 0 uses all available threads.
score.strat	character(1) How to handle column scores calculated from motif alignments. "sum": add up all scores. "a.mean": take the arithmetic mean. "g.mean": take the geometric mean. "median": take the median. "wa.mean", "wg.mean": weighted arithmetic/geometric mean. "fzt": Fisher Z-transform. Weights are the total information content shared between aligned columns.
output.report	character(1) Provide a filename for compare_motifs() to write an html output report to. The top matches are shown alongside figures of the match alignments. This requires the knitr and rmarkdown packages. (Note: still in development.)
output.report.max.print	numeric(1) Maximum number of top matches to print.

Details

The following metrics are available:

- Euclidean distance (EUCL) (Choi et al. 2004)
- Weighted Euclidean distance (WEUCL)
- Kullback-Leibler divergence (KL) (Kullback and Leibler 1951; Roepcke et al. 2005)
- Hellinger distance (HELL) (Hellinger 1909)
- Squared Euclidean distance (SEUCL)
- Manhattan distance (MAN)
- Pearson correlation coefficient (PCC)
- Weighted Pearson correlation coefficient (WPCC)
- Sandelin-Wasserman similarity (SW), or sum of squared distances (Sandelin and Wasserman 2004)
- Average log-likelihood ratio (ALLR) (Wang and Stormo 2003)
- Lower limit ALLR (ALLR_LL) (Mahony et al. 2007)
- Bhattacharyya coefficient (BHAT) (Bhattacharyya 1943)

Comparisons are calculated between two motifs at a time. All possible alignments are scored, and the best score is reported. In an alignment scores are calculated individually between columns. How those scores are combined to generate the final alignment scores depends on `score.strat`.

See the "Motif comparisons and P-values" vignette for a description of the various metrics. Note that PCC, WPCC, SW, ALLR, ALLR_LL and BHAT are similarities; higher values mean more similar motifs. For the remaining metrics, values closer to zero represent more similar motifs.

Small pseudocounts are automatically added when one of the following methods is used: KL, ALLR, ALLR_LL, IS. This is avoid zeros in the calculations.

To note regarding p-values: P-values are pre-computed using the `make_DBscores()` function. If not given, then uses a set of internal precomputed P-values from the JASPAR2018 CORE motifs. These precalculated scores are dependent on the length of the motifs being compared. This takes into account that comparing small motifs with larger motifs leads to higher scores, since the probability of finding a higher scoring alignment is higher.

The default P-values have been precalculated for regular DNA motifs. They are of little use for motifs with a different number of alphabet letters (or even the `multifreq` slot).

Value

matrix if `compare.to` is missing; `DataFrame` otherwise. For the latter, function args are stored in the `metadata` slot.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

- Bhattacharyya A (1943). "On a measure of divergence between two statistical populations defined by their probability distributions." *Bulletin of the Calcutta Mathematical Society*, **35**, 99-109.
- Choi I, Kwon J, Kim S (2004). "Local feature frequency profile: a method to measure structural similarity in proteins." *PNAS*, **101**, 3797-3802.
- Hellinger E (1909). "Neue Begründung der Theorie quadratischer Formen von unendlichvielen Veränderlichen." *Journal für die reine und angewandte Mathematik*, **136**, 210-271.
- Khan A, Fornes O, Stigliani A, Gheorghe M, Castro-Mondragon JA, van der Lee R, Bessy A, Cheneby J, Kulkarni SR, Tan G, Baranasic D, Arenillas DJ, Sandelin A, Vandepoele K, Lenhard B, Ballester B, Wasserman WW, Parcy F, Mathelier A (2018). "JASPAR 2018: update of the open-access database of transcription factor binding profiles and its web framework." *Nucleic Acids Research*, **46**, D260-D266.
- Kullback S, Leibler RA (1951). "On information and sufficiency." *The Annals of Mathematical Statistics*, **22**, 79-86.
- Itakura F, Saito S (1968). "Analysis synthesis telephony based on the maximum likelihood method." In *6th International Congress on Acoustics*, C-17.
- Mahony S, Auron PE, Benos PV (2007). "DNA Familial Binding Profiles Made Easy: Comparison of Various Motif Alignment and Clustering Strategies." *PLoS Computational Biology*, **3**.
- Petrokovski S (1996). "Searching databases of conserved sequence regions by aligning protein multiple-alignments." *Nucleic Acids Research*, **24**, 3836-3845.

Roepcke S, Grossmann S, Rahmann S, Vingron M (2005). "T-Reg Comparator: an analysis tool for the comparison of position weight matrices." *Nucleic Acids Research*, **33**, W438-W441.

Sandelin A, Wasserman WW (2004). "Constrained binding site diversity within families of transcription factors enhances pattern discovery bioinformatics." *Journal of Molecular Biology*, **338**, 207-215.

Wang T, Stormo GD (2003). "Combining phylogenetic data with co-regulated genes to identify motifs." *Bioinformatics*, **19**, 2369-2380.

See Also

[convert_motifs\(\)](#), [motif_tree\(\)](#), [view_motifs\(\)](#), [make_DBscores\(\)](#)

Examples

```

motif1 <- create_motif(name = "1")
motif2 <- create_motif(name = "2")
motif1vs2 <- compare_motifs(c(motif1, motif2), method = "PCC")
## To get a dist object:
as.dist(1 - motif1vs2)

motif3 <- create_motif(name = "3")
motif4 <- create_motif(name = "4")
motifs <- c(motif1, motif2, motif3, motif4)
## Compare motif "2" to all the other motifs:
if (R.Version()$arch != "i386") {
  compare_motifs(motifs, compare.to = 2, max.p = 1, max.e = Inf)
}

## If you are working with a large list of motifs and the mean.min.ic
## option is not set to zero, you may get a number of failed comparisons
## due to low IC. To filter the list of motifs to avoid these, use
## the average_ic() function to remove motifs with low average IC:
## Not run:
library(MotifDb)
motifs <- convert_motifs(MotifDb)[1:100]
compare_motifs(motifs)
#> Warning in compare_motifs(motifs) :
#> Some comparisons failed due to low IC
motifs <- motifs[average_ic(motifs) > 0.5]
compare_motifs(motifs)

## End(Not run)

```

Description

Allows for easy transfer of motif information between different classes as defined by other Bioconductor packages. This function is also used by nearly all other functions in this package, so any motifs of a compatible class can be used without needing to be converted beforehand.

Usage

```
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'AsIs'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'list'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'universalmotif'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'MotifList'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'TFFMFirst'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'PFMatrix'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'PWMatrix'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'ICMatrix'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'XMatrixList'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'pwm'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'pcm'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'pfm'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'PWM'
convert_motifs(motifs, class = "universalmotif-universalmotif")
```

```
## S4 method for signature 'Motif'
convert_motifs(motifs, class = "universalmotif-universalmotif")

## S4 method for signature 'matrix'
convert_motifs(motifs, class = "universalmotif-universalmotif")
```

Arguments

motifs	Single motif object or list. See details.
class	character(1) Desired motif class. Input as 'package-class'. If left empty, defaults to 'universalmotif-universalmotif'. (See details.)

Details

The following package-class combinations can be used as input:

- MotifDb-MotifList
- TFBSTools-PFMatrix
- TFBSTools-PWMatrix
- TFBSTools-ICMatrix
- TFBSTools-PFMatrixList
- TFBSTools-PWMatrixList
- TFBSTools-ICMatrixList
- TFBSTools-TFFMFirst
- seqLogo-pwm
- motifStack-pcm
- motifStack-pfm
- PWMEnrich-PWM
- motifRG-Motif
- universalmotif-universalmotif
- matrix

The following package-class combinations can be output:

- TFBSTools-PFMatrix
- TFBSTools-PWMatrix
- TFBSTools-ICMatrix
- TFBSTools-TFFMFirst
- seqLogo-pwm
- motifStack-pcm
- motifStack-pfm
- PWMEnrich-PWM
- Biostrings-PWM (type = 'log2prob')
- rGADEM-motif
- universalmotif-universalmotif

Value

Single motif object or list.

Methods (by class)

- `AsIs`: Generate an error to remind users to run `to_list()` instead of using the column from `to_df()` directly.
- `list`: Convert a list of motifs.
- `universalmotif`: Convert a `universalmotif` object.
- `MotifList`: Convert `MotifList` motifs. (**MotifDb**)
- `TFFMFirst`: Convert `TFFMFirst` motifs. (**TFBSTools**)
- `PFMatrix`: Convert `PFMatrix` motifs. (**TFBSTools**)
- `PWMatrix`: Convert `PWMatrix` motifs. (**TFBSTools**)
- `ICMatrix`: Convert `ICMatrix` motifs. (**TFBSTools**)
- `XMatrixList`: Convert `XMatrixList` motifs. (**TFBSTools**)
- `pwm`: Convert `pwm` motifs. (**seqLogo**)
- `pcm`: Convert `pcm` motifs. (**motifStack**)
- `pfm`: Convert `pfm` motifs. (**motifStack**)
- `PWM`: Convert `PWM` motifs. (**PWMErich**)
- `Motif`: Convert `Motif` motifs. (**motifRG**)
- `matrix`: Create motif from matrices.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

- Bembom O (2018). *seqLogo: Sequence logos for DNA sequence alignments*. R package version 1.46.0.
- Droit A, Gottardo R, Robertson G, Li L (2014). *rGADEM: de novo motif discovery*. R package version 2.28.0.
- Mercier E, Gottardo R (2014). *MotIV: Motif Identification and Validation*. R package version 1.36.0.
- Ou J, Wolfe SA, Brodsky MH, Zhu LJ (2018). “motifStack for the analysis of transcription factor binding site evolution.” *Nature Methods*, **15**, 8-9. doi: 10.1038/nmeth.4555 (URL: <https://doi.org/10.1038/nmeth.4555>).
- Shannon P, Richards M (2018). *MotifDb: An Annotated Collection of Protein-DNA Binding Sequence Motifs*. R package version 1.22.0.
- Stojnic R, Diez D (2015). *PWMErich: PWM enrichment analysis*. R package version 4.16.0.
- Tan G, Lenhard B (2016). “TFBSTools: an R/Bioconductor package for transcription factor binding site analysis.” *Bioinformatics*, **32**, 1555-1556. doi: 10.1093/bioinformatics/btw024 (URL: <https://doi.org/10.1093/bioinformatics/btw024>), <URL: <http://bioinformatics.oxfordjournals.org/content/32/10/1555>>.
- Yao Z (2012). *motifRG: A package for discriminative motif discovery, designed for high throughput sequencing dataset*. R package version 1.24.0.

Examples

```
# Convert from universalmotif:
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",
                                package = "universalmotif"))
if (requireNamespace("motifStack", quietly = TRUE)) {
  jaspar.motifstack.pfm <- convert_motifs(jaspar, "motifStack-pfm")
}

# Convert from another class to universalmotif:
if (requireNamespace("TFBSTools", quietly = TRUE)) {
  library(TFBSTools)
  data(MA0003.2)
  motif <- convert_motifs(MA0003.2)

# Convert from another class to another class
if (requireNamespace("PWMEnrich", quietly = TRUE)) {
  motif <- convert_motifs(MA0003.2, "PWMEnrich-PWM")
}

# The 'convert_motifs' function is embedded in the rest of the universalmotif
# functions: non-universalmotif class motifs can be used
MA0003.2.trimmed <- trim_motifs(MA0003.2)
# Note: if the motif object going in has information that the
# 'universalmotif' class can't hold, it will be lost
}
```

convert_type

Convert [universalmotif](#) type.

Description

Switch between position count matrix (PCM), position probability matrix (PPM), position weight matrix (PWM), and information count matrix (ICM) types. See the "Introduction to sequence motifs" vignette for details.

Usage

```
convert_type(motifs, type, pseudocount, nsize_correction = FALSE,
             relative_entropy = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
type	character(1) One of c('PCM', 'PPM', 'PWM', 'ICM').
pseudocount	numeric(1) Correction to be applied to prevent -Inf from appearing in PWM matrices. If missing, the pseudocount stored in the universalmotif 'pseudocount' slot will be used.

`nsizes_correction`
 logical(1) If true, the ICM at each position will be corrected to account for small sample sizes. Only used if `relative_entropy = FALSE`.

`relative_entropy`
 logical(1) If true, the ICM will be calculated as relative entropy. See details.

Details

Position count matrix (PCM), also known as position frequency matrix (PFM). For n sequences from which the motif was built, each position is represented by the numbers of each letter at that position. In theory all positions should have sums equal to n , but not all databases are this consistent. If converting from another type to PCM, column sums will be equal to the 'nsites' slot. If empty, 100 is used.

Position probability matrix (PPM), also known as position frequency matrix (PFM). At each position, the probability of individual letters is calculated by dividing the count for that letter by the total sum of counts at that position (`letter_count / position_total`). As a result, each position will sum to 1. Letters with counts of 0 will thus have a probability of 0, which can be undesirable when searching for motifs in a set of sequences. To avoid this a pseudocount can be added (`(letter_count + pseudocount) / (position_total + pseudocount)`).

Position weight matrix (PWM; Stormo et al. (1982)), also known as position-specific weight matrix (PSWM), position-specific scoring matrix (PSSM), or log-odds matrix. At each position, each letter is represented by its log-likelihood (`log2(letter_probability / background_probability)`), which is normalized using the background letter frequencies. A PWM matrix is constructed from a PPM. If any position has 0-probability letters to which pseudocounts were not added, then the final log-likelihood of these letters will be `-Inf`.

Information content matrix (ICM; Schneider and Stephens 1990). An ICM is a PPM where each letter probability is multiplied by the total information content at that position. The information content of each position is determined as: `totalIC - Hi`, where the total information `totalIC`

`totalIC <- -log2(alphabet_length)`, and the Shannon entropy (Shannon 1948) for a specific position (`Hi`)

`Hi <- -sum(sapply(alphabet_frequencies, function(x) x * log(2))).`

As a result, the total sum or height of each position is representative of its sequence conservation, measured in the unit 'bits', which is a unit of energy (Schneider 1991; see <https://fr-s-schneider.ncifcrf.gov/logorecommendations.html> for more information). However not all programs will calculate information content the same. Some will 'correct' the total information content at each position using a correction factor as described by Schneider et al. (1986). This correction can be applied by setting `nsizes_correction = TRUE`, however it will only be applied if the 'nsites' slot is not empty. This is done using `TFBSTools::schneider_correction` (Tan and Lenhard 2016). As such, converting from an ICM to which some form of correction has been applied will result in a PCM/PPM/PWM with slight inaccuracies.

Another method of calculating information content is calculating the relative entropy, also known as Kullback-Leibler divergence (Kullback and Leibler 1951). This accounts for background frequencies, which can be useful for genomes with a heavy imbalance in letter frequencies. For each position, the individual letter frequencies are calculated as `letter_freq * log2(letter_freq / bkg_freq)`. When calculating information content using Shannon entropy, the maximum content for each position will always be `log2(alphabet_length)`. This does not hold for information con-

tent calculated as relative entropy. Please note that conversion from ICM assumes the information content was *not* calculated as relative entropy.

Value

See `convert_motifs()` for possible output motif objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

- Kullback S, Leibler RA (1951). "On information and sufficiency." *The Annals of Mathematical Statistics*, **22**, 79-86.
- Nishida K, Frith MC, Nakai K (2009). "Pseudocounts for transcription factor binding sites." *Nucleic Acids Research*, **37**, 939-944.
- Schneider TD, Stormo GD, Gold L, Ehrenfeucht A (1986). "Information content of binding sites on nucleotide sequences." *Journal of Molecular Biology*, **188**, 415-431.
- Schneider TD, Stephens RM (1990). "Sequence Logos: A New Way to Display Consensus Sequences." *Nucleic Acids Research*, **18**, 6097-6100.
- Schneider TD (1991). "Theory of Molecular Machines. II. Energy Dissipation from Molecular Machines." *Journal of Theoretical Biology*, **148**, 125-137.
- Shannon CE (1948). "A Mathematical Theory of Communication." *Bell System Technical Journal*, **27**, 379-423.
- Stormo GD, Schneider TD, Gold L, Ehrenfeucht A (1982). "Use of the Perceptron algorithm to distinguish translational initiation sites in E. coli." *Nucleic Acids Research*, **10**, 2997-3011.
- Tan G, Lenhard B (2016). "TFBSTools: an R/Bioconductor package for transcription factor binding site analysis." *Bioinformatics*, **32**, 1555-1556. doi: 10.1093/bioinformatics/btw024 (URL: <https://doi.org/10.1093/bioinformatics/btw024>), <URL: <http://bioinformatics.oxfordjournals.org/content/32/10/1555>>.

See Also

`convert_motifs()`

Examples

```
jaspar.pcm <- read_jaspar(system.file("extdata", "jaspar.txt",
                                     package = "universalmotif"))

## The motifs pseudocounts are 1: these will be used in the PCM->PPM
## calculation
jaspar.pwm <- convert_type(jaspar.pcm, type = "PPM")

## Setting pseudocount to 0 will prevent any correction from being
## applied to PPM/PWM matrices, overriding the motifs own pseudocounts
jaspar.pwm <- convert_type(jaspar.pcm, type = "PWM", pseudocount = 0)
```

create_motif	<i>Create a motif.</i>
--------------	------------------------

Description

Create a motif from a set of sequences, a matrix, or generate a random motif. See the "Motif import, export and manipulation" vignette for details.

Usage

```
create_motif(input, alphabet, type = "PPM", name = "motif",
  pseudocount = 0, bkg, nsites, altname, family, organism, bkg sites, strand,
  pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'missing'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
  bkg sites, strand, pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'numeric'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
  bkg sites, strand, pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'character'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
  bkg sites, strand, pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'matrix'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
  bkg sites, strand, pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'DNAStringSet'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
  bkg sites, strand, pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'RNAStringSet'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
  bkg sites, strand, pval, qual, eval, extrainfo, add.multifreq)

## S4 method for signature 'AAStringSet'
create_motif(input, alphabet, type = "PPM",
  name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
```



```

    bkg sites, strand, pval, qval, eval, extrainfo, add.multifreq)

## S4 method for signature 'BStringSet'
create_motif(input, alphabet, type = "PPM",
             name = "motif", pseudocount = 0, bkg, nsites, altname, family, organism,
             bkg sites, strand, pval, qval, eval, extrainfo, add.multifreq)

```

Arguments

input	character, numeric, matrix, XStringSet , or missing.
alphabet	character(1) One of c('DNA', 'RNA', 'AA'), or a combined string representing the letters. If no alphabet is provided then it will try and guess the alphabet from the input.
type	character(1) One of c('PCM', 'PPM', 'PWM', 'ICM').
name	character(1) Motif name.
pseudocount	numeric(1) Correction to be applied to prevent $-\text{Inf}$ from appearing in PWM matrices. Defaults to 0.
bkg	numeric A vector of probabilities, each between 0 and 1. If higher order backgrounds are provided, then the elements of the vector must be named. If unnamed, then the order of probabilities must be in the same order as the alphabetically sorted sequence alphabet.
nsites	numeric(1) Number of sites the motif was constructed from. If blank, then <code>create_motif()</code> will guess the appropriate number if possible. To prevent this, provide <code>nsites = numeric()</code> .
altname	character(1) Alternate motif name.
family	character(1) Transcription factor family.
organism	character(1) Species of origin.
bkg sites	numeric(1) Total number of sites used to find the motif.
strand	character(1) Whether the motif is specific to a certain strand.
pval	numeric(1) P-value associated with motif.
qval	numeric(1) Adjusted P-value associated with motif.
eval	numeric(1) E-value associated with motif.
extrainfo	character Any other extra information, represented as a named character vector.
add.multifreq	numeric If the motif is created from a set of sequences, then the add_multifreq() function can be run at the same time (with <code>RC = FALSE</code>).

Details

The aim of this function is provide an easy interface to creating [universalmotif](#) motifs, as an alternative to the default class constructor (i.e. `new('universalmotif', name=...)`). See examples for potential use cases.

Note: when generating random motifs, the `nsites` slot is also given a random value.

See the examples section for more info on motif creation.

Value

[universalmotif](#) object.

Methods (by class)

- `missing`: Create a random motif of length 10.
- `numeric`: Create a random motif with a specified length.
- `character`: Create motif from a consensus string.
- `matrix`: Create motif from a matrix.
- `DNAStrngSet`: Create motif from a [DNAStrngSet](#).
- `RNAStringSet`: Create motif from a [RNAStringSet](#).
- `AAStringSet`: Create motif from a [AAStringSet](#).
- `BStringSet`: Create motif from a [BStringSet](#).

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[convert_type\(\)](#), [add_multifreq\(\)](#), [create_sequences\(\)](#), [shuffle_motifs\(\)](#).

Examples

```
##### create motifs from a single string

# Motif is by default generated as a PPM: change final type as desired
DNA.motif <- create_motif("TATAWAW")
DNA.motif <- create_motif("TATAWAW", type = "PCM")

# Nsites will be set to the number of input sequences unless specified or
# a single string is used as input
DNA.motif <- create_motif("TTTTTTT", nsites = 10)

# Ambiguity letters can be used:
DNA.motif <- create_motif("TATAWAW")
DNA.motif <- create_motif("NNVVVWAAWDDN")

# Be careful about setting nsites when using ambiguity letters!
DNA.motif <- create_motif("NNVVVWAAWDDN", nsites = 1)

RNA.motif <- create_motif("UUUCCG")

# 'create_motif' will try to detect the alphabet type; this can be
# unreliable for AA and custom alphabets as DNA and RNA alphabets are
# detected first
AA.motif <- create_motif("AVLK", alphabet = "AA")

custom.motif <- create_motif("QWER", alphabet = "QWER")
```

```

# Specify custom alphabet
custom.motif <- create_motif("QWER", alphabet = "QWERASDF")

##### Create motifs from multiple strings of equal length

DNA.motif <- create_motif(c("TTTT", "AAAA", "AACC", "TTGG"), type = "PPM")
DNA.motif <- create_motif(c("TTTT", "AAAA", "AACC", "TTGG"), nsites = 20)
RNA.motif <- create_motif(c("UUUU", "AAAA", "AACC", "UUUG"), type = "PWM")
AA.motif <- create_motif(c("ARNDCQ", "EGHILK", "ARNDCQ"), alphabet = "AA")
custom.motif <- create_motif(c("POIU", "LKJH", "POIU", "CVBN"),
                             alphabet = "POIULKJHCVBN")

# Ambiguity letters are only allowed for single consensus strings: the
# following fails
## Not run:
create_motif(c("WWT", "CCGG"))
create_motif(c("XXXX", "XXXX"), alphabet = "AA")

## End(Not run)

##### Create motifs from XStringSet objects

library(Biostrings)

DNA.set <- DNAStringSet(c("TTTT", "AAAA", "AACC", "TTGG"))
DNA.motif <- create_motif(DNA.set)
RNA.set <- RNAStringSet(c("UUUU", "AACC", "UUC"))
RNA.motif <- create_motif(RNA.set)
AA.set <- AAStringSet(c("VVVLLL", "AAIIII"))
AA.motif <- create_motif(AA.set)

# Custom motifs can be created from BStringSet objects
B.set <- BStringSet(c("QWER", "ASDF", "ZXCV", "TYUI"))
custom.motif <- create_motif(B.set)

##### Create motifs with filled 'multifreq' slot

DNA.motif.k2 <- create_motif(DNA.set, add.multifreq = 2)

##### Create motifs from matrices

mat <- matrix(c(1, 1, 1, 1,
                2, 0, 2, 0,
                0, 2, 0, 2,
                0, 0, 0, 0),
              nrow = 4, byrow = TRUE)
DNA.motif <- create_motif(mat, alphabet = "DNA")
RNA.motif <- create_motif(mat, alphabet = "RNA", nsites = 20)
custom.motif <- create_motif(mat, alphabet = "QWER")

# Specify custom alphabet
custom.motif <- create_motif(mat, alphabet = "QWER")

```

```

# Alphabet can be detected from rownames
rownames(mat) <- DNA_BASES
DNA.motif <- create_motif(mat)
rownames(mat) <- c("Q", "W", "E", "R")
custom.motif <- create_motif(mat)

# Matrices can also be used as input
mat.ppm <- matrix(c(0.1, 0.1, 0.1, 0.1,
                   0.5, 0.5, 0.5, 0.5,
                   0.1, 0.1, 0.1, 0.1,
                   0.3, 0.3, 0.3, 0.3),
                 nrow = 4, byrow = TRUE)

DNA.motif <- create_motif(mat.ppm, alphabet = "DNA", type = "PPM")

##### Create random motifs

# These are generated as PPMs with 10 positions

DNA.motif <- create_motif()
RNA.motif <- create_motif(alphabet = "RNA")
AA.motif <- create_motif(alphabet = "AA")
custom.motif <- create_motif(alphabet = "QWER")

# The number of positions can be specified

DNA.motif <- create_motif(5)

# If the background frequencies are not provided, they are generated
# using `rpois`; positions are created using `rdirichlet(1, bkg)`.
# (calling `create_motif()` creates motifs with an average
# positional IC of 1)

DNA.motif <- create_motif(bkg = c(0.3, 0.2, 0.2, 0.3))
DNA.motif <- create_motif(10, bkg = c(0.1, 0.4, 0.4, 0.1))

```

create_sequences *Create random sequences.*

Description

Generate random sequences from any set of characters, represented as [XStringSet](#) objects.

Usage

```
create_sequences(alphabet = "DNA", seqnum = 100, seqlen = 100, freqs,
               nthreads = 1, rng.seed = sample.int(10000, 1))
```

Arguments

alphabet	character(1) One of c('DNA', 'RNA', 'AA'), or a string of characters to be used as the alphabet.
seqnum	numeric(1) Number of sequences to generate.
seqlen	numeric(1) Length of random sequences.
freqs	numeric A named vector of probabilities. The length of the vector must be the power of the number of letters in the sequence alphabet. Probabilities can only be provided for a single size k.
nthreads	numeric(1) Run <code>create_sequences()</code> in parallel with <code>nthreads</code> threads. <code>nthreads = 0</code> uses all available threads. Note that no speed up will occur for jobs with <code>seqnum = 1</code> .
rng.seed	numeric(1) Set random number generator seed. Since sequence creation can occur simultaneously in multiple threads using C++, it cannot communicate with the regular R random number generator state and thus requires an independent seed. Each individual sequence creation instance is given the following seed: <code>rng.seed * index</code> . The default is to pick a random number as chosen by <code>sample()</code> , which effectively is making <code>create_sequences()</code> dependent on the R RNG state.

Value

`XStringSet` The returned sequences are *unnamed*.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

`create_motif()`, `shuffle_sequences()`

Examples

```
## Create DNA sequences with slightly increased AT content:
sequences <- create_sequences(freqs = c(A=0.3, C=0.2, G=0.2, T=0.3))
## Create custom sequences:
sequences.QWER <- create_sequences("QWER")
## You can include non-alphabet characters as well, even spaces:
sequences.custom <- create_sequences("!@#$ ")
```

enrich_motifs

Enrich for input motifs in a set of sequences.

Description

Given a set of target and background sequences, test if the input motifs are significantly enriched in the targets sequences relative to the background sequences. See the "Sequence manipulation and scanning" vignette.

Usage

```
enrich_motifs(motifs, sequences, bkg.sequences, max.p = 1e-05,
  max.q = 1e-05, max.e = 0.001, qval.method = "fdr", threshold = 0.001,
  threshold.type = "pvalue", verbose = 0, RC = FALSE, use.freq = 1,
  shuffle.k = 2, shuffle.method = "euler", return.scan.results = FALSE,
  nthreads = 1, rng.seed = sample.int(10000, 1), motif_pvalue.k = 8,
  use.gaps = TRUE, allow.nonfinite = FALSE, warn.NA = TRUE,
  no.overlaps = FALSE, no.overlaps.by.strand = FALSE,
  no.overlaps.strat = "score", respect.strand = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable motif formats.
sequences	XStringSet Sequences to scan. Alphabet should match motif.
bkg.sequences	XStringSet Optional. If missing, shuffle_sequences() is used to create background sequences from the input sequences.
max.p	numeric(1) P-value threshold.
max.q	numeric(1) Adjusted P-value threshold. This is only useful if multiple motifs are being enriched for.
max.e	numeric(1). The E-value is calculated by multiplying the adjusted P-value with the number of input motifs times two (McLeay and Bailey 2010).
qval.method	character(1) See stats::p.adjust() .
threshold	numeric(1) See details.
threshold.type	character(1) One of c('logodds', 'logodds.abs', 'pvalue'). See details.
verbose	numeric(1) 0 for no output, 4 for max verbosity.
RC	logical(1) If TRUE, check reverse complement of input sequences.
use.freq	numeric(1) The default, 1, uses the motif matrix (from the motif['motif'] slot) to search for sequences. If a higher number is used, then the matching k-let matrix from the motif['multifreq'] slot is used. See add_multifreq() .
shuffle.k	numeric(1) The k-let size to use when shuffling input sequences. Only used if no background sequences are input. See shuffle_sequences() .
shuffle.method	character(1) One of c('euler', 'markov', 'linear'). See shuffle_sequences() .

return.scan.results	logical(1) Return output from <code>scan_sequences()</code> . For large jobs, leaving this as FALSE can save a small amount time by preventing construction of the complete results data.frame from <code>scan_sequences()</code> .
nthreads	numeric(1) Run <code>scan_sequences()</code> in parallel with nthreads threads. nthreads = 0 uses all available threads. Note that no speed up will occur for jobs with only a single motif and sequence.
rng.seed	numeric(1) Set random number generator seed. Since shuffling can occur simultaneously in multiple threads using C++, it cannot communicate with the regular R random number generator state and thus requires an independent seed. Each individual sequence in an <code>XStringSet</code> object will be given the following seed: <code>rng.seed * index</code> . See <code>shuffle_sequences()</code> .
motif_pvalue.k	numeric(1) Control <code>motif_pvalue()</code> approximation. See <code>motif_pvalue()</code> .
use.gaps	logical(1) Set this to FALSE to ignore motif gaps, if present.
allow.nonfinite	logical(1) If FALSE, then apply a pseudocount if non-finite values are found in the PWM. Note that if the motif has a pseudocount greater than zero and the motif is not currently of type PWM, then this parameter has no effect as the pseudocount will be applied automatically when the motif is converted to a PWM internally. This value is set to FALSE by default in order to stay consistent with pre-version 1.8.0 behaviour.
warn.NA	logical(1) Whether to warn about the presence of non-standard letters in the input sequence, such as those in masked sequences.
no.overlaps	logical(1) Remove overlapping hits from the same motifs. Overlapping hits from different motifs are preserved. Please note that the current implementation of this feature can add significantly to the run time for large inputs.
no.overlaps.by.strand	logical(1) Whether to discard overlapping hits from the opposite strand, or to only discard overlapping hits on the same strand.
no.overlaps.strat	character(1) One of <code>c("score", "order")</code> . The former option keeps the highest scoring overlapping hit (and the first of these within ties), and the latter simply keeps the first overlapping hit. keeps the highest scoring
respect.strand	logical(1) If motifs are DNA/RNA, then setting this option to TRUE will make <code>scan_sequences()</code> only scan the strands of the input sequences as indicated in the motif strand slot.

Details

To find enriched motifs, `scan_sequences()` is run on both target and background sequences. `stats::fisher.test()` is run to test for enrichment.

See `scan_sequences()` for more info on scanning parameters.

Value

DataFrame Enrichment results in a DataFrame. Function args and (optionally) scan results are stored in the metadata slot.

Author(s)

Benjamin Jean-Marie Tremblay <benjamin.tremblay@uwaterloo.ca>

References

McLeay R, Bailey TL (2010). "Motif Enrichment Analysis: A unified framework and method evaluation." *BMC Bioinformatics*, **11**.

See Also

[scan_sequences\(\)](#), [shuffle_sequences\(\)](#), [add_multifreq\(\)](#), [motif_pvalue\(\)](#)

Examples

```
data(ArabidopsisPromoters)
data(ArabidopsisMotif)
if (R.Version()$arch != "i386") {
  enrich_motifs(ArabidopsisMotif, ArabidopsisPromoters, threshold = 0.01)
}
```

examplemotif

Example motif in universalmotif format.

Description

A simple DNA motif. To recreate this motif: `create_motif("TATAWAW", nsites = numeric())`

Usage

examplemotif

Format

[universalmotif](#)

examplomotif2

Another example motif in universalmotif format.

Description

A simple DNA motif with a non-empty `multifreq` slot. To recreate to this motif: `add_multifreq(examplomotif, DNASTring)`

Usage

examplomotif2

Format

[universalmotif](#)

filter_motifs

Filter a list of motifs.

Description

Filter motifs based on the contents of available [universalmotif](#) slots. If the input motifs are not of [universalmotif](#), then they they will be converted for the duration of the `filter_motifs()` operation.

Usage

```
filter_motifs(motifs, name, altname, family, organism, width, alphabet, type,
              icscore, nsites, strand, pval, qval, eval, extrainfo)
```

Arguments

motifs	list See convert_motifs() for acceptable formats.
name	character Keep motifs by names.
altname	character Keep motifs by altnames.
family	character Keep motifs by family.
organism	character Keep motifs by organism.
width	numeric(1) Keep motifs with minimum width.
alphabet	character Keep motifs by alphabet.
type	character Keep motifs by type.
icscore	numeric(1) Keep motifs with minimum total IC.
nsites	numeric(1) Keep motifs with minimum number of target sites.
strand	character Keeps motifs by strand.
pval	numeric(1) Keep motifs by max P-value.

qval	numeric(1) Keep motifs by max Q-value.
eval	numeric(1) Keep motifs by max E-val.
extrainfo	character Named character vector of items that must be present in motif extrainfo slots.

Value

list Motifs. An attempt will be made to preserve the original class, see [convert_motifs\(\)](#) for limitations.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

Examples

```
## By minimum IC:
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",
                                package = "universalmotif"))
jaspar.ic10 <- filter_motifs(jaspar, icscore = 10)

## By organism:
## Not run:
library(MotifDb)
motifs <- convert_motifs(MotifDb)
motifs <- filter_motifs(motifs, organism = c("Athaliana", "Mmusculus"),
                       extrainfo = c("dataSource" = "cisbp_1.02"))

## End(Not run)
```

fontDFroboto

Polygon coordinates for plotting letters.

Description

DataFrame of polygon coordinates used by [view_motifs\(\)](#) for plotting letters. It was generated using the createPolygons function from the gglogo package for the font Roboto Medium.

Usage

```
fontDFroboto
```

Format

[DataFrame](#)

get_bkg	<i>Calculate sequence background.</i>
---------	---------------------------------------

Description

For a set of input sequences, calculate the overall sequence background for any k-let size. For very large sequences DNA and RNA sequences (in the billions of bases), please be aware of the much faster and more efficient `Biostrings::oligonucleotideFrequency()`. `get_bkg()` can still be used in these cases, though it may take several seconds or minutes to calculate the results (depending on requested k-let sizes).

Usage

```
get_bkg(sequences, k = 1:3, as.prob = NULL, pseudocount = 0,
        alphabet = NULL, to.meme = NULL, RC = FALSE, list.out = NULL,
        nthreads = 1, merge.res = TRUE, window = FALSE, window.size = 0.1,
        window.overlap = 0)
```

Arguments

sequences	<code>XStringSet</code> Input sequences. Note that if multiple sequences are present, the results will be combined into one.
k	integer Size of k-let. Background can be calculated for any k-let size.
as.prob	Deprecated.
pseudocount	integer(1) Add a count to each possible k-let. Prevents any k-let from having 0 or 1 probabilities.
alphabet	character(1) Provide a custom alphabet to calculate a background for. If NULL, then standard letters will be assumed for DNA, RNA and AA sequences, and all unique letters found will be used for <code>BStringSet</code> type sequences. Note that letters which are not a part of the standard DNA/RNA/AA alphabets or in the provided alphabet will not be counted in the totals during probability calculations.
to.meme	If not NULL, then <code>get_bkg()</code> will return the sequence background in MEME Markov Background Model format. Input for this argument will be used for <code>cat(..., file = to.meme)</code> within <code>get_bkg()</code> . See http://meme-suite.org/doc/bfile-format.html for a description of the format.
RC	logical(1) Calculate the background of the reverse complement of the input sequences as well. Only valid for DNA/RNA.
list.out	Deprecated.
nthreads	numeric(1) Run <code>get_bkg()</code> in parallel with nthreads threads. <code>nthreads = 0</code> uses all available threads. Note that no speed up will occur for jobs with only a single sequence.
merge.res	logical(1) Whether to merge results from all sequences or return background data for individual sequences.

window	logical(1) Determine background in windows.
window.size	numeric Window size. If a number between 0 and 1 is provided, the value is calculated as the number multiplied by the sequence length.
window.overlap	numeric Overlap between windows. If a number between 0 and 1 is provided, the value is calculated as the number multiplied by the sequence length.

Value

If `to.meme = NULL`, a `DataFrame` with columns `klet`, `count`, and `probability`. If `merge.res = FALSE`, there will be an additional sequence column. If `window = TRUE`, there will be an additional `start` and `stop` columns.

If `to.meme` is not `NULL`, then `NULL` is returned, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Bailey TL, Elkan C (1994). "Fitting a mixture model by expectation maximization to discover motifs in biopolymers." *Proceedings of the Second International Conference on Intelligent Systems for Molecular Biology*, **2**, 28-36.

See Also

[create_sequences\(\)](#), [scan_sequences\(\)](#), [shuffle_sequences\(\)](#)

Examples

```
## Compare to Biostrings version
library(Biostrings)
seqs.DNA <- create_sequences()
bkg.DNA <- get_bkg(seqs.DNA, k = 3)
bkg.DNA2 <- oligonucleotideFrequency(seqs.DNA, 3, 1, as.prob = FALSE)
bkg.DNA2 <- colSums(bkg.DNA2)
all(bkg.DNA$count == bkg.DNA2)

## Create a MEME background file
get_bkg(seqs.DNA, k = 1:3, to.meme = stdout(), pseudocount = 1)

## Non-DNA/RNA/AA alphabets
seqs.QWERTY <- create_sequences("QWERTY")
bkg.QWERTY <- get_bkg(seqs.QWERTY, k = 1:2)
```

 JASPAR2018_CORE_DBSCORES

JASPAR2018 CORE database scores

Description

For use with `compare_motifs()`. The precomputed scores allow for fast P-value estimation. These scores were generated using `make_DBscores()` with the JASPAR2018 CORE motif set. The scores are organized in a `DataFrame`. In this `DataFrame` is the location and scale of scores resulting from a statistical distribution using the the comparisons of JASPAR2018 CORE motifs with randomized motifs of the specified subject and target motif length. Created using `make_DBscores()` from `universalmotif` v1.4.0. The parameters used can be seen via `S4Vectors::metadata(JASPAR2018_CORE_DBSCORES)`.

Usage

JASPAR2018_CORE_DBSCORES

Format

`DataFrame` with function args in the metadata slot.

 make_DBscores

Create P-value databases.

Description

Generate data used by `compare_motifs()` for P-value calculations. By default, `compare_motifs()` uses an internal database based on the JASPAR2018 core motifs (Khan et al. 2018). Parameters for distributions are estimated for every combination of motif widths.

Usage

```
make_DBscores(db.motifs, method = c("PCC", "EUCL", "SW", "KL", "WEUCL",
  "ALLR", "BHAT", "HELL", "WPCC", "SEUCL", "MAN", "ALLR_LL"),
  shuffle.db = TRUE, shuffle.k = 3, shuffle.method = "linear",
  rand.tries = 1000, widths = 5:30, min.position.ic = 0,
  normalise.scores = c(FALSE, TRUE), min.overlap = 6, min.mean.ic = 0.25,
  progress = TRUE, nthreads = 1, tryRC = TRUE, score.strat = c("sum",
  "a.mean", "g.mean", "median", "wa.mean", "wg.mean", "fzt"))
```

Arguments

db.motifs	list Database motifs.
method	character(1) One of PCC, EUCL, SW, KL, ALLR, BHAT, HELL, SEUCL, MAN, ALLR_LL, WEUCL, WPCC. See details.
shuffle.db	logical(1) Deprecated. Does nothing. generate random motifs with create_motif() .
shuffle.k	numeric(1) See shuffle_motifs() .
shuffle.method	character(1) See shuffle_motifs() .
rand.tries	numeric(1) Approximate number of comparisons to perform for every combination of widths.
widths	numeric Motif widths to use in P-value database calculation.
min.position.ic	numeric(1) Minimum information content required between individual alignment positions for it to be counted in the final alignment score. It is recommended to use this together with <code>normalise.scores = TRUE</code> , as this will help punish scores resulting from only a fraction of an alignment.
normalise.scores	logical(1) Favour alignments which leave fewer unaligned positions, as well as alignments between motifs of similar length. Similarity scores are multiplied by the ratio of aligned positions to the total number of positions in the larger motif, and the inverse for distance scores.
min.overlap	numeric(1) Minimum overlap required when aligning the motifs. Setting this to a number higher than the width of the motifs will not allow any overhangs. Can also be a number between 0 and 1, representing the minimum fraction that the motifs must overlap.
min.mean.ic	numeric(1) Minimum mean information content between the two motifs for an alignment to be scored. This helps prevent scoring alignments between low information content regions of two motifs. Note that this can result in some comparisons failing if no alignment passes the mean IC threshold. Use average_ic() to filter out low IC motifs to get around this if you want to avoid getting NAs in your output.
progress	logical(1) Show progress.
nthreads	numeric(1) Run compare_motifs() in parallel with nthreads threads. nthreads = 0 uses all available threads.
tryRC	logical(1) Try the reverse complement of the motifs as well, report the best score.
score.strat	character(1) How to handle column scores calculated from motif alignments. "sum": add up all scores. "a.mean": take the arithmetic mean. "g.mean": take the geometric mean. "median": take the median. "wa.mean", "wg.mean": weighted arithmetic/geometric mean. "fzt": Fisher Z-transform. Weights are the total information content shared between aligned columns.

Details

See [compare_motifs\(\)](#) for more info on comparison parameters.

To replicate the internal **universalmotif** DB scores, run `make_DBscores()` with the default settings. Note that this will be a slow process.

Arguments `widths`, `method`, `normalise.scores` and `score.strat` are vectorized; all combinations will be attempted.

Value

A `DataFrame` with score distributions for the input database. If more than one `make_DBscores()` run occurs (i.e. `args.method`, `normalise.scores` or `score.strat` are longer than 1), then the function `args` are included in the metadata slot.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Khan A, Fornes O, Stigliani A, Gheorghe M, Castro-Mondragon JA, van der Lee R, Bessy A, Cheneby J, Kulkarni SR, Tan G, Baranasic D, Arenillas DJ, Sandelin A, Vandepoele K, Lenhard B, Ballester B, Wasserman WW, Parcy F, Mathelier A (2018). “JASPAR 2018: update of the open-access database of transcription factor binding profiles and its web framework.” *Nucleic Acids Research*, **46**, D260-D266.

See Also

`compare_motifs()`

Examples

```
## Not run:
library(MotifDb)
motifs <- convert_motifs(MotifDb[1:100])
scores <- make_DBscores(motifs, method = "PCC")
compare_motifs(motifs, 1:100, db.scores = scores)

## End(Not run)
```

merge_motifs

Merge motifs.

Description

Aligns the motifs using `compare_motifs()`, then averages the motif PPMs. Currently the `multifreq` slot, if filled in any of the motifs, will be dropped. Only 0-order background probabilities will be kept. Motifs are merged one at a time, starting with the first entry in the list.

Usage

```
merge_motifs(motifs, method = "ALLR", use.type = "PPM", min.overlap = 6,
             min.mean.ic = 0.25, tryRC = TRUE, relative_entropy = FALSE,
             normalise.scores = FALSE, min.position.ic = 0, score.strat = "sum",
             new.name = NULL)
```

Arguments

motifs	See convert_motifs() for acceptable motif formats.
method	character(1) One of PCC, EUCL, SW, KL, ALLR, BHAT, HELL, SEUCL, MAN, ALLR_LL, WEUCL, WPCC. See details.
use.type	character(1) One of 'PPM' and 'ICM'. The latter allows for taking into account the background frequencies if <code>relative_entropy = TRUE</code> . Note that 'ICM' is not allowed when <code>method = c("ALLR", "ALLR_LL")</code> .
min.overlap	numeric(1) Minimum overlap required when aligning the motifs. Setting this to a number higher than the width of the motifs will not allow any overhangs. Can also be a number between 0 and 1, representing the minimum fraction that the motifs must overlap.
min.mean.ic	numeric(1) Minimum mean information content between the two motifs for an alignment to be scored. This helps prevent scoring alignments between low information content regions of two motifs. Note that this can result in some comparisons failing if no alignment passes the mean IC threshold. Use average_ic() to filter out low IC motifs to get around this if you want to avoid getting NAs in your output.
tryRC	logical(1) Try the reverse complement of the motifs as well, report the best score.
relative_entropy	logical(1) Change the ICM calculation affecting <code>min.position.ic</code> and <code>min.mean.ic</code> . See convert_type() .
normalise.scores	logical(1) Favour alignments which leave fewer unaligned positions, as well as alignments between motifs of similar length. Similarity scores are multiplied by the ratio of aligned positions to the total number of positions in the larger motif, and the inverse for distance scores.
min.position.ic	numeric(1) Minimum information content required between individual alignment positions for it to be counted in the final alignment score. It is recommended to use this together with <code>normalise.scores = TRUE</code> , as this will help punish scores resulting from only a fraction of an alignment.
score.strat	character(1) How to handle column scores calculated from motif alignments. "sum": add up all scores. "a.mean": take the arithmetic mean. "g.mean": take the geometric mean. "median": take the median. "wa.mean", "wg.mean": weighted arithmetic/geometric mean. "fzt": Fisher Z-transform. Weights are the total information content shared between aligned columns.
new.name	character(1), NULL Instead of collapsing existing names (if NULL), assign a new one manually for the merged motif.

Details

See [compare_motifs\(\)](#) for more info on comparison parameters.

If using a comparison metric where 0s are not allowed (KL, ALLR, ALLR_LL, IS), then pseudocounts will be added internally. These pseudocounts are only used for comparison and alignment, and are not used in the final merging step.

Note: `score.strat = "a.mean"` is NOT recommended, as [merge_motifs\(\)](#) will not discriminate between two alignments with equal mean scores, even if one alignment is longer than the other.

Value

A single motif object. See [convert_motifs\(\)](#) for available formats.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[compare_motifs\(\)](#)

Examples

```
## Not run:
library(MotifDb)
merged.motif <- merge_motifs(MotifDb[1:5])

## End(Not run)

m1 <- create_motif("TTAAACCCC", name = "1")
m2 <- create_motif("AACC", name = "2")
m3 <- create_motif("AACCCCGG", name = "3")
view_motifs(merge_motifs(c(m1, m2, m3)))
```

merge_similar

Identify and merge similar motifs within a collection of motifs.

Description

Given a list of motifs, [merge_similar\(\)](#) will identify similar motifs with [compare_motifs\(\)](#), and merge similar ones with [merge_motifs\(\)](#).

Usage

```
merge_similar(motifs, threshold = 0.95, threshold.type = "score.abs",
  method = "PCC", use.type = "PPM", min.overlap = 6, min.mean.ic = 0,
  tryRC = TRUE, relative_entropy = FALSE, normalise.scores = FALSE,
  min.position.ic = 0, score.strat.compare = "a.mean",
  score.strat.merge = "sum", nthreads = 1)
```

Arguments

motifs	See convert_motifs() for acceptable motif formats.
threshold	numeric(1) The minimum (for similarity metrics) or maximum (for distance metrics) threshold score for merging.
threshold.type	character(1) Type of score used for thresholding. Currently unused.
method	character(1) One of PCC, EUCL, SW, KL, BHAT, HELL, SEUCL, MAN, WEUCL, WPC. See compare_motifs() . (The ALLR and ALLR_LL methods cannot be used for distance matrix construction.)
use.type	character(1) One of 'PPM' and 'ICM'. The latter allows for taking into account the background frequencies if <code>relative_entropy = TRUE</code> . Note that 'ICM' is not allowed when <code>method = c("ALLR", "ALLR_LL")</code> .
min.overlap	numeric(1) Minimum overlap required when aligning the motifs. Setting this to a number higher than the width of the motifs will not allow any overhangs. Can also be a number between 0 and 1, representing the minimum fraction that the motifs must overlap.
min.mean.ic	numeric(1) Minimum mean information content between the two motifs for an alignment to be scored. This helps prevent scoring alignments between low information content regions of two motifs. Note that this can result in some comparisons failing if no alignment passes the mean IC threshold. Use average_ic() to filter out low IC motifs to get around this if you want to avoid getting NAs in your output.
tryRC	logical(1) Try the reverse complement of the motifs as well, report the best score.
relative_entropy	logical(1) Change the ICM calculation affecting <code>min.position.ic</code> and <code>min.mean.ic</code> . See convert_type() .
normalise.scores	logical(1) Favour alignments which leave fewer unaligned positions, as well as alignments between motifs of similar length. Similarity scores are multiplied by the ratio of aligned positions to the total number of positions in the larger motif, and the inverse for distance scores.
min.position.ic	numeric(1) Minimum information content required between individual alignment positions for it to be counted in the final alignment score. It is recommended to use this together with <code>normalise.scores = TRUE</code> , as this will help punish scores resulting from only a fraction of an alignment.
score.strat.compare	character(1) The <code>score.strat</code> parameter used by compare_motifs() . For clustering purposes, the "sum" option cannot be used.
score.strat.merge	character(1) The <code>score.strat</code> parameter used by merge_motifs() . As discussed in merge_motifs() , the "sum" option is recommended over "a.mean" to maximize the overlap between motifs.
nthreads	numeric(1) Run compare_motifs() in parallel with <code>nthreads</code> threads. <code>nthreads = 0</code> uses all available threads.

Details

See [compare_motifs\(\)](#) for more info on comparison parameters, and [merge_motifs\(\)](#) for more info on motif merging.

Value

See [convert_motifs\(\)](#) for available output formats.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[compare_motifs\(\)](#), [merge_motifs\(\)](#)

Examples

```
## Not run:
library(MotifDb)
motifs <- filter_motifs(MotifDb, family = "bHLH")[1:50]
length(motifs)
motifs <- merge_similar(motifs)
length(motifs)

## End(Not run)
```

motif_peaks

Look for overrepresented motif position peaks in a set of sequences.

Description

Using the motif position data from [scan_sequences\(\)](#) (or elsewhere), test whether certain positions in the sequences have significantly higher motif density.

Usage

```
motif_peaks(hits, seq.length, seq.count, bandwidth, max.p = 1e-06,
            peak.width = 3, nrand = 100, plot = TRUE, BP = FALSE)
```

Arguments

hits	numeric A vector of sequence positions indicating motif sites.
seq.length	numeric(1) Length of sequences. Only one number is allowed, as all sequences must be of identical length. If missing, then the largest number from hits is used.

seq.count	numeric(1) Number of sequences with motif sites. If missing, then the number of unique values in hits is used.
bandwidth	numeric(1) Peak smoothing parameter. Smaller numbers will result in skinnier peaks, larger numbers will result in wider peaks. Leaving this empty will cause <code>motif_peaks()</code> to generate one by itself (see 'details').
max.p	numeric(1) Maximum P-value allowed for finding significant motif site peaks.
peak.width	numeric(1) Minimum peak width. A peak is defined as as the highest point within the value set by peak.width.
nrand	numeric(1) Number of random permutations for generating a null distribution. In order to calculate P-values, a set of random motif site positions are generated nrand times.
plot	logical(1) Will create a ggplot2 object displaying motif peaks.
BP	logical(1) Allows for the use of BiocParallel within <code>motif_peaks()</code> . See <code>BiocParallel::register()</code> to change the default backend. Setting BP = TRUE is only recommended for exceptionally large jobs. Keep in mind that this function will not attempt to limit its memory usage.

Details

Kernel smoothing is used to calculate motif position density. The implementation for this process is based on code from the **KernSmooth** R package (Wand 2015). These density estimates are used to determine peak locations and heights. To calculate the P-values of these peaks, a null distribution is calculated from peak heights of randomly generated motif positions.

If the bandwidth option is not supplied, then the following code is used (from **KernSmooth**):

```
de10 <-(1 / (4 * pi))^(1 / 10)
bandwidth <-de10 * (243 / (35 * length(hits)))^(1 / 5) * sqrt(var(hits))
```

Value

A `DataFrame` with peak positions and P-values. If `plot = TRUE`, then a list is returned with the `DataFrame` as the first item and the `ggplot2` object as the second item.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Wand M (2015). *KernSmooth: Functions for Kernel Smoothing Supporting Wand and Jones (1995)*. R package version 2.23-15, <URL: <https://CRAN.R-project.org/package=KernSmooth>>.

See Also

[scan_sequences\(\)](#)

Examples

```

data(ArabidopsisMotif)
data(ArabidopsisPromoters)
if (R.Version()$arch != "i386") {
  hits <- scan_sequences(ArabidopsisMotif, ArabidopsisPromoters, RC = FALSE)
  res <- motif_peaks(as.vector(hits$start), 1000, 50)
  # View plot:
  res$Plot

  # The raw plot data can be found in:
  res$Plot$data
}

```

motif_pvalue	<i>Motif P-value and scoring utility</i>
--------------	--

Description

For calculating p-values/logodds scores for any number of motifs.

Usage

```

motif_pvalue(motifs, score, pvalue, bkg.probs, use.freq = 1, k = 8,
  nthreads = 1, rand.tries = 10, rng.seed = sample.int(10000, 1),
  allow.nonfinite = FALSE)

```

Arguments

motifs	See convert_motifs() for acceptable motif formats.
score	numeric Get a p-value for a motif from a logodds score.
pvalue	numeric Get a logodds score for a motif from a p-value.
bkg.probs	numeric, list If supplying individual background probabilities for each motif, a list. If missing, retrieves the background from the motif bkg slot. Note that this only influences calculating p-values from an input score; calculating a score from an input p-value currently assumes a uniform background.
use.freq	numeric(1) By default uses the regular motif matrix; otherwise uses the corresponding multifreq matrix. Max is 3.
k	numeric(1) For speed, scores/p-values can be approximated after subsetting the motif every k columns. If k is a value equal or higher to the size of input motif(s), then the calculations are (nearly) exact. The default, 8, is recommended to those looking for a good tradeoff between speed and accuracy for jobs requiring repeated calculations.
nthreads	numeric(1) Run motif_pvalue() in parallel with nthreads threads. nthreads = 0 uses all available threads.

<code>rand.tries</code>	numeric(1) When <code>ncol(motif) < k</code> , an approximation is used. This involves randomly approximating the overall motif score distribution. To increase accuracy, the distribution is approximated <code>rand.tries</code> times and the final scores averaged.
<code>rng.seed</code>	numeric(1) In order to allow <code>motif_pvalue()</code> to perform C++ level parallelisation, it must work independently from R. This means it cannot communicate with R to get/set the R RNG state. To get around this, the RNG seed used by the C++ function can be set with <code>rng.seed</code> . To make sure each thread gets a different seed however, the seed is multiplied with the iteration count. For example: when working with two motifs, the second motif gets the following seed: <code>rng.seed * 2</code> . The default is to pick a random number as chosen by <code>sample()</code> , which effectively makes <code>motif_pvalue()</code> dependent on the R RNG state.
<code>allow.nonfinite</code>	logical(1) If FALSE, then apply a pseudocount if non-finite values are found in the PWM. Note that if the motif has a pseudocount greater than zero and the motif is not currently of type PWM, then this parameter has no effect as the pseudocount will be applied automatically when the motif is converted to a PWM internally. This value is set to FALSE by default in order to stay consistent with pre-version 1.8.0 behaviour.

Details

Calculating p-values for motifs can be very computationally intensive. This is due to how p-values must be calculated: for a given score, all possible sequences which score equal or higher must be found, and the probability for each of these sequences (based on background probabilities) summed. For a DNA motif of length 10, the number of possible unique sequences is $4^{10} = 1,048,576$. Finding all possible sequences higher than a given score can be done very efficiently and quickly with a branch-and-bound algorithm, but as the motif length increases even this calculation becomes impractical. To get around this, the p-value calculation can be approximated.

In order to calculate p-values for longer motifs, this function uses the approximation proposed by Hartmann et al. (2013), where the motif is subset, p-values calculated for the subsets, and finally combined for a total p-value. The smaller the size of the subsets, the faster the calculation; but also, the bigger the approximation. This can be controlled by setting `k`. In fact, for smaller motifs (< 13 positions) calculating exact p-values can be done individually in reasonable time by setting `k = 12`.

To calculate a score from a P-value, all possible scores are calculated and the $(1 - \text{pvalue}) * 100$ nth percentile score returned. When `k < ncol(motif)`, the complete set of scores is instead approximated by randomly adding up all possible scores from each subset. It is important to keep in mind that no consideration is given to background frequencies in the score calculator. Note that this approximation can actually be potentially quite expensive at times and even slower than the exact version; for jobs requiring lots of repeat calculations, a bit of benchmarking beforehand can be useful to find the optimal settings.

To get an idea as to how the score calculator works (without approximation), try the following code with your motif (be careful with longer motifs):

```
quantile(get_scores(motif), probs = 0.99)
```

Value

numeric A vector of scores/p-values.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Hartmann H, Guthohrlein EW, Siebert M, Soding SLJ (2013). “P-value-based regulatory motif discovery using positional weight matrices.” *Genome Research*, **23**, 181-194.

See Also

[motif_score\(\)](#)

Examples

```
if (R.Version()$arch != "i386") {

## P-value/score calculations are performed using the PWM version of the
## motif
data(examplemotif)

## Get a minimum score based on a p-value
motif_pvalue(examplemotif, pvalue = 0.001)

## Get the probability of a particular sequence hit
motif_pvalue(examplemotif, score = 0)

## The calculations can be performed for multiple motifs
motif_pvalue(list(examplemotif, examplemotif), pvalue = c(0.001, 0.0001))

## Compare score thresholds and P-value:
scores <- motif_score(examplemotif, c(0.6, 0.7, 0.8, 0.9))
motif_pvalue(examplemotif, scores)

## Calculate the probability of getting a certain match or better:
TATATAT <- score_match(examplemotif, "TATATAT")
TATATAG <- score_match(examplemotif, "TATATAG")
motif_pvalue(examplemotif, TATATAT)
motif_pvalue(examplemotif, TATATAG)

## Get all possible matches by P-value:
get_matches(examplemotif, motif_pvalue(examplemotif, pvalue = 0.0001))
}
```

Description

For any motif, change the motif slot to its reverse complement. If the multifreq slot is filled, then it is also applied. No other slots are affected.

Usage

```
motif_rc(motifs, ignore.alphabet = FALSE)
```

Arguments

`motifs` See `convert_motifs()` for acceptable formats

`ignore.alphabet` logical(1) If TRUE, then `motif_rc()` throws an error when it detects a non-DNA/RNA motif. If FALSE, it will proceed regardless.

Value

See `convert_motifs()` for available output formats.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

Examples

```
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",  
                                package = "universalmotif"))  
jaspar.rc <- motif_rc(jaspar)
```

motif_tree

Generate **ggplot2** motif trees with **ggtree**.

Description

For more powerful motif tree functions, see the **motifStack** package. The `motif_tree()` function compares motifs with `compare_motifs()` to create a distance matrix, which is used to generate a phylogeny. This can be plotted with `ggtree::ggtree()`. The purpose of this function is simply to combine the `compare_motifs()` and `ggtree::ggtree()` steps into one. For more control over tree creation, it is recommend to do these steps separately. See the "Motif comparisons and P-values" vignette for such a walkthrough. This function requires the **ape** and **ggtree** packages to be installed separately.

Usage

```
motif_tree(motifs, layout = "circular", linecol = "family",
  labels = "none", tipsize = "none", legend = TRUE,
  branch.length = "none", db.scores, method = "EUCL", use.type = "PPM",
  min.overlap = 6, min.position.ic = 0, tryRC = TRUE, min.mean.ic = 0,
  relative_entropy = FALSE, progress = FALSE, nthreads = 1,
  score.strat = "a.mean", ...)
```

Arguments

motifs	list, dist See convert_motifs() for available formats. Alternatively, the resulting comparison matrix from compare_motifs() (run as <code>dist(results)</code> beforehand; if the comparison was performed with a similarity metric, make sure to convert to distances first).
layout	character(1) One of <code>c('rectangular', 'slanted', 'fan', 'circular', 'radial', 'equal_angle')</code> . See ggtree::ggtree() .
linecol	character(1) universalmotif slot to use to colour lines (e.g. 'family'). Not available for <code>dist</code> input (see examples for how to add it manually). See ggtree::ggtree() .
labels	character(1) universalmotif slot to use to label tips (e.g. 'name'). For <code>dist</code> input, only 'name' is available. See ggtree::ggtree() .
tipsize	character(1) universalmotif slot to use to control tip size (e.g. 'icscore'). Not available for <code>dist</code> input (see examples for how to add it manually). See ggtree::ggtree() .
legend	logical(1) Show legend for line colour and tip size. See ggtree::ggtree() .
branch.length	character(1) If 'none', draw a cladogram. See ggtree::ggtree() .
db.scores	data.frame See compare_motifs() .
method	character(1) One of PCC, EUCL, SW, KL, ALLR, BHAT, HELL, SEUCL, MAN, ALLR_LL, WEUCL, WPCC. See details.
use.type	character(1) <code>c('PPM', 'ICM')</code> . The latter allows for taking into account the background frequencies (only if <code>relative_entropy = TRUE</code>). See compare_motifs() .
min.overlap	numeric(1) Minimum overlap required when aligning the motifs. Setting this to a number higher than the width of the motifs will not allow any overhangs. Can also be a number between 0 and 1, representing the minimum fraction that the motifs must overlap.
min.position.ic	numeric(1) Minimum information content required between individual alignment positions for it to be counted in the final alignment score. It is recommended to use this together with <code>normalise.scores = TRUE</code> , as this will help punish scores resulting from only a fraction of an alignment.
tryRC	logical(1) Try the reverse complement of the motifs as well, report the best score.
min.mean.ic	numeric(1) Minimum mean information content between the two motifs for an alignment to be scored. This helps prevent scoring alignments between low information content regions of two motifs. Note that this can result in

some comparisons failing if no alignment passes the mean IC threshold. Use [average_ic\(\)](#) to filter out low IC motifs to get around this if you want to avoid getting NAs in your output.

relative_entropy	logical(1) Change the ICM calculation affecting <code>min.position.ic</code> and <code>min.mean.ic</code> . See convert_type() .
progress	logical(1) Show message regarding current step.
nthreads	numeric(1) Run compare_motifs() in parallel with <code>nthreads</code> threads. <code>nthreads = 0</code> uses all available threads.
score.strat	character(1) How to handle column scores calculated from motif alignments. "sum": add up all scores. "a.mean": take the arithmetic mean. "g.mean": take the geometric mean. "median": take the median. "wa.mean", "wg.mean": weighted arithmetic/geometric mean. "fzt": Fisher Z-transform. Weights are the total information content shared between aligned columns.
...	ggtree params. See ggtree::ggtree() .

Details

See [compare_motifs\(\)](#) for more info on comparison parameters.

Value

ggplot object.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Wickham H (2009). *ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. ISBN 978-0-387-98140-6, <URL: <http://ggplot2.org>>.

Yu G, Smith D, Zhu H, Guan Y, Lam TT (2017). "ggtree: an R package for visualization and annotation of phylogenetic trees with their covariates and other associated data." *Methods in Ecology and Evolution*, **8**, 28-36. doi: 10.1111/2041-210X.12628 (URL: <https://doi.org/10.1111/2041-210X.12628>), <URL: <http://onlinelibrary.wiley.com/doi/10.1111/2041-210X.12628/abstract>>.

See Also

[motifStack::motifStack\(\)](#), [compare_motifs\(\)](#), [ggtree::ggtree\(\)](#), [ggplot2::ggplot\(\)](#)

Examples

```
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",
                                package = "universalmotif"))
if (requireNamespace("ggtree", quietly = TRUE)) {
  jaspar.tree <- motif_tree(jaspar, linecol = "none", labels = "name",
                           layout = "rectangular")
}
```

```

}

## Not run:
## When inputting a dist object, the linecol and tipsize options are
## not available. To add these manually:

library(MotifDb)
library(ggtree)
library(ggplot2)

motifs <- filter_motifs(MotifDb, organism = "Athaliana")[1:50]
comparison <- compare_motifs(motifs, method = "PCC", score.strat = "a.mean")
comparison <- as.dist(1 - comparison)
mot.names <- attr(comparison, "Labels")
tree <- motif_tree(comparison)

annotations <- data.frame(label = mot.names,
                          icscore = sapply(motifs, function(x) x["icscore"]),
                          family = sapply(motifs, function(x) x["family"]))

tree <- tree %<+% annotations +
  geom_tippoint(aes(size = icscore)) +
  aes(colour = family) +
  theme(legend.position = "right",
        legend.title = element_blank())

## End(Not run)

```

read_cisbp

Import CIS-BP motifs.

Description

Import CIS-BP formatted motifs. See <http://cisbp.ccb.utoronto.ca/index.php>. Assumed to be DNA motifs.

Usage

```
read_cisbp(file, skip = 0)
```

Arguments

file	character(1) File name.
skip	numeric(1) If not zero, will skip however many desired lines in the file before starting to read.

Details

CIS-BP motifs can be formatted with or without additional header metadata. Motifs without any header start at instances of the word "Pos", whereas motifs with a header start at instances of the word "TF".

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Weirauch MT, Yang A, Albu M, Cote AG, Montenegro-Montero A, Drewe P, Najafabadi HS, Lambert SA, Mann I, Cook K, Zheng H, Goity A, van Bakel H, Lozano JC, Galli M, Lewsey MG, Huang E, Mukherjee T, Chen X, Reece-Hoyes JS, Govindarajan S, Shaulsky G, Walhout AJ, Bouget FY, Ratsch G, Larrondo LF, Ecker JR, Hughes TR (2014). "Determination and inference of eukaryotic transcription factor sequence specificity." *Cell*, **158**, 1431-1443.

See Also

Other read_motifs: [read_homer\(\)](#), [read_jaspar\(\)](#), [read_matrix\(\)](#), [read_meme\(\)](#), [read_motifs\(\)](#), [read_transfac\(\)](#), [read_uniprobe\(\)](#)

Examples

```
cisbp <- read_cisbp(system.file("extdata", "cisbp.txt",
                             package = "universalmotif"))
```

read_homer	<i>Import HOMER motifs.</i>
------------	-----------------------------

Description

Import HOMER formatted motifs. See <http://homer.ucsd.edu/homer/motif/>. Assumed to be DNA motifs.

Usage

```
read_homer(file, skip = 0)
```

Arguments

file	character(1) File name.
skip	numeric(1) If not zero, will skip however many desired lines in the file before starting to read.

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Heinz S, Benner C, Spann N, Bertolino E, Lin YC, Laslo P, Cheng JX, Murre C, Singh H, Glass CK (2010). "Simple combinations of lineage-determining transcription factors prime cis-regulatory elements required for macrophage and B cell identities." *Molecular Cell*, **38**, 576-589.

See Also

Other read_motifs: [read_cisbp\(\)](#), [read_jaspar\(\)](#), [read_matrix\(\)](#), [read_meme\(\)](#), [read_motifs\(\)](#), [read_transfac\(\)](#), [read_uniprobe\(\)](#)

Examples

```
homer <- read_homer(system.file("extdata", "homer.txt",
                                package = "universalmotif"))
```

read_jaspar	<i>Import JASPAR motifs.</i>
-------------	------------------------------

Description

Import JASPAR formatted motifs. See <http://jaspar.genereg.net/>. Can be either DNA, RNA, or AA motifs.

Usage

```
read_jaspar(file, skip = 0)
```

Arguments

file	character(1) File name.
skip	numeric(1) If not zero, will skip however many desired lines in the file before starting to read.

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Khan A, Fornes O, Stigliani A, Gheorghe M, Castro-Mondragon JA, van der Lee R, Bessy A, Cheneby J, Kulkarni SR, Tan G, Baranasic D, Arenillas DJ, Sandelin A, Vandepoele K, Lenhard B, Ballester B, Wasserman WW, Parcy F, Mathelier A (2018). “JASPAR 2018: update of the open-access database of transcription factor binding profiles and its web framework.” *Nucleic Acids Research*, **46**, D260-D266.

See Also

Other read_motifs: [read_cisbp\(\)](#), [read_homer\(\)](#), [read_matrix\(\)](#), [read_meme\(\)](#), [read_motifs\(\)](#), [read_transfac\(\)](#), [read_uniprobe\(\)](#)

Examples

```
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",
                                package = "universalmotif"))
```

read_matrix	<i>Import motifs from raw matrices.</i>
-------------	---

Description

Import simply formatted motifs.

Usage

```
read_matrix(file, skip = 0, type, positions = "columns",
            alphabet = "DNA", sep = "", headers = TRUE, rownames = FALSE,
            comment = NULL)
```

Arguments

file	character(1) File name.
skip	numeric(1) If not zero, will skip however many desired lines in the file before starting to read.
type	character(1) One of c('PCM', 'PPM', 'PWM', 'ICM'). If missing will try and guess which one.
positions	character(1) One of c('columns', 'rows'). Partial matching allowed. Indicate whether each position within a motif is represented as a row or a column in the file.
alphabet	character(1) One of c('DNA', 'RNA', 'AA'), or a string of letters.

sep	character(1) Indicates how individual motifs are separated. Set as NULL if there are no separating lines between motifs (the default is to assume a blank line).
headers	logical(1), character(1) Indicating if and how to read names.
rownames	logical(1) Are there alphabet letters present as rownames?
comment	NULL, character(1) Character denoting lines to be considered comments.

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

Other read_motifs: [read_cisbp\(\)](#), [read_homer\(\)](#), [read_jaspar\(\)](#), [read_meme\(\)](#), [read_motifs\(\)](#), [read_transfac\(\)](#), [read_uniprobe\(\)](#)

Examples

```
hocomoco <- system.file("extdata", "hocomoco.txt", package = "universalmotif")
hocomoco <- read_matrix(hocomoco, headers = ">", positions = "rows")
```

read_meme	<i>Import MEME motifs.</i>
-----------	----------------------------

Description

Import MEME formatted motifs, as well as original motif sequences. See <http://meme-suite.org/doc/meme-format.html>. Both 'full' and 'minimal' formats are supported. DREME and STREME motifs can also be imported, but note that readsites and readsites.meta arguments do nothing.

Usage

```
read_meme(file, skip = 0, readsites = FALSE, readsites.meta = FALSE)
```

Arguments

file	character(1) File name.
skip	numeric(1) If not zero, will skip however many desired lines in the file before starting to read.
readsites	logical(1) If TRUE, the motif sites will be read as well.
readsites.meta	logical(1) If readsites = TRUE, then additionally read site positions and P-values.

Details

Please note that the typical number precision limit in R is around $1e-308$. This means that motif P-values in MEME files below this limit are rounded automatically to 0. To get around this, the E-value is also stored as a string in the `extrainfo` slot. If you require a numeric value for analysis, use the `log_string_pval()` function to get the log of the string-formatted p-value.

Value

list `universalmotif` objects. If `readsites = TRUE`, a list comprising of a sub-list of motif objects and a sub-list of motif sites will be returned. If `readsites.meta = TRUE`, then two additional list items will be present, one containing site positions and P-values, and another containing combined sequence p-values.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Bailey TL, Boden M, Buske FA, Frith M, Grant CE, Clementi L, Ren J, Li WW, Noble WS (2009). "MEME SUITE: tools for motif discovery and searching." *Nucleic Acids Research*, **37**, W202-W208.

See Also

Other `read_motifs`: `read_cisbp()`, `read_homer()`, `read_jaspar()`, `read_matrix()`, `read_motifs()`, `read_transfac()`, `read_uniprobe()`

Examples

```
meme.minimal <- read_meme(system.file("extdata", "meme_minimal.txt",
                                     package = "universalmotif"))
meme.full <- read_meme(system.file("extdata", "meme_full.txt",
                                   package = "universalmotif"))
## Get numeric p-value:
log_string_pval(meme.minimal[[1]][["extrainfo"]]["eval.string"])
```

read_motifs

Import universalmotif formatted motifs.

Description

Import motifs created from `write_motifs()`. For optimal storage of `universalmotif` class motifs, consider using `saveRDS()` and `readRDS()`. Currently the `universalmotif` format is YAML-based, but this is subject to change.

Usage

```
read_motifs(file, skip = 0, progress = FALSE, BP = FALSE)
```

Arguments

file character(1) File name.

skip numeric(1) If not zero, will skip however many desired lines in the file before starting to read.

progress logical(1) Show progress.

BP logical(1) Allows for the use of **BiocParallel** within `read_motifs()`. See [BiocParallel::register\(\)](#) to change the default backend.

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

Other `read_motifs`: [read_cisbp\(\)](#), [read_homer\(\)](#), [read_jaspar\(\)](#), [read_matrix\(\)](#), [read_meme\(\)](#), [read_transfac\(\)](#), [read_uniprobe\(\)](#)

read_transfac	<i>Import TRANSFAC motifs.</i>
---------------	--------------------------------

Description

Import TRANSFAC formatted motifs. Assumed to be DNA motifs, type PCM. See `system.file("extdata", "transfac.t")` for an example motif.

Usage

```
read_transfac(file, skip = 0)
```

Arguments

file character(1) File name.

skip numeric(1) If not zero, will skip however many desired lines in the file before starting to read.

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Wingender E, Dietze P, Karas H, Knuppel R (1996). "TRANSFAC: A Database on Transcription Factors and Their DNA Binding Sites." *Nucleic Acids Research*, **24**, 238-241.

See Also

Other read_motifs: [read_cisbp\(\)](#), [read_homer\(\)](#), [read_jaspar\(\)](#), [read_matrix\(\)](#), [read_meme\(\)](#), [read_motifs\(\)](#), [read_uniprobe\(\)](#)

Examples

```
transfac <- read_transfac(system.file("extdata", "transfac.txt",  
                                   package = "universalmotif"))
```

read_uniprobe *Import UNIPROBE motifs.*

Description

Import UNIPROBE formatted motifs. Assumed DNA.

Usage

```
read_uniprobe(file, skip = 0)
```

Arguments

file	character(1) File name.
skip	numeric(1) If not zero, will skip however many desired lines in the file before starting to read.

Value

list [universalmotif](#) objects.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Hume MA, Barrera LA, Gisselbrecht SS, Bulyk ML (2015). "UniPROBE, update 2015: new tools and content for the online database of protein-binding microarray data on protein-DNA interactions." *Nucleic Acids Research*, **43**, D117-D122.

See Also

Other read_motifs: [read_cisbp\(\)](#), [read_homer\(\)](#), [read_jaspar\(\)](#), [read_matrix\(\)](#), [read_meme\(\)](#), [read_motifs\(\)](#), [read_transfac\(\)](#)

Examples

```
uniprobe.minimal <- read_uniprobe(system.file("extdata", "uniprobe_minimal.txt",
                                             package = "universalmotif"))
uniprobe.full <- read_uniprobe(system.file("extdata", "uniprobe_full.txt",
                                           package = "universalmotif"))
```

run_meme

*Run MEME from within R.***Description**

De novo motif discovery via MEME. For a detailed description of the command, see <http://meme-suite.org/doc/meme.html>. For a brief description of the command parameters, call `run_meme()` without any arguments. Parameters in `run_meme()` which are directly taken from the MEME program are tagged with [MEME]. This function requires that the **processx** package be installed separately.

Usage

```
run_meme(target.sequences, output = NULL, overwrite.dir = FALSE,
         control.sequences = NULL, weights = NULL, text = FALSE, brief = 1000,
         objfun = "classic", test = NULL, use_llr = FALSE, shuf = 2,
         hsfrac = NULL, cefrac = NULL, searchsize = NULL, norand = FALSE,
         csites = 1000, seed = 0, alph = NULL, revcomp = FALSE, pal = FALSE,
         mod = "zoops", nmotifs = 3, evt = NULL, nsites = NULL,
         minsites = NULL, maxsites = NULL, wnsites = 0.8, w = NULL,
         minw = 8, maxw = 50, allw = NULL, nomatrim = FALSE, wg = 11,
         ws = 1, noendgaps = FALSE, bfile = NULL, markov_order = 0,
         psp = NULL, maxiter = 50, distance = 0.001, prior = NULL, b = NULL,
         plib = NULL, spfuzz = NULL, spmap = NULL, cons = NULL, p = NULL,
         maxsize = NULL, maxtime = NULL, wd = getwd(), logfile = paste0(wd,
         "/memerun.log"), readsites = TRUE, echo = FALSE, verbose = 1,
         timeout = Inf, bin = getOption("meme.bin"))
```

Arguments

target.sequences	XStringSet List of sequences to get motifs from.
output	character(1) Name of the output folder. If NULL, MEME output will be deleted.
overwrite.dir	logical(1) If output is set but already exists, allow over-writing.

control.sequences

	<code>XStringSet</code> List of negative sequences. Only used if <code>objfun = c("de", "se")</code> .
<code>weights</code>	numeric Vector of numbers between 0 and 1, representing sequence weights.
<code>text</code>	logical(1) [MEME]
<code>brief</code>	numeric(1) [MEME]
<code>objfun</code>	character(1) [MEME]
<code>test</code>	character(1) [MEME]
<code>use_llr</code>	logical(1) [MEME]
<code>shuf</code>	numeric(1) [MEME]
<code>hsfrac</code>	numeric(1) [MEME]
<code>cefrac</code>	numeric(1) [MEME]
<code>searchsize</code>	numeric(1) [MEME]
<code>norand</code>	logical(1) [MEME]
<code>csites</code>	numeric(1) [MEME]
<code>seed</code>	numeric(1) [MEME]
<code>alph</code>	character(1) [MEME]
<code>revcomp</code>	logical(1) [MEME]
<code>pal</code>	logical(1) [MEME]
<code>mod</code>	character(1) [MEME]
<code>nmotifs</code>	numeric(1) [MEME]
<code>evt</code>	numeric(1) [MEME]
<code>nsites</code>	numeric(1) [MEME]
<code>minsites</code>	numeric(1) [MEME]
<code>maxsites</code>	numeric(1) [MEME]
<code>wnsites</code>	numeric(1) [MEME]
<code>w</code>	numeric(1) [MEME]
<code>minw</code>	numeric(1) [MEME]
<code>maxw</code>	numeric(1) [MEME]
<code>allw</code>	numeric(1) [MEME]
<code>nomatrim</code>	logical(1) [MEME]
<code>wg</code>	numeric(1) [MEME]
<code>ws</code>	numeric(1) [MEME]
<code>noendgaps</code>	logical(1) [MEME]
<code>bfile</code>	character(1) [MEME]
<code>markov_order</code>	numeric(1) [MEME]
<code>psp</code>	character(1) [MEME]
<code>maxiter</code>	numeric(1) [MEME]
<code>distance</code>	numeric(1) [MEME]

prior	character(1) [MEME]
b	numeric(1) [MEME]
plib	character(1) [MEME]
spfuzz	numeric(1) [MEME]
spmap	character(1) [MEME]
cons	character(1) [MEME]
p	numeric(1) [MEME]
maxsize	numeric(1) [MEME]
maxtime	numeric(1) [MEME]
wd	character(1) Working directory to run MEME in.
logfile	character(1) File to dump MEME stderr. If NULL, no logs will be saved.
readsites	logical(1) Read sites from MEME output (from read_meme()).
echo	logical(1) Dump MEME output to console.
verbose	numeric(1) Set verbose = 0 to quiet run_meme() .
timeout	numeric(1) Stop MEME program past timeout (seconds). See processx::run() .
bin	character(1) Location of MEME binary. Alternatively, set this via <code>options(meme.bin = '/path/to/meme/bin')</code> .

Value

list The output file is read with [read_meme\(\)](#).

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Bailey TL, Elkan C (1994). "Fitting a mixture model by expectation maximization to discover motifs in biopolymers." *Proceedings of the Second International Conference on Intelligent Systems for Molecular Biology*, **2**, 28-36.

See Also

[read_meme\(\)](#), [create_sequences\(\)](#), [shuffle_sequences\(\)](#), [processx::run\(\)](#)

Examples

```
## Not run:  
## To check that you are properly linking to the binary:  
run_meme()  
  
## End(Not run)
```

sample_sites	<i>Generate binding sites from a motif.</i>
--------------	---

Description

Given probabilities for a sequence as represented by a motif, generate random sequences with the same length as the motif.

Usage

```
sample_sites(motif, n = 100, use.freq = 1)
```

Arguments

motif	See convert_motifs() for acceptable formats.
n	numeric(1) Number of sites to generate.
use.freq	numeric(1) If one, use regular motif matrix. Otherwise, use respective multifreq matrix.

Value

[XStringSet](#) object.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[create_sequences\(\)](#), [create_motif\(\)](#), [add_multifreq\(\)](#)

Examples

```
motif <- create_motif()
sites <- sample_sites(motif)
```

scan_sequences	<i>Scan sequences for matches to input motifs.</i>
----------------	--

Description

For sequences of any alphabet, scan them using the PWM matrices of a set of input motifs.

Usage

```
scan_sequences(motifs, sequences, threshold = 0.001,
  threshold.type = "pvalue", RC = FALSE, use.freq = 1, verbose = 0,
  nthreads = 1, motif_pvalue.k = 8, use.gaps = TRUE,
  allow.nonfinite = FALSE, warn.NA = TRUE, calc.pvals = FALSE,
  return.granges = FALSE, no.overlaps = FALSE,
  no.overlaps.by.strand = FALSE, no.overlaps.strat = "score",
  respect.strand = FALSE)
```

Arguments

motifs	See <code>convert_motifs()</code> for acceptable motif formats.
sequences	XStringSet Sequences to scan. Alphabet should match motif.
threshold	numeric(1) See details.
threshold.type	character(1) One of <code>c('logodds', 'logodds.abs', 'pvalue')</code> . See details.
RC	logical(1) If TRUE, check reverse complement of input sequences.
use.freq	numeric(1) The default, 1, uses the motif matrix (from the <code>motif['motif']</code> slot) to search for sequences. If a higher number is used, then the matching k-let matrix from the <code>motif['multifreq']</code> slot is used. See add_multifreq() .
verbose	numeric(1) Describe progress, from none (0) to verbose (3).
nthreads	numeric(1) Run scan_sequences() in parallel with nthreads threads. nthreads = 0 uses all available threads. Note that no speed up will occur for jobs with only a single motif and sequence.
motif_pvalue.k	numeric(1) Control motif_pvalue() approximation. See motif_pvalue() .
use.gaps	logical(1) Set this to FALSE to ignore motif gaps, if present.
allow.nonfinite	logical(1) If FALSE, then apply a pseudocount if non-finite values are found in the PWM. Note that if the motif has a pseudocount greater than zero and the motif is not currently of type PWM, then this parameter has no effect as the pseudocount will be applied automatically when the motif is converted to a PWM internally. This value is set to FALSE by default in order to stay consistent with pre-version 1.8.0 behaviour.
warn.NA	logical(1) Whether to warn about the presence of non-standard letters in the input sequence, such as those in masked sequences.

<code>calc.pvals</code>	<code>logical(1)</code> Calculate P-values for each hit. This is a convenience option which simply gives <code>motif_pvalue()</code> the input motifs and the scores of each hit. Be careful about setting this to <code>TRUE</code> if you anticipate getting thousands of hits: expect to wait a few seconds or minutes for the calculations to finish. Increasing the <code>nthreads</code> value can help greatly here. See Details for more information on P-value calculation.
<code>return.granges</code>	<code>logical(1)</code> Return the results as a <code>GRanges</code> object. Requires the <code>GenomicRanges</code> package to be installed.
<code>no.overlaps</code>	<code>logical(1)</code> Remove overlapping hits from the same motifs. Overlapping hits from different motifs are preserved. Please note that the current implementation of this feature can add significantly to the run time for large inputs.
<code>no.overlaps.by.strand</code>	<code>logical(1)</code> Whether to discard overlapping hits from the opposite strand, or to only discard overlapping hits on the same strand.
<code>no.overlaps.strat</code>	<code>character(1)</code> One of <code>c("score", "order")</code> . The former option keeps the highest scoring overlapping hit (and the first of these within ties), and the latter simply keeps the first overlapping hit. keeps the highest scoring
<code>respect.strand</code>	<code>logical(1)</code> If motifs are DNA/RNA, then setting this option to <code>TRUE</code> will make <code>scan_sequences()</code> only scan the strands of the input sequences as indicated in the motif strand slot.

Details

Similar to `Biostrings::matchPWM()`, the scanning method uses logodds scoring. (To see the scoring matrix for any motif, simply run `convert_type(motif, "PWM")`). For a `multifreq` scoring matrix: `apply(motif["multifreq"][["2"]], 2, ppm_to_pwm)`. In order to score a sequence, at each position within a sequence of length equal to the length of the motif, the scores for each base are summed. If the score sum is above the desired threshold, it is kept.

If `threshold.type = 'logodds'`, then the threshold value is multiplied by the maximum possible motif scores. To calculate the maximum possible scores a motif (of type `PWM`) manually, run `motif_score(motif, 1)`. If `threshold.type = 'pvalue'`, then threshold logodds scores are generated using `motif_pvalue()`. Finally, if `threshold.type = 'logodds.abs'`, then the exact values provided will be used as thresholds.

Non-standard letters (such as "N", "+", "-", ".", etc in `DNAString` objects) will be safely ignored, resulting only in a warning and a very minor performance cost. This can be used to scan masked sequences. See `Biostrings::mask()` for masking sequences (generating `MaskedXString` objects), and `Biostrings::injectHardMask()` to recover masked `XStringSet` objects for use with `scan_sequences()`. There is also a provided wrapper function which performs both steps: `mask_seqs()`.

When `calc.pvals = TRUE`, `motif_pvalue()` will calculate the probabilities of getting the input scores or higher, which is why it can take time to calculate the P-values. If you simply wish to calculate the probabilities of getting individual matches based on background frequencies, then the following code can be used to achieve this (using the list of input motifs and `scan_sequences()` results): `mapply(prob_match, motifs[scanRes$motif.i], scanRes$match)`. Of course this only matters if you do not have uniform background frequencies, or else the probability of each match is simply $(1 / \text{nrow}(\text{motif}))^{\text{ncol}(\text{motif})}$.

Value

DataFrame with each row representing one hit. If the input sequences are [DNAStrngSet](#) or [RNAStringSet](#), then an additional column with the strand is included. Function args are stored in the metadata slot.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[add_multifreq\(\)](#), [Biostrings::matchPWM\(\)](#), [enrich_motifs\(\)](#), [motif_pvalue\(\)](#)

Examples

```
## any alphabet can be used
## Not run:
set.seed(1)
alphabet <- paste(c(letters), collapse = "")
motif <- create_motif("hello", alphabet = alphabet)
sequences <- create_sequences(alphabet, seqnum = 1000, seqlen = 100000)
scan_sequences(motif, sequences)

## End(Not run)

## Sequence masking:
if (R.Version()$arch != "i386") {
  library(Biostrings)
  data(ArabidopsisMotif)
  data(ArabidopsisPromoters)
  seq <- mask_seqs(ArabidopsisPromoters, "AAAAA")
  scan_sequences(ArabidopsisMotif, seq)
  # A warning regarding the presence of non-standard letters will be given,
  # but can be safely ignored in this case.
}
```

shuffle_motifs

Shuffle motifs by column.

Description

Given a set of motifs, shuffle the columns between them. Currently does not support keeping the 'multifreq' slot. Only the 'bkg', 'nsites', 'strand', and 'bkgsites' slots will be preserved. Uses the same shuffling methods as [shuffle_sequences\(\)](#). When shuffling more than one motif, they are shuffled together.

Usage

```
shuffle_motifs(motifs, k = 2, method = "linear")
```

Arguments

motifs	See convert_motifs() for acceptable formats.
k	numeric(1) K-let size.
method	character(1) Currently only 'linear' is accepted.

Value

Motifs. See [convert_motifs\(\)](#) for available output formats.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[shuffle_sequences\(\)](#)

shuffle_sequences	<i>Shuffle input sequences.</i>
-------------------	---------------------------------

Description

Given a set of input sequences, shuffle the letters within those sequences with any k-let size.

Usage

```
shuffle_sequences(sequences, k = 1, method = "euler", nthreads = 1,
  rng.seed = sample.int(10000, 1), window = FALSE, window.size = 0.1,
  window.overlap = 0.01)
```

Arguments

sequences	XStringSet Set of sequences to shuffle. Works with any set of characters.
k	numeric(1) K-let size.
method	character(1) One of c('euler', 'markov', 'linear'). Only relevant if k > 1. See details.
nthreads	numeric(1) Run shuffle_sequences() in parallel with nthreads threads. nthreads = 0 uses all available threads. Note that no speed up will occur for jobs with only a single sequence.
rng.seed	numeric(1) Set random number generator seed. Since shuffling can occur simultaneously in multiple threads using C++, it cannot communicate with the regular R random number generator state and thus requires an independent seed. Each individual sequence in an XStringSet object will be given the following seed: rng.seed * index. The default is to pick a random number as chosen by sample() , which effectively is making shuffle_sequences() dependent on the R RNG state.

window	logical(1) Shuffle sequences iteratively over windows instead of all at once.
window.size	numeric(1) Window size. Can be a fraction less than one, or an integer representing the actual window size.
window.overlap	numeric(1) Overlap between windows. Can be a fraction less than one, or an integer representing the actual overlap size.

Details

If method = 'markov', then the Markov model is used to generate sequences which will maintain (on average) the k-let frequencies. Please note that this method is not a 'true' shuffling, and for short sequences (e.g. <100bp) this can result in slightly more dissimilar sequences versus true shuffling. See Fitch (1983) for a discussion on the topic.

If method = 'euler', then the sequence shuffling method proposed by Altschul and Erickson (1985) is used. As opposed to the 'markov' method, this one preserves exact k-let frequencies. This is done by creating a k-let edge graph, then following a random Eulerian walk through the graph. Not all walks will use up all available letters however, so the cycle-popping algorithm proposed by Propp and Wilson (1998) is used to find a random Eulerian path. A side effect of using this method is that the starting and ending sequence letters will remain unshuffled.

If method = 'linear', then the input sequences are split linearly every k letters. For example, for k = 3 'ACAGATAGACCC' becomes 'ACA GAT AGA CCC'; after which these 3-lets are shuffled randomly.

Do note however, that the method parameter is only relevant for k > 1. For k = 1, a simple shuffling is performed using the shuffle function from the C++ standard library.

Value

[XStringSet](#) The input sequences will be returned with identical names and lengths.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Altschul SF, Erickson BW (1985). "Significance of Nucleotide Sequence Alignments: A Method for Random Sequence Permutation That Preserves Dinucleotide and Codon Usage." *Molecular Biology and Evolution*, **2**, 526-538.

Fitch WM (1983). "Random sequences." *Journal of Molecular Biology*, **163**, 171-176.

Propp JG, Wilson DW (1998). "How to get a perfectly random sample from a generic markov chain and generate a random spanning tree of a directed graph." *Journal of Algorithms*, **27**, 170-217.

See Also

[create_sequences\(\)](#), [scan_sequences\(\)](#), [enrich_motifs\(\)](#), [shuffle_motifs\(\)](#)

Examples

```
if (R.Version()$arch != "i386") {  
  sequences <- create_sequences()  
  sequences.shuffled <- shuffle_sequences(sequences, k = 2)  
}
```

switch_alph	<i>Switch between DNA and RNA alphabets.</i>
-------------	--

Description

Convert a motif from DNA to RNA, or RNA to DNA.

Usage

```
switch_alph(motifs)
```

Arguments

motifs See [convert_motifs\(\)](#) for acceptable formats.

Value

The DNA/RNA version of the motifs. See [convert_motifs\(\)](#) for acceptable output formats.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[create_motif\(\)](#)

Examples

```
DNA.motif <- create_motif()  
RNA.motif <- switch_alph(DNA.motif)
```

`tidy-motifs`*Tidy manipulation of motifs.*

Description

Tidy manipulation of motifs.

Usage

```
to_df(motifs, extrainfo = TRUE)
```

```
update_motifs(motif_df, extrainfo = TRUE, force = FALSE)
```

```
to_list(motif_df, extrainfo = TRUE, force = FALSE)
```

```
requires_update(motifs, extrainfo = TRUE)
```

Arguments

<code>motifs</code>	List of motifs.
<code>extrainfo</code>	Use the <code>extrainfo</code> slot in the tidy data.frame. The column names will be taken from the character vectors themselves, and unnamed elements will be assigned a unique name. To add elements to the slot, simply create new columns in the data.frame. Note that these will be coerced into characters. If <code>extrainfo</code> is not set to <code>TRUE</code> in <code>to_df()</code> , then the contents of the slot will not be transferred to the data.frame. If <code>extrainfo</code> is not set to <code>TRUE</code> in <code>update_motifs()</code> or <code>to_list()</code> , then the extra columns will be discarded.
<code>motif_df</code>	Motif data.frame generated by <code>to_df()</code> .
<code>force</code>	Whether to coerce non-character data types into characters for inclusion in <code>extrainfo</code> . If <code>force</code> is <code>FALSE</code> (the default), columns which are not of type "character", "numeric", or "integer" (for example, list columns, or logical values), will not be added to the motif <code>extrainfo</code> slot, but will be passed onto the returned <code>universalmotif_df</code> unchanged. Setting <code>force = TRUE</code> coerces these values into a character, adding them to the <code>extrainfo</code> slot, and updating the <code>universalmotif_df</code> columns to reflect this coercion. In other words, forcing inclusion of these data is destructive and will change the column values. Use with caution.

Value

For `to_df()`: a data.frame with the exposed slots as columns.

For `update_motifs()`: the updated data.frame.

For `requires_update()`: `TRUE` if the motifs are out of date, `FALSE` if otherwise. Note that this function uses `identical()` to check for this, which can be quite slow for large datasets. It is usually just as fast to simply run `update_motifs()` in such cases.

For `to_list()`: a list of motifs.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

Examples

```
## Not run:
library(universalmotif)
library(dplyr)

m <- c(create_motif(name = "motif A"), create_motif(name = "motif B"))

# Change the names of the motifs using the tidy way:
m <- m %>%
  to_df() %>%
  mutate(name = paste0(name, "-2")) %>%
  to_list()

# Add your own metadata to be stored in the extrainfo slot:
m_df <- to_df(m)
m_df$MyMetadata <- c("Info_1", "Info_2")
m <- to_list(m_df, extrainfo = TRUE)

## End(Not run)
```

trim_motifs

Trim motifs.

Description

Remove edges of motifs with low information content. Currently does not trim multifreq representations.

Usage

```
trim_motifs(motifs, min.ic = 0.25, trim.from = c("both", "left", "right"))
```

Arguments

motifs	See convert_motifs() for acceptable formats.
min.ic	numeric(1) Minimum allowed information content. See convert_type() for a discussion on information content.
trim.from	character(1) Control the direction of trimming.

Value

Motifs See [convert_motifs\(\)](#) for available output formats.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[create_motif\(\)](#), [convert_type\(\)](#)

Examples

```
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",
                                package = "universalmotif"))
jaspar.trimmed <- trim_motifs(jaspar)
```

universalmotif-class *universalmotif: Motif class.*

Description

Container for motif objects. See [create_motif\(\)](#) for creating motifs as well as a more detailed description of the slots. For a brief description of available methods, see examples.

Usage

```
## S4 method for signature 'universalmotif'
x[i]

## S4 replacement method for signature 'universalmotif'
x[i] <- value

## S4 method for signature 'universalmotif'
initialize(Object, name, altname, family, organism,
           motif, alphabet = "DNA", type, icscore, nsites, pseudocount = 1, bkg,
           bkgsites, consensus, strand = "+-", pval, qual, eval, multifreq, extrainfo,
           gapinfo)

## S4 method for signature 'universalmotif'
show(object)

## S4 method for signature 'universalmotif'
as.data.frame(x)

## S4 method for signature 'universalmotif'
subset(x, select)

## S4 method for signature 'universalmotif'
normalize(object)
```

```

## S4 method for signature 'universalmotif'
rowMeans(x)

## S4 method for signature 'universalmotif'
colMeans(x)

## S4 method for signature 'universalmotif'
colSums(x)

## S4 method for signature 'universalmotif'
rowSums(x)

## S4 method for signature 'universalmotif'
nrow(x)

## S4 method for signature 'universalmotif'
ncol(x)

## S4 method for signature 'universalmotif'
colnames(x)

## S4 method for signature 'universalmotif'
rownames(x)

## S4 method for signature 'universalmotif'
cbind(..., deparse.level = 0)

```

Arguments

x	universalmotif Motif.
i	character Slot.
value	Object to replace slot with.
.Object	universalmotif Final motif.
name	character(1) Motif name.
altname	character(1) Alternate motif name.
family	character(1) Transcription factor family.
organism	character(1) Species of origin.
motif	matrix Each column represents a position in the motif.
alphabet	character(1) One of c('DNA', 'RNA', 'AA'), or a combined string representing the letters.
type	character(1) One of c('PCM', 'PPM', 'PWM', 'ICM').
icscore	numeric(1) Total information content. Automatically generated.
nsites	numeric(1) Number of sites the motif was constructed from.

pseudocount	numeric(1) Correction to be applied to prevent -Inf from appearing in PWM matrices.
bkg	numeric A vector of probabilities, each between 0 and 1. If higher order backgrounds are provided, then the elements of the vector must be named.
bkg sites	numeric(1) Total number of sites used to find the motif.
consensus	character(1) Consensus string. Automatically generated for 'DNA', 'RNA', and 'AA' alphabets.
strand	character(1) Whether the motif is specific to a certain strand.
pval	numeric(1) P-value associated with motif.
qval	numeric(1) Adjusted P-value associated with motif.
eval	numeric(1) E-value associated with motif.
multifreq	list See add_multifreq() .
extrainfo	character Any other extra information, represented as a named character vector.
gapinfo	universalmotif_gapped(1) Gapped motif information.
object	universalmotif Motif.
select	numeric Columns to keep.
...	universalmotif Motifs.
deparse.level	Unused.

Value

A motif object of class [universalmotif](#).

Slots

name character(1)
 altname character(1)
 family character(1)
 organism character(1)
 motif matrix
 alphabet character(1)
 type character(1)
 icscore numeric(1) Generated automatically.
 nsites numeric(1)
 pseudocount numeric(1)
 bkg numeric 0-order probabilities must be provided for all letters.
 bkg sites numeric(1)
 consensus character Generated automatically.
 strand character(1)

```

pval numeric(1)
qval numeric(1)
eval numeric(1)
multifreq list
extrainfo character
gapinfo universalmotif_gapped(1)

```

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

Examples

```

## [
## Access the slots.
motif <- create_motif()
motif["motif"]
# you can also access multiple slots at once, released as a list
motif[c("motif", "name")]

## [<-
## Replace the slots.
motif["name"] <- "new name"
# some slots are protected
# motif["consensus"] <- "AAAA" # not allowed

## c
## Assemble a list of motifs.
c(motif, motif)

## as.data.frame
## Represent a motif as a data.frame. The actual motif matrix is lost.
## Necessary for `summarise_motifs`.
as.data.frame(motif)

## subset
## Subset a motif matrix by column.
subset(motif, 3:7) # extract motif core

## normalize
## Apply the pseudocount slot (or `1`, if the slot is set to zero) to the
## motif matrix.
motif2 <- create_motif("AAAAA", nsites = 100, pseudocount = 1)
normalize(motif2)

## rowMeans
## Calculate motif rowMeans.
rowMeans(motif)

## colMeans
## Calculate motif colMeans.

```

```
colMeans(motif)

## colSums
## Calculate motif colSums
colSums(motif)

## rowSums
## Calculate motif rowSums.
rowSums(motif)

## nrow
## Count motif rows.
nrow(motif)

## ncol
## Count motif columns.
ncol(motif)

## colnames
## Get motif colnames.
colnames(motif)

## rownames
## Get motif rownames.
rownames(motif)

## cbind
## Bind motifs together to create a new motif.
cbind(motif, motif2)
```

universalmotif-pkg *universalmotif: Import, Modify and Export Motifs with R*

Description

A collection of utility functions for working with motifs.

utilities *Utility functions.*

Description

Utility functions have been split into two categories: those related to motifs ?utils-motif, and those related to sequences ?utils-sequence.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[utils-motif](#), [utils-sequence](#)

utils-motif

Motif-related utility functions.

Description

Motif-related utility functions.

Usage

```

add_gap(motif, gaploc = ncol(motif)%/2, mingap = 1, maxgap = 5)

average_ic(motifs, average = c("a.mean", "g.mean", "median", "fzt"))

compare_columns(x, y, method, bkg1 = rep(1/length(x), length(x)),
  bkg2 = rep(1/length(y), length(y)), nsites1 = 100, nsites2 = 100)

consensus_to_ppm(letter)

consensus_to_ppmAA(letter)

get_consensus(position, alphabet = "DNA", type = "PPM", pseudocount = 1)

get_consensusAA(position, type = "PPM", pseudocount = 0)

get_matches(motif, score, allow.nonfinite = FALSE)

get_scores(motif, allow.nonfinite = FALSE)

icm_to_ppm(position)

motif_score(motif, threshold = c(0, 1), use.freq = 1,
  allow.nonfinite = FALSE, threshold.type = c("total", "fromzero"))

log_string_pval(pval)

pcm_to_ppm(position, pseudocount = 0)

position_icscore(position, bkg = numeric(), type = "PPM",
  pseudocount = 1, nsites = 100, relative_entropy = FALSE,
  schneider_correction = FALSE)

ppm_to_icm(position, bkg = numeric(), schneider_correction = FALSE,
  nsites = 100, relative_entropy = FALSE)

```

```

ppm_to_pcm(position, nsites = 100)

ppm_to_pwm(position, bkg = numeric(), pseudocount = 1, nsites = 100,
  smooth = TRUE)

prob_match(motif, match, allow.zero = TRUE)

prob_match_bkg(bkg, match)

pwm_to_ppm(position, bkg = numeric())

round_motif(motif, pct.tolerance = 0.05)

score_match(motif, match, allow.nonfinite = FALSE)

summarise_motifs(motifs, na.rm = TRUE)

ungap(motif, delete = FALSE)

```

Arguments

motif	Motif object to calculate scores from, or add/remove gap, or round.
gaploc	numeric Motif gap locations. The gap occurs immediately after every position value. If missing, uses $\text{round}(\text{ncol}(\text{motif}) / 2)$.
mingap	numeric Minimum gap size. Must have one value for every location. If missing, set to 1.
maxgap	numeric Maximum gap size. Must have one value for every location. If missing, set to 5.
motifs	list A list of universalmotif motifs.
average	character(1) One of c("a.mean", "g.mean", "median", "fzt"). How to calculate the average motif information content.
x	numeric First column for comparison.
y	numeric Second column for comparison.
method	character(1) Column comparison metric. See compare_motifs() for details.
bkg1	numeric Vector of background probabilities for the first column. Only relevant if method = "ALLR".
bkg2	numeric Vector of background probabilities for the second column. Only relevant if method = "ALLR".
nsites1	numeric(1) Number of sites for the first column. Only relevant if method = "ALLR".
nsites2	numeric(1) Number of sites for the second column. Only relevant if method = "ALLR".
letter	character(1) Any DNA, RNA, or AA IUPAC letter. Ambiguity letters are accepted.

position	numeric	A numeric vector representing the frequency or probability for each alphabet letter at a specific position.
alphabet	character(1)	One of c('DNA', 'RNA').
type	character(1)	One of c('PCM', 'PPM', 'PWM', 'ICM').
pseudocount	numeric(1)	Used to prevent zeroes in motif matrix.
score	numeric(1)	Logodds motif score.
allow.nonfinite	logical(1)	If FALSE, then apply a pseudocount if non-finite values are found in the PWM. Note that if the motif has a pseudocount greater than zero and the motif is not currently of type PWM, then this parameter has no effect as the pseudocount will be applied automatically when the motif is converted to a PWM internally. This value is set to FALSE by default in order to stay consistent with pre-version 1.8.0 behaviour.
threshold	numeric(1)	Any number of numeric values between 0 and 1 representing score percentage.
use.freq	numeric(1)	Use regular motif or the respective multifreq representation.
threshold.type	character	For "total", a threshold of zero represents the minimum possible score. This means the range of scores that can be extracted is from the minimum to the maximum possible scores. For "fromzero", a threshold of zero is a score of zero. This means the range of scores is from zero to the maximum. The "total" threshold type can only be used if no non-finite values are present in the PWM.
pval	character(1)	String-formatted p-value.
bkg	numeric	Should be the same length as the alphabet length.
nsites	numeric(1)	Number of sites motif originated from.
relative_entropy	logical(1)	Calculate information content as relative entropy or Kullback-Leibler divergence.
schneider_correction	logical(1)	Apply sample size correction.
smooth	logical(1)	Apply pseudocount correction.
match	character	Sequence string to calculate score from.
allow.zero	logical(1)	If FALSE, apply a pseudocount if zero values are found in the background frequencies.
pct.tolerance	numeric(1) or character(1)	The minimum tolerated proportion each letter must represent per position in order not to be rounded off, either as a numeric value from 0 to 1 or a percentage written as a string from "0%" to "100%".
na.rm	logical	Remove columns where all values are NA.
delete	logical(1)	Clear gap information from motif. If FALSE, then it can be reactivated simply with add_gap(motif).

Value

For `consensus_to_ppm()` and `consensus_to_ppmAA()`: a numeric vector of length 4 and 20, respectively.

For `get_consensus()` and `get_consensusAA()`: a character vector of length 1.

For `get_matches()`: a character vector of motif matches.

For `motif_score()`: a named numeric vector of motif scores.

For `log_string_pval()`: a numeric vector of length 1.

For `position_icscore()`: a numeric vector of length 1.

For `ppm_to_icm()`, `icm_to_ppm()`, `pcm_to_ppm()`, `ppm_to_pcm()`, `ppm_to_pwm()`, and `pwm_to_ppm()`: a numeric vector with length equal to input numeric vector.

For `prob_match()`: a numeric vector of probabilities.

For `round_motif()`: the input motif, rounded.

For `score_match()`: a numeric vector with the match motif score.

For `summarise_motifs()`: a `data.frame` with columns representing the `universalmotif` slots.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

`create_motif()`

Examples

```
data(examplemotif)
examplemotif0 <- examplemotif
examplemotif0["pseudocount"] <- 0

#####
## add_gap
## Add gap information to a motif.
m <- create_motif()
# Add a gap size 5-8 between positions 4 and 5:
m <- add_gap(m, gaploc = 4, mingap = 5, maxgap = 8)

#####
## average_ic
## Calculate the average information content for a list of motifs.
m <- create_motif()
average_ic(m, "fzt")

#####
## compare_columns
## Compare two numeric vectors using the metrics from compare_motifs()
compare_columns(c(0.5, 0.1, 0.1, 0.2), c(0.7, 0.1, 0.1, 0.1), "PCC")
```

```
#####
## consensus_to_ppm
## Do the opposite of get_consensus. Note that loss of information is
## inevitable. Generates a sequence matrix.
sapply(c("A", "G", "T", "B"), consensus_to_ppm)

#####
## consensus_to_ppmAA
## Do the opposite of get_consensusAA and generate a motif matrix.
sapply(c("V", "A", "L"), consensus_to_ppmAA)

#####
## get_consensus
## Get a consensus string from a DNA/RNA motif.
m <- create_motif()["motif"]
apply(m, 2, get_consensus)

#####
## get_consensusAA
## Get a consensus string from an amino acid motif. Unless each position
## is clearly dominated by a single amino acid, the resulting string will
## likely be useless.
m <- create_motif(alphabet = "AA")["motif"]
apply(m, 2, get_consensusAA, type = "PPM")

#####
## get_match
## Get all possible motif matches above input score
get_matches(examplemotif, 0)
get_matches(examplemotif0, 0, allow.nonfinite = TRUE)

#####
## get_scores
## Get all possible scores for a motif
length(get_scores(examplemotif))
get_scores(examplemotif)
get_scores(examplemotif0, allow.nonfinite = TRUE)

#####
## icm_to_ppm
## Do the opposite of ppm_to_icm.
m <- create_motif(type = "ICM")["motif"]
apply(m, 2, icm_to_ppm)

#####
## motif_score
## Calculate motif score from different thresholds
m <- normalize(examplemotif)
motif_score(m, c(0, 0.8, 1))
motif_score(examplemotif0, c(0, 0.8, 1), allow.nonfinite = TRUE,
  threshold.type = "fromzero")

#####
```



```

## log_string_pval
## Get the log of a string-formatted p-value
log_string_pval("1e-200")

#####
## pcm_to_ppm
## Go from a count type motif to a probability type motif.
m <- create_motif(type = "PCM", nsites = 50)["motif"]
apply(m, 2, pcm_to_ppm, pseudocount = 1)

#####
## position_icscore
## Similar to ppm_to_icm, except this calculates the position sum.
m <- create_motif()["motif"]
apply(m, 2, position_icscore, type = "PPM", bkg = rep(0.25, 4))

#####
## ppm_to_icm
## Convert one column from a probability type motif to an information
## content type motif.
m <- create_motif(nsites = 100, pseudocount = 0.8)["motif"]
apply(m, 2, ppm_to_icm, nsites = 100, bkg = rep(0.25, 4))

#####
## ppm_to_pcm
## Do the opposite of pcm_to_ppm.
m <- create_motif()["motif"]
apply(m, 2, ppm_to_pcm, nsites = 50)

#####
## ppm_to_pwm
## Go from a probability type motif to a weight type motif.
m <- create_motif()["motif"]
apply(m, 2, ppm_to_pwm, nsites = 100, bkg = rep(0.25, 4))

#####
## prob_match, prob_match_bkg
## Calculate probability of a particular match based on background
## frequencies
prob_match(examplemotif, "TATATAT")
## Since this motif has a uniform background, the probability of
## finding any motif hit within the sequence is equal
prob_match(examplemotif, "TATATAG")
m <- examplemotif
m["bkg"] <- c(0.3, 0.2, 0.2, 0.3)
prob_match(m, "TATATAT")
## The prob_match_bkg alternative allows you to simply pass along the
## background frequencies
prob_match_bkg(c(A=0.3, C=0.2, G=0.2, T=0.3), c("TATATAT", "TATATAG"))

#####
## pwm_to_ppm
## Do the opposite of ppm_to_pwm.

```

```

m <- create_motif(type = "PWM")["motif"]
apply(m, 2, pwm_to_ppm, bkg = rep(0.25, 4))

#####
## Note that not all type conversions can be done directly; for those
## type conversions which are unavailable, universalmotif just chains
## together others (i.e. from PCM -> ICM => pcm_to_ppm -> ppm_to_icm)

#####
## round_motif
## Round down letter scores to 0
m <- create_motif()
## Remove letters from positions which are less than 5% of the total
## position:
round_motif(m, pct.tolerance = 0.05)

#####
## score_match
## Calculate score of a particular match
score_match(examplemotif, "TATATAT")
score_match(examplemotif, "TATATAG")
score_match(examplemotif0, "TATATAT", allow.nonfinite = TRUE)
score_match(examplemotif0, "TATATAG", allow.nonfinite = TRUE)

#####
## summarise_motifs
## Create a data.frame of information based on a list of motifs.
m1 <- create_motif()
m2 <- create_motif()
m3 <- create_motif()
summarise_motifs(list(m1, m2, m3))

#####
## ungap
## Unset motif's gap status. Does not delete actual gap data unless
## delete = TRUE.
m <- create_motif()
m <- add_gap(m, 3, 2, 4)
m <- ungap(m)
# Restore gap data:
m <- add_gap(m)

```

utils-sequence

Sequence-related utility functions.

Description

Sequence-related utility functions.

Usage

```
count_klets(string, k = 1, alph)

get_klets(lets, k = 1)

mask_seqs(seqs, pattern, RC = FALSE, letter = "-")

shuffle_string(string, k = 1, method = c("euler", "linear", "markov"),
  rng.seed = sample.int(10000, 1))
```

Arguments

string	character(1) A length one character vector.
k	integer(1) K-let size.
alph	character(1) A single character string with the desired sequence alphabet. If missing, finds the unique letters in the string.
lets	character A character vector where each element will be considered a single unit.
seqs	XStringSet Sequences to mask. Cannot be BStringSet.
pattern	character(1) Pattern to mask.
RC	logical(1) Whether to mask the reverse complement of the pattern.
letter	character(1) Character to use for masking.
method	character(1) Shuffling method. One of c("euler", "linear", "markov"). See shuffle_sequences() .
rng.seed	numeric(1) Set random number generator seed. Since shuffling in shuffle_sequences() can occur simultaneously in multiple threads using C++, it cannot communicate with the regular R random number generator state and thus requires an independent seed. Since shuffle_string() uses the same underlying code as shuffle_sequences() , it also requires a separate seed even if it is run in serial.

Value

For [count_klets\(\)](#): A data.frame with columns lets and counts.

For [get_klets\(\)](#): A character vector of k-lets.

For [mask_seqs\(\)](#): The masked XStringSet object.

For [shuffle_string\(\)](#): A single character string.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[create_sequences\(\)](#), [shuffle_sequences\(\)](#)

Examples

```
#####
## count_klets
## Count k-lets for any string of characters
count_klets("GCAAATGTACGCAGGCCGA", k = 2)
## The default 'k' value (1) counts individual letters
count_klets("GCAAATGTACGCAGGCCGA")

#####
## get_klets
## Generate all possible k-lets for a set of characters
get_klets(c("A", "C", "G", "T"), 3)
## Note that each element in 'lets' is considered a single unit;
## see:
get_klets(c("AA", "B"), k = 2)

#####
## mask_seqs
## Mask repetitive sequences
data(ArabidopsisPromoters)
mask_seqs(ArabidopsisPromoters, "AAAAA")

#####
## shuffle_string
## Shuffle any string of characters
shuffle_string("ASDADASDASD", k = 2)
```

view_logo

Plot logos from numeric matrices.

Description

This function provides the plotting capabilities of `view_motifs()` without requiring `universalmotif`-class objects. Instead, it takes a numeric matrix with row names as input. Additionally, columns can be of any height and letters can be a mix of different character lengths.

Usage

```
view_logo(x, fontDF = NULL, fill = "black", colour.scheme = NULL,
  min.height = 0.01, x.spacer = 0.04, y.spacer = 0.01,
  sort.positions = FALSE, sort.positions.decreasing = TRUE,
  fit.to.height = NULL)
```

Arguments

x A numeric matrix with row names. The row names can be a mix of different character lengths.

fontDF	data.frame or DataFrame Polygon data for letters used for plotting, as generated by the createPolygons() function from the gglogo package. See the fontDFroboto data object (which is used by default when fontDF = NULL). See Examples for how to generate your own font set. Expected columns: x, y, order, group; additional columns will be ignored.
fill	character A single colour to fill all letters with. Ignored if colour.scheme is provided.
colour.scheme	character A named character vector of colour names. Provide colours for individual letters, even if the row names are made up of multiple characters.
min.height	numeric(1) Minimum height for a letter to be plotted. The number is taken as the fraction of the total height of the plot. The default value is to not show letters which take up 1% or less of the vertical space. For smaller figures it is recommended to increase this value, and vice versa for larger figures.
x.spacer	numeric(1) Add horizontal spacing between letters. The number is taken as the fraction of the width of an individual position. Increasing this value is recommended for letters made up of multiple characters.
y.spacer	numeric(1) Add vertical spacing between letters. The number is taken as the fraction of the total height of the plot.
sort.positions	logical(1) Sort letters vertically per position by height.
sort.positions.decreasing	logical(1) Sort in decreasing or increasing order based on letter height.
fit.to.height	numeric(1) Normalize the per position height to this value. If NULL, no normalization is applied. Note that this parameter is ignored if use.type %in% c("PWM", "ICM").

Value

A ggplot object. If you wish to plot the data yourself from polygon paths, access them using \$data on the output object. The theme theme_void() is applied to the object; apply your own theme or adjust specific plot parameters with theme() to change this.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[view_motifs\(\)](#)

Examples

```
## Feel free to mix and match row name character lengths and column sums.
data(examplemotif)
toplot <- examplemotif["motif"]
toplot[4] <- 2
toplot[20] <- -0.5
rownames(toplot)[1] <- "AA"
view_logo(toplot)
```

 view_motifs

Plot motif logos.

Description

Show sequence logo. If given a list of more than one motif, then the motifs are aligned with the first in the list.

Usage

```
view_motifs(motifs, use.type = "ICM", method = "ALLR", tryRC = TRUE,
  min.overlap = 6, min.mean.ic = 0.25, relative_entropy = FALSE,
  normalise.scores = FALSE, min.position.ic = 0, score.strat = "sum",
  return.raw = FALSE, dedup.names = TRUE, show.positions = TRUE,
  show.positions.once = TRUE, show.names = TRUE, names.pos = c("top",
  "right"), use.freq = 1, colour.scheme = NULL, fontDF = NULL,
  min.height = 0.01, x.spacer = if (use.freq == 1) 0.04 else 0.1,
  y.spacer = 0.01, sort.positions = !use.type %in% c("PCM", "PPM"),
  sort.positions.decreasing = TRUE, text.size = 16, fit.to.height = if
  (use.type == "PPM") 1 else NULL, RC.text = " [RC]", ...)
```

Arguments

motifs	See convert_motifs() for acceptable motif formats.
use.type	character(1) One of c('PCM', 'PPM', 'PWM', 'ICM').
method	character(1) One of PCC, EUCL, SW, KL, ALLR, BHAT, HELL, SEUCL, MAN, ALLR_LL, WEUCL, WPCC. See details.
tryRC	logical(1) Try the reverse complement of the motifs as well, report the best score.
min.overlap	numeric(1) Minimum overlap required when aligning the motifs. Setting this to a number higher than the width of the motifs will not allow any overhangs. Can also be a number between 0 and 1, representing the minimum fraction that the motifs must overlap.
min.mean.ic	numeric(1) Minimum mean information content between the two motifs for an alignment to be scored. This helps prevent scoring alignments between low information content regions of two motifs. Note that this can result in some comparisons failing if no alignment passes the mean IC threshold. Use average_ic() to filter out low IC motifs to get around this if you want to avoid getting NAs in your output.
relative_entropy	logical(1) Change the ICM calculation affecting min.position.ic and min.mean.ic. See convert_type() .
normalise.scores	logical(1) Favour alignments which leave fewer unaligned positions, as well as alignments between motifs of similar length. Similarity scores are multiplied

by the ratio of aligned positions to the total number of positions in the larger motif, and the inverse for distance scores.

min.position.ic	numeric(1) Minimum information content required between individual alignment positions for it to be counted in the final alignment score. It is recommended to use this together with <code>normalise.scores = TRUE</code> , as this will help punish scores resulting from only a fraction of an alignment.
score.strat	character(1) How to handle column scores calculated from motif alignments. "sum": add up all scores. "a.mean": take the arithmetic mean. "g.mean": take the geometric mean. "median": take the median. "wa.mean", "wg.mean": weighted arithmetic/geometric mean. "fzt": Fisher Z-transform. Weights are the total information content shared between aligned columns.
return.raw	logical(1) Instead of returning a plot, return the aligned named matrices used to generate the plot. This can be useful if you wish to use <code>view_motifs()</code> alignment capabilities for custom plotting uses. Alignment is performed by adding empty columns to the left or right of motifs to generate matrices of equal length.
dedup.names	logical(1) Plotting motifs with duplicated names is not allowed. Setting this to TRUE allows the names to be modified for plotting.
show.positions	logical(1) Show x-axis position tick labels.
show.positions.once	logical(1) When plotting multiple motifs, show x-axis position tick labels only once. If FALSE, then x-axis tick labels are specific to each motif.
show.names	logical(1) Add motif names when plotting multiple motifs.
names.pos	character(1) Motif name locations. Either above (top) or to the right (right) of the logos.
use.freq	numeric(1) Plot higher order motifs from the <code>multifreq</code> slot.
colour.scheme	character A named character vector of colour names. Default colours are provided for DNA, RNA, and AA motifs if left NULL.
fontDF	data.frame or DataFrame Polygon data for letters used for plotting, as generated by the <code>createPolygons()</code> function from the <code>gglogo</code> package. See the <code>fontDFroboto</code> data object (which is used by default when <code>fontDF = NULL</code>). See Examples for how to generate your own font set. Expected columns: <code>x</code> , <code>y</code> , <code>order</code> , <code>group</code> ; additional columns will be ignored.
min.height	numeric(1) Minimum height for a letter to be plotted. The number is taken as the fraction of the total height of the plot. The default value is to not show letters which take up 1% or less of the vertical space. For smaller figures it is recommended to increase this value, and vice versa for larger figures.
x.spacer	numeric(1) Add horizontal spacing between letters. The number is taken as the fraction of the width of an individual position. Increasing this value is recommended for plotting <code>multifreq</code> motifs.
y.spacer	numeric(1) Add vertical spacing between letters. The number is taken as the fraction of the total height of the plot.
sort.positions	logical(1) Sort letters vertically per position by height.
sort.positions.decreasing	logical(1) Sort in decreasing or increasing order based on letter height.

text.size	numeric(1) Text size for labels.
fit.to.height	numeric(1) Normalize the per position height to this value. If NULL, no normalization is applied. Note that this parameter is ignore if use.type %in% c("PWM", "ICM").
RC.text	character(1) The text to display alongside the name of motifs shown as their reverse complement.
...	Currently unused.

Details

See [compare_motifs\(\)](#) for more info on comparison parameters.

See [view_logo\(\)](#) to plot from a numeric matrix with arbitrary values instead of a motif object.

Note: score.strat = "a.mean" is NOT recommended, as [view_motifs\(\)](#) will not discriminate between two alignments with equal mean scores, even if one alignment is longer than the other.

Note: if you want to plot the motifs yourself, you can set return.raw=TRUE to get the numeric motif matrices and calculate the polygon paths on your own or access the polygon path data directly from the final ggplot object using \$data.

Value

A ggplot object. If return.raw = TRUE, a list of matrices.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[compare_motifs\(\)](#), [add_multifreq\(\)](#), [view_logo\(\)](#)

Examples

```
## Plotting multifreq motifs:
data(examplemotif2)
view_motifs(examplemotif2, use.freq = 2)

## Generate your own letter set:
## Not run:

library(gglogo) # install from CRAN first if needed
fontDFtimes <- createPolygons(LETTERS, "Times", 800, scale = TRUE)
view_motifs(examplemotif2, fontDF = fontDFtimes)

## Note: setting `scale = TRUE` is necessary to properly align letters
## vertically, but this has the effect of horizontally stretching out
## letters which shouldn't be stretched (such as "I"). If you need to plot
## letters which have been badly horizontally scaled, you can fix them
## manually as demonstrated here:
```



```

# Retrieve the x-coordinates for the desired letter:
tofix <- fontDFtimes$x[fontDFtimes$group == "I"]
# Scale the letter x-coordinates:
tofix <- tofix * 0.35
# Remember to center the letter around 0.5 again:
tofix <- tofix + (1 - max(tofix)) / 2
# Apply the fix:
fontDFtimes$x[fontDFtimes$group == "I"] <- tofix
view_motifs(create_motif("AIG", alphabet = "AA"), fontDF = fontDFtimes)

## End(Not run)

```

write_homer

Export motifs in HOMER format.

Description

Convert DNA motifs to HOMER format and write to file. See <http://homer.ucsd.edu/homer/motif/>.

Usage

```
write_homer(motifs, file, logodds_threshold = 0.6, overwrite = FALSE,
            append = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
file	character(1) File name.
logodds_threshold	numeric Stringency required for HOMER to match a motif. See scan_sequences() .
overwrite	logical(1) Overwrite existing file.
append	logical(1) Add to an existing file.

Value

NULL, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Heinz S, Benner C, Spann N, Bertolino E, Lin YC, Laslo P, Cheng JX, Murre C, Singh H, Glass CK (2010). "Simple combinations of lineage-determining transcription factors prime cis-regulatory elements required for macrophage and B cell identities." *Molecular Cell*, **38**, 576-589.

See Also

[read_homer\(\)](#)

Other write_motifs: [write_jaspar\(\)](#), [write_matrix\(\)](#), [write_meme\(\)](#), [write_motifs\(\)](#), [write_transfac\(\)](#)

Examples

```
motif <- create_motif()
write_homer(motif, tempfile())
```

write_jaspar	<i>Export motifs in JASPAR format.</i>
--------------	--

Description

Convert motifs to JASPAR format and write to file. See <http://jaspar.genereg.net/>.

Usage

```
write_jaspar(motifs, file, overwrite = FALSE, append = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
file	character(1) File name.
overwrite	logical(1) Overwrite existing file.
append	logical(1) Add to an existing file.

Value

NULL, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Khan A, Fornes O, Stigliani A, Gheorghe M, Castro-Mondragon JA, van der Lee R, Bessy A, Cheneby J, Kulkarni SR, Tan G, Baranasic D, Arenillas DJ, Sandelin A, Vandepoele K, Lenhard B, Ballester B, Wasserman WW, Parcy F, Mathelier A (2018). "JASPAR 2018: update of the open-access database of transcription factor binding profiles and its web framework." *Nucleic Acids Research*, **46**, D260-D266.

See Also[read_jaspar\(\)](#)Other write_motifs: [write_homer\(\)](#), [write_matrix\(\)](#), [write_meme\(\)](#), [write_motifs\(\)](#), [write_transfac\(\)](#)**Examples**

```
transfac <- read_transfac(system.file("extdata", "transfac.txt",
                                   package = "universalmotif"))
write_jaspar(transfac, tempfile())
```

write_matrix	<i>Export motifs as raw matrices.</i>
--------------	---------------------------------------

Description

Write motifs as simple matrices with optional headers to file.

Usage

```
write_matrix(motifs, file, positions = "columns", rownames = FALSE, type,
            sep = "", headers = TRUE, overwrite = FALSE, append = FALSE,
            digits = 6)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
file	character(1) File name.
positions	character(1) One of c('columns', 'rows').
rownames	logical(1) Include alphabet letters as rownames.
type	character(1) One of c('PCM', 'PPM', 'PWM', 'ICM'). If missing will use whatever type the motif is currently stored as.
sep	character(1) Indicates how to separate individual motifs. Set as NULL to have no separating lines between motifs (the default is to use a blank line).
headers	logical(1), character(1) Indicating if and how to write names.
overwrite	logical(1) Overwrite existing file.
append	logical(1) Add to an existing file.
digits	numeric(1) Number of digits to use for motif positions.

Value

NULL, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

[read_matrix\(\)](#)

Other write_motifs: [write_homer\(\)](#), [write_jaspar\(\)](#), [write_meme\(\)](#), [write_motifs\(\)](#), [write_transfac\(\)](#)

Examples

```
motif <- create_motif()
write_matrix(motif, tempfile(), headers = ">")
```

write_meme

Export motifs in MEME format.

Description

Convert motifs to minimal MEME format and write to file. See <http://meme-suite.org/doc/meme-format.html>.

Usage

```
write_meme(motifs, file, version = 5, bkg, strand, overwrite = FALSE,
           append = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
file	character(1) File name.
version	numeric(1) MEME version.
bkg	numeric Background letter frequencies. If missing, will use background frequencies from motif objects (if they are identical); else background frequencies will be set to freq = 1/length(alphabet)
strand	character If missing, will use strand from motif objects (if identical); otherwise will default to "+ -"
overwrite	logical(1) Overwrite existing file.
append	logical(1) Add to an existing file. Motifs will be written in minimal format, so it is recommended to only use this if the existing file is also a minimal MEME format file.

Value

NULL, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Bailey TL, Boden M, Buske FA, Frith M, Grant CE, Clementi L, Ren J, Li WW, Noble WS (2009). "MEME SUITE: tools for motif discovery and searching." *Nucleic Acids Research*, **37**, W202-W208.

See Also

[read_meme\(\)](#)

Other write_motifs: [write_homer\(\)](#), [write_jaspar\(\)](#), [write_matrix\(\)](#), [write_motifs\(\)](#), [write_transfac\(\)](#)

Examples

```
transfac <- read_transfac(system.file("extdata", "transfac.txt",
                                     package = "universalmotif"))
write_meme(transfac, tempfile())
```

write_motifs

Export motifs in universalmotif format.

Description

Write motifs as universalmotif objects to file. For optimal storage of universalmotif class motifs, consider using [saveRDS\(\)](#) and [readRDS\(\)](#). Currently the universalmotif format is YAML-based, but this is subject to change.

Usage

```
write_motifs(motifs, file, minimal = FALSE, multifreq = TRUE,
             progress = FALSE, overwrite = FALSE, append = FALSE, BP = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
file	character(1) File name.
minimal	logical(1) Only write essential motif information.
multifreq	logical(1) Write multifreq slot, if present.
progress	logical(1) Show progress.
overwrite	logical(1) Overwrite existing file.
append	logical(1) Add to an existing motif file. Package version in existing motif file must be greater than 1.2.0.
BP	logical(1) Allows for the use of BiocParallel within write_motifs() . See BiocParallel::register() to change the default backend.

Value

NULL, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

See Also

Other write_motifs: [write_homer\(\)](#), [write_jaspar\(\)](#), [write_matrix\(\)](#), [write_meme\(\)](#), [write_transfac\(\)](#)

write_transfac	<i>Export motifs in TRANSFAC format.</i>
----------------	--

Description

Convert motifs to TRANSFAC format and write to file.

Usage

```
write_transfac(motifs, file, overwrite = FALSE, append = FALSE)
```

Arguments

motifs	See convert_motifs() for acceptable formats.
file	character(1) File name.
overwrite	logical(1) Overwrite existing file.
append	logical(1) Add to an existing file.

Value

NULL, invisibly.

Author(s)

Benjamin Jean-Marie Tremblay, <benjamin.tremblay@uwaterloo.ca>

References

Wingender E, Dietze P, Karas H, Knuppel R (1996). "TRANSFAC: A Database on Transcription Factors and Their DNA Binding Sites." *Nucleic Acids Research*, **24**, 238-241.

See Also

[read_transfac\(\)](#)

Other write_motifs: [write_homer\(\)](#), [write_jaspar\(\)](#), [write_matrix\(\)](#), [write_meme\(\)](#), [write_motifs\(\)](#)

Examples

```
jaspar <- read_jaspar(system.file("extdata", "jaspar.txt",  
                                package = "universalmotif"))  
write_transfac(jaspar, tempfile())
```

Index

- * **datasets**
 - ArabidopsisMotif, 5
 - ArabidopsisPromoters, 5
 - examplomotif, 24
 - examplomotif2, 25
 - fontDFroboto, 26
 - JASPAR2018_CORE_DBSCORES, 29
- * **read_motifs**
 - read_cisbp, 43
 - read_homer, 44
 - read_jaspar, 45
 - read_matrix, 46
 - read_meme, 47
 - read_motifs, 48
 - read_transfac, 49
 - read_uniprobe, 50
- * **write_motifs**
 - write_homer, 81
 - write_jaspar, 82
 - write_matrix, 83
 - write_meme, 84
 - write_motifs, 85
 - write_transfac, 86
- [,universalmotif-method
(universalmotif-class), 63
- [<-,universalmotif-method
(universalmotif-class), 63

- AAStringSet, 18
- add_gap (utils-motif), 68
- add_multifreq, 3
- add_multifreq(), 4, 17, 18, 22, 24, 54, 55,
57, 65, 80
- ArabidopsisMotif, 5
- ArabidopsisPromoters, 5, 5
- as.data.frame,universalmotif-method
(universalmotif-class), 63
- average_ic (utils-motif), 68
- average_ic(), 6, 30, 32, 34, 42, 78

- BiocParallel::register(), 36, 49, 85
- Biostrings::injectHardMask(), 56
- Biostrings::mask(), 56
- Biostrings::matchPWM(), 56, 57
- Biostrings::oligonucleotideFrequency(),
27
- BStringSet, 18

- cbind,universalmotif-method
(universalmotif-class), 63
- colMeans,universalmotif-method
(universalmotif-class), 63
- colnames,universalmotif-method
(universalmotif-class), 63
- colSums,universalmotif-method
(universalmotif-class), 63
- compare_columns (utils-motif), 68
- compare_motifs, 6
- compare_motifs(), 7, 29–31, 33–35, 40–42,
69, 80
- consensus_to_ppm (utils-motif), 68
- consensus_to_ppm(), 71
- consensus_to_ppmAA (utils-motif), 68
- consensus_to_ppmAA(), 71
- convert_motifs, 9
- convert_motifs(), 4–6, 9, 13, 15, 22, 25, 26,
32–35, 37, 40, 41, 54, 58, 60, 62, 78,
81–86
- convert_motifs,AsIs-method
(convert_motifs), 9
- convert_motifs,ICMatrix-method
(convert_motifs), 9
- convert_motifs,list-method
(convert_motifs), 9
- convert_motifs,matrix-method
(convert_motifs), 9
- convert_motifs,Motif-method
(convert_motifs), 9
- convert_motifs,MotifList-method
(convert_motifs), 9

- convert_motifs,pcm-method
(convert_motifs), 9
- convert_motifs,pfm-method
(convert_motifs), 9
- convert_motifs,PFMatrix-method
(convert_motifs), 9
- convert_motifs,PWM-method
(convert_motifs), 9
- convert_motifs,pwm-method
(convert_motifs), 9
- convert_motifs,PWMatrix-method
(convert_motifs), 9
- convert_motifs,TFFMFirst-method
(convert_motifs), 9
- convert_motifs,universalmotif-method
(convert_motifs), 9
- convert_motifs,XMatrixList-method
(convert_motifs), 9
- convert_type, 13
- convert_type(), 7, 18, 32, 34, 42, 62, 63, 78
- count_klets (utils-sequence), 74
- count_klets(), 75
- create_motif, 16
- create_motif(), 21, 30, 54, 60, 63, 71
- create_motif,AAStringSet-method
(create_motif), 16
- create_motif,BStringSet-method
(create_motif), 16
- create_motif,character-method
(create_motif), 16
- create_motif,DNAStringSet-method
(create_motif), 16
- create_motif,matrix-method
(create_motif), 16
- create_motif,missing-method
(create_motif), 16
- create_motif,numeric-method
(create_motif), 16
- create_motif,RNAStringSet-method
(create_motif), 16
- create_sequences, 20
- create_sequences(), 18, 21, 28, 53, 54, 59, 75

- DataFrame, 26
- DNAString, 56
- DNAStringSet, 5, 18, 57

- enrich_motifs, 22

- enrich_motifs(), 57, 59
- examplomotif, 24
- examplomotif2, 25

- filter_motifs, 25
- filter_motifs(), 25
- fontDFroboto, 26

- get_bkg, 27
- get_bkg(), 27
- get_consensus (utils-motif), 68
- get_consensus(), 71
- get_consensusAA (utils-motif), 68
- get_consensusAA(), 71
- get_klets (utils-sequence), 74
- get_klets(), 75
- get_matches (utils-motif), 68
- get_matches(), 71
- get_scores (utils-motif), 68
- ggplot2::ggplot(), 42
- ggtree::ggtree(), 40–42

- icm_to_ppm (utils-motif), 68
- icm_to_ppm(), 71
- initialize,universalmotif-method
(universalmotif-class), 63

- JASPAR2018_CORE_DBSCORES, 29

- log_string_pval (utils-motif), 68
- log_string_pval(), 48, 71

- make_DBScores, 29
- make_DBScores(), 8, 9, 29, 31
- mask_seqs (utils-sequence), 74
- mask_seqs(), 56, 75
- MaskedXString, 56
- merge_motifs, 31
- merge_motifs(), 33–35
- merge_similar, 33
- merge_similar(), 33
- motif_peaks, 35
- motif_peaks(), 36
- motif_pvalue, 37
- motif_pvalue(), 23, 24, 37, 38, 55–57
- motif_rc, 39
- motif_rc(), 40
- motif_score (utils-motif), 68
- motif_score(), 39, 71
- motif_tree, 40

- motif_tree(), [9](#), [40](#)
- motifStack::motifStack(), [42](#)
- ncol, universalmotif-method
(universalmotif-class), [63](#)
- normalize, universalmotif-method
(universalmotif-class), [63](#)
- nrow, universalmotif-method
(universalmotif-class), [63](#)
- pcm_to_ppm (utils-motif), [68](#)
- pcm_to_ppm(), [71](#)
- position_icscore (utils-motif), [68](#)
- position_icscore(), [71](#)
- ppm_to_icm (utils-motif), [68](#)
- ppm_to_icm(), [71](#)
- ppm_to_pcm (utils-motif), [68](#)
- ppm_to_pcm(), [71](#)
- ppm_to_pwm (utils-motif), [68](#)
- ppm_to_pwm(), [71](#)
- prob_match (utils-motif), [68](#)
- prob_match(), [71](#)
- prob_match_bkg (utils-motif), [68](#)
- processx::run(), [53](#)
- pwm_to_ppm (utils-motif), [68](#)
- pwm_to_ppm(), [71](#)
- read_cisbp, [43](#), [45–51](#)
- read_homer, [44](#), [44](#), [46–51](#)
- read_homer(), [82](#)
- read_jaspar, [44](#), [45](#), [45](#), [47–51](#)
- read_jaspar(), [83](#)
- read_matrix, [44–46](#), [46](#), [48–51](#)
- read_matrix(), [84](#)
- read_meme, [44–47](#), [47](#), [49–51](#)
- read_meme(), [53](#), [85](#)
- read_motifs, [44–48](#), [48](#), [50](#), [51](#)
- read_motifs(), [49](#)
- read_transfac, [44–49](#), [49](#), [51](#)
- read_transfac(), [86](#)
- read_uniprobe, [44–50](#), [50](#)
- readRDS(), [48](#), [85](#)
- requires_update (tidy-motifs), [61](#)
- requires_update(), [61](#)
- RNAStringSet, [18](#), [57](#)
- round_motif (utils-motif), [68](#)
- round_motif(), [71](#)
- rowMeans, universalmotif-method
(universalmotif-class), [63](#)
- rownames, universalmotif-method
(universalmotif-class), [63](#)
- rowSums, universalmotif-method
(universalmotif-class), [63](#)
- run_meme, [51](#)
- run_meme(), [51](#), [53](#)
- sample(), [21](#), [38](#), [58](#)
- sample_sites, [54](#)
- saveRDS(), [48](#), [85](#)
- scan_sequences, [55](#)
- scan_sequences(), [4](#), [5](#), [23](#), [24](#), [28](#), [35](#), [36](#),
[55](#), [56](#), [59](#), [81](#)
- score_match (utils-motif), [68](#)
- score_match(), [71](#)
- show, universalmotif-method
(universalmotif-class), [63](#)
- shuffle_motifs, [57](#)
- shuffle_motifs(), [18](#), [30](#), [59](#)
- shuffle_sequences, [58](#)
- shuffle_sequences(), [21–24](#), [28](#), [53](#), [57](#), [58](#),
[75](#)
- shuffle_string (utils-sequence), [74](#)
- shuffle_string(), [75](#)
- stats::fisher.test(), [23](#)
- stats::p.adjust(), [22](#)
- subset, universalmotif-method
(universalmotif-class), [63](#)
- summarise_motifs (utils-motif), [68](#)
- summarise_motifs(), [71](#)
- switch_alph, [60](#)
- tidy-motifs, [61](#)
- to_df (tidy-motifs), [61](#)
- to_df(), [12](#), [61](#)
- to_list (tidy-motifs), [61](#)
- to_list(), [12](#), [61](#)
- trim_motifs, [62](#)
- ungap (utils-motif), [68](#)
- universalmotif, [4](#), [5](#), [12](#), [13](#), [17](#), [18](#), [24](#), [25](#),
[41](#), [44](#), [45](#), [47–50](#), [64](#), [65](#), [69](#), [71](#)
- universalmotif (universalmotif-class),
[63](#)
- universalmotif-class, [63](#)
- universalmotif-pkg, [67](#)
- update_motifs (tidy-motifs), [61](#)
- update_motifs(), [61](#)
- utilities, [67](#)

utils-motif, 68, 68
utils-sequence, 68, 74

view_logo, 76
view_logo(), 80
view_motifs, 78
view_motifs(), 9, 26, 76, 77, 79, 80

write_homer, 81, 83–86
write_jaspar, 82, 82, 84–86
write_matrix, 82, 83, 83, 85, 86
write_meme, 82–84, 84, 86
write_motifs, 82–85, 85, 86
write_motifs(), 4, 5, 48, 85
write_transfac, 82–86, 86

XStringSet, 4, 17, 20–23, 27, 51, 52, 54–56,
58, 59