

Package ‘bioCancer’

April 12, 2022

Title Interactive Multi-Omics Cancers Data Visualization and Analysis

Version 1.22.0

Date 2021-06-28

Description bioCancer is a Shiny App to visualize and analyse interactively Multi-Assays of Cancer Genomic Data.

Depends R (>= 3.6.0), radiant.data (>= 0.9.1), cgdsr(>= 1.2.6), XML(>= 3.98)

Imports DT (>= 0.3), dplyr (>= 0.7.2), shiny (>= 1.0.5), AlgDesign (>= 1.1.7.3), import (>= 1.1.0), methods, AnnotationDbi, shinythemes, Biobase, geNetClassifier, org.Hs.eg.db, org.Bt.eg.db, DOSE, clusterProfiler, reactome.db, ReactomePA, DiagrammeR(<= 1.01), visNetwork, htmlwidgets, plyr, tibble, GO.db

Suggests BiocStyle, prettydoc, rmarkdown, knitr, testthat (>= 0.10.0)

VignetteBuilder knitr

URL <http://kmezhoud.github.io/bioCancer>

BugReports <https://github.com/kmezhoud/bioCancer/issues>

License AGPL-3 | file LICENSE

LazyData true

biocViews GUI, DataRepresentation, Network, MultipleComparison, Pathways, Reactome, Visualization, GeneExpression, GeneTarget

RoxygenNote 7.1.1

Encoding UTF-8

git_url <https://git.bioconductor.org/packages/bioCancer>

git_branch RELEASE_3_14

git_last_commit bd61aa9

git_last_commit_date 2021-10-26

Date/Publication 2022-04-12

Author Karim Mezhoud [aut, cre]

Maintainer Karim Mezhoud <kmezhoud@gmail.com>

R topics documented:

AnnotationFuncs-package	3
.dbEscapeString	4
.getTableNames	4
.pickRef	5
attriColorGene	6
attriColorValue	6
attriColorVector	7
attriShape2Gene	8
attriShape2Node	9
bioCancer	9
checkDimensions	10
coffeewheel	10
coffeewheelOutput	11
displayTable	12
Edges_Diseases_obj	12
epiGenomics	13
findPhantom	14
getEvidenceCodes	14
getFreqMutData	15
getGenesClassification	16
getListProfData	17
getList_Cases	18
getList_GenProfs	18
getMegaProfData	19
getOrthologs	20
getSequenced_SampleSize	21
grepRef	22
mapLists	23
metabologram	24
metabologramOutput	25
Mutation_obj	26
Node_df_FreqIn	26
Node_Diseases_obj	27
Node_obj_CNA_ProfData	28
Node_obj_FreqIn	29
Node_obj_Met_ProfData	29
Node_obj_mRNA_Classifier	30
pickGO	31
pickRefSeq	32
removeNAs	33
renderCoffeewheel	34
renderMetabologram	34
reStrColorGene	35
reStrDimension	36
reStrDisease	36
returnTextAreaInput	37

Studies_obj	38
switchButton	39
translate	39
UnifyRowNames	41
user_CNA	42
user_MetHM27	42
user_MetHM450	43
user_mRNA	43
user_Mut	44
whichGeneList	44
widgetThumbnail	45

Index	46
--------------	-----------

AnnotationFuncs-package

Annotation translation functions

Description

Package: AnnotationFuncs
Type: Package
Version: 1.3.0
Date: 2011-06-10
License: GPL-2
LazyLoad: yes

Details

Functions for handling translations between different identifiers using the Biocore Data Team data-packages (e.g. org.Bt.eg.db). Primary functions are [translate](#) for translating and [getOrthologs](#) for efficient lookup of homologues using the Inparanoid databases. Other functions include functions for selecting Refseqs or Gene Ontologies (GO).

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

References

<http://www.iysik.com/index.php?page=annotation-functions>

See Also

[translate](#), [getOrthologs](#)

Examples

```
library(org.Bt.eg.db)
gene.symbols <- c('DRBP1', 'SERPINA1', 'FAKE', 'BLABLA')
# Find entrez identifiers of these genes.
eg <- translate(gene.symbols, org.Bt.egSYMBOL2EG)
# Note that not all symbols were translated.

# Go directly to Refseq identifiers.
refseq <- translate(gene.symbols, from=org.Bt.egSYMBOL2EG, to=org.Bt.egREFSEQ)
# Pick the proteins:
pickRefSeq(refseq, priorities=c('NP', 'XP'), reduce='all')
```

<code>.dbEscapeString</code>	<i>Private Escape string</i>
------------------------------	------------------------------

Description

Does not escape strings, but raises an error if any character expect normal letters and underscores are found in the string.

Usage

```
.dbEscapeString(str, raise.error = TRUE)
```

Arguments

<code>str</code>	String to test
<code>raise.error</code>	Logical, whether to raise an error or not.

Value

Invisible logical

<code>.getTableNames</code>	<i>Gets the table name from the INPARANOID style genus names.</i>
-----------------------------	---

Description

Gets the table name from the INPARANOID style genus names.

Usage

```
.getTableNames(genus)
```

Arguments

<code>genus</code>	5 character INPARANOID genus name, such as "BOSTA", "HOMSA" or "MUSMU".
--------------------	---

Value

Table name for genus.

Author(s)

Stefan McKinnon Edwards <stefanm.edwards@agrsci.dk>

References

<http://www.bioconductor.org/packages/release/bioc/html/AnnotationDbi.html>

.pickRef *Secret function that does the magic for pickRefSeq.*

Description

Do not use it, use [pickRefSeq](#)!

Usage

```
.pickRef(l, priorities, reduce = c("all", "first", "last"))
```

Arguments

l	List.
priorities	How to prioritize.
reduce	How to reduce.

Value

List.

Note

Hey, you found a secret function! Keep it that way!

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

See Also

[pickRefSeq](#)

attriColorGene *Attribute Color to Gene*

Description

Attribute Color to Gene

Usage

```
attriColorGene(df)
```

Arguments

df data frame with mRNA or CNA or mutation frequency or methylation (numeric).

Value

A list colors for every gene

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
ProfData <- getProfileData(cgds,
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")
rownames(ProfData) <- NULL
clr <- attriColorGene(ProfData)

## End(Not run)
```

attriColorValue *Attribute Color to Value*

Description

Attribute Color to Value

Usage

```
attriColorValue(Value, df, colors=c(a,b,c),feet)
```

Arguments

Value	integer
df	data frame with numeric values
colors	a vector of 5 colors
feet	the interval between two successive colors in the palette (0.1)

Value

Hex Color Code

Examples

```

cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
ProfData <- getProfileData(cgds,
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")
rownames(ProfData) <- NULL
clrRef <- attriColorValue(1.2,
  ProfData,
  colors = c("blue3", "white", "red"),
  feet=10)

## End(Not run)

```

attriColorVector *Attribute color to a vector of numeric values*

Description

Attribute color to a vector of numeric values

Usage

```
attriColorVector(Value, vector, colors=c(a,b,c),feet)
```

Arguments

Value	numeric
vector	A vector of numeric data
colors	3 colors
feet	An interval between two numeric value needed to change the color

Value

A vector of colors

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
ProfData <- getProfileData(cgds,
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")
rownames(ProfData) <- NULL
clrVec <- attriColorVector(1.2,
  ProfData[1,],
  colors = c("blue", "white", "red"),
  feet=1)

## End(Not run)
```

attriShape2Gene

Attribute shape to nodes

Description

Attribute shape to nodes

Usage

```
attriShape2Gene(gene, genelist)
```

Arguments

gene	Gene symbol
genelist	Gene list

Value

A character "BRCA1[shape = 'circle', "

Examples

```
how <- "runManually"
## Not run:
GeneList <- whichGeneList("73")
attriShape2Gene("P53", GeneList)
attriShape2Gene("GML", GeneList)

## End(Not run)
```

attriShape2Node	<i>Attributes shape to Nodes</i>
-----------------	----------------------------------

Description

Attributes shape to Nodes

Usage

```
attriShape2Node(gene, genelist)
```

Arguments

gene	symbol "TP53"
genelist	a vector of gene symbol

Value

A data frame with edges attributes

Examples

```
GeneList <- c("DKK3" , "NBN" , "MYO6" , "TP53" , "PML" , "IFI16" , "BRCA1")  
NodeShape <- attriShape2Gene("DKK3", GeneList)
```

bioCancer	<i>Launch bioCancer with default browser</i>
-----------	--

Description

The Main function to run bioCancer App

Usage

```
bioCancer()
```

Value

web page of bioCancer Shiny App

Examples

```
ShinyApp <- 1  
## Not run:  
bioCancer()  
  
## End(Not run)
```

checkDimensions	<i>Check wich Cases and genetic profiles are available for every seleted study</i>
-----------------	--

Description

Check wich Cases and genetic profiles are available for every seleted study

Usage

```
checkDimensions(panel, StudyID)
```

Arguments

panel	panel can take to strings 'Circomics' or 'Networking'
StudyID	Study reference using cgdsr index

Value

A data frame with two column (Cases, Genetic profiles). Every row has a dimension (CNA, mRNA...). The data frame is filled with yes/no response.

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
df <- checkDimensions(panel='Networking', StudyID= "gbm_tcga_pub")

## End(Not run)
```

coffeewheel	<i>This is an htmlwidgets-based visualization tool for hierarchical data. It is zoomable, meaning that you can interact with the hierarchy and zoom in/out accordingly.</i>
-------------	---

Description

This is an htmlwidgets-based visualization tool for hierarchical data. It is zoomable, meaning that you can interact with the hierarchy and zoom in/out accordingly.

Usage

```
coffeewheel(treeData, width=600, height=600, main="", partitionAttribute="value")
```

Arguments

treeData	A hierarchical tree data as in example
width	600
height	600
main	Title
partitionAttribute	"value"

Value

A circular layout with genetic profile.

Examples

```
How <- "runManually"
## Not run:
  coffeewheel(treeData = sampleWheelData)

## End(Not run)
```

coffeewheelOutput	<i>Widget output function for use in Shiny</i>
-------------------	--

Description

Widget output function for use in Shiny

Usage

```
coffeewheelOutput(outputId, width=700, height=700)
```

Arguments

outputId	id
width	700
height	700

Value

A circular layout with genetic profile in Shiny App.

Examples

```
How <- "runManually"
## Not run:
  coffeewheel(treeData = sampleWheelData)

## End(Not run)
```

displayTable	<i>Display dataframe in table using DT package</i>
--------------	--

Description

Display dataframe in table using DT package

Usage

```
displayTable(df)
```

Arguments

df a dataframe

Value

A table

Examples

```
session <- NULL
cgds <- CGDS("http://www.cbioportal.org/")
Studies<- getCancerStudies(cgds)
## Not run:
displayTable(Studies)

## End(Not run)
```

Edges_Diseases_obj	<i>get Edges dataframe for Gene/Disease association from geNetClassifier</i>
--------------------	--

Description

get Edges dataframe for Gene/Disease association from geNetClassifier

Usage

```
Edges_Diseases_obj(genesclassdetails)
```

Arguments

genesclassdetails
a dataframe from geNetClassifier

Value

A data frame with edges attributes

Examples

```
GenesClassDetails <- structure(list(Genes = c("FANCF", "MLH1", "MSH2", "ATR", "PARP1",  
"CHEK2", "RAD51"), ranking = c(1L, 1L, 1L, 2L, 3L, 1L, 2L), class = c("brca_tcga",  
"gbm_tcga", "lihc_tcga", "lihc_tcga", "lihc_tcga", "lusc_tcga",  
"lusc_tcga"), postProb = c(1, 0.99, 1, 0.99, 0.99, 1,  
0.98), exprsMeanDiff = c(180, 256, -373, -268,  
-1482, 258, 143), exprsUpDw = c("UP", "UP", "DOWN",  
"DOWN", "DOWN", "UP", "UP")), .Names = c("Genes", "ranking",  
"class", "postProb", "exprsMeanDiff", "exprsUpDw"),  
class = "data.frame", row.names = c(NA,-7L))
```

```
Ed_Diseases_obj <- Edges_Diseases_obj(genesclassdetails=GenesClassDetails)
```

epiGenomics

Default dataset of bioCancer

Description

Default dataset of bioCancer

Usage

```
epiGenomics
```

Format

An object of class `data.frame` with 48 rows and 7 columns.

Author(s)

Karim Mezhoud <kmezhoud@gmail.com>

`findPhantom`*Check if PhantomJS is installed. Similar to webshot*

Description

Check if PhantomJS is installed. Similar to webshot

Usage

```
findPhantom()
```

Value

Logic object

Examples

```
How <- "runManually"  
## Not run:  
findPhantom()  
  
## End(Not run)
```

`getEvidenceCodes`*Returns GO evidence codes.*

Description

Returns GO evidence codes.

Usage

```
getEvidenceCodes()
```

Value

Matrix of two columns, first column with codes, second column with description of codes.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

References

?org.Bt.egGO

See Also

[pickGO](#)

Examples

```
getEvidenceCodes()
```

<code>getFreqMutData</code>	<i>get mutation frequency</i>
-----------------------------	-------------------------------

Description

get mutation frequency

Usage

```
getFreqMutData(list, geneListLabel)
```

Arguments

`list` a list of data frame with mutation data. Each data frame is for one study
`geneListLabel` file name of geneList examples: "73"

Value

a data frame with mutation frequency. gene is in rows and study is in column

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")  
## Not run:  
geneList <- whichGeneList("73")  
r_data <- new.env()  
MutData <- getMutationData(cgds, "gbm_tcga_pub_all",  
  "gbm_tcga_pub_mutations", geneList )  
FreqMut <- getFreqMutData(list(ls1=MutData, ls2=MutData), "73")  
  
## End(Not run)
```

`getGenesClassification`*get genes classification*

Description

get genes classification

Usage

```
getGenesClassification(checked_Studies, GeneList,  
  samplesize, threshold, listGenProfs, listCases)
```

Arguments

<code>checked_Studies</code>	checked studies
<code>GeneList</code>	gene list
<code>samplesize</code>	sample size
<code>threshold</code>	p-value threshold
<code>listGenProfs</code>	list of genetic profiles
<code>listCases</code>	list of cases

Value

A table with genes classed by study

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")  
listStudies <- cgdsr::getCancerStudies(cgds)  
## Not run:  
checked_Studies <- listStudies[3:5]  
listCases <- getList_Cases(listStudies[1:3])  
listGenProfs <- getList_GenProfs(listStudies[1:3])  
GeneList <- c('P53', 'IFI16', 'BRCA1')  
samplesize <- 50  
threshold <- 0.95  
table <- getGenesClassification(checked_Studies, GeneList,  
  samplesize, threshold, listGenProfs, listCases)  
  
## End(Not run)
```

getListProfData	<i>get list of data frame with profiles data (CNA,mRNA, Methylation, Mutation...)</i>
-----------------	---

Description

get list of data frame with profiles data (CNA,mRNA, Methylation, Mutation...)

Usage

```
getListProfData(panel, geneListLabel)
```

Arguments

panel	Panel name (string) in which Studies are selected. There are two panels ("Circomics" or "Networking")
geneListLabel	The label of GeneList. There are three cases: "Genes" user gene list, "Reactome_GeneList" GeneList plus genes from reactomeFI "file name" from Examples

Value

A LIST of profiles data (CNA, mRNA, Methylation, Mutation, miRNA, RPPA). Each dimension content a list of studies.

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
r_data <- new.env()
MutData <- cgdsr::getMutationData(cgds,"gbm_tcga_pub_all",
  "gbm_tcga_pub_mutations", geneList )
FreqMut <- getFreqMutData(list(ls1=MutData, ls2=MutData), "73")
input <- NULL
input[['StudiesIDCircos']] <- c("luad_tcga_pub","blca_tcga_pub")

ListProfData <- getListProfData(panel= "Circomics","73")

## End(Not run)
```

getList_Cases	<i>get list of cases of each selected study in Classifier panel</i>
---------------	---

Description

get list of cases of each selected study in Classifier panel

Usage

```
getList_Cases(checked_Studies)
```

Arguments

```
checked_Studies  
checked studies
```

Value

listes of cases

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")  
listStudies <- cgdsr::getCancerStudies(cgds)  
## Not run:  
listCases <- getList_Cases(listStudies[1:3])  
  
## End(Not run)
```

getList_GenProfs	<i>get list of genetic profiles of each selected study in Classifier panel</i>
------------------	--

Description

get list of genetic profiles of each selected study in Classifier panel

Usage

```
getList_GenProfs(checked_Studies)
```

Arguments

```
checked_Studies  
checked studies
```

Value

listes of genetics profiles

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
listStudies <- cgdsr::getCancerStudies(cgds)
## Not run:
listGenProfs <- getList_GenProfs(listStudies[1:3])

## End(Not run)
```

getMegaProfData	<i>search and get genetic profiles (CNA,mRNA, Methylation, Mutation...) of gene list upper than 500</i>
-----------------	---

Description

search and get genetic profiles (CNA,mRNA, Methylation, Mutation...) of gene list upper than 500

Usage

```
getMegaProfData(MegaGeneList, GenProf, Case, Class)
```

Arguments

MegaGeneList	A list of genes upper than 500
GenProf	genetic profile reference
Case	Case reference
Class	indicates the panel ProfData or Mutdata

Details

See <https://github.com/kmezoud/bioCancer/wiki>

Value

A data frame with Genetic profile

Examples

```

GeneList <- c("ALK", "JAK3", "SHC3", "TP53", "MYC", "PARP")
## Not run:
cgds <- cgdsr::CGDS("http://www.cbioportal.org/")
listCase_gbm_tcga_pub <- cgdsr::getCaseLists(cgds, "gbm_tcga_pub")[,1]
listGenProf_gbm_tcga_pub <- cgdsr::getGeneticProfiles(cgds, "gbm_tcga_pub")[,1]

ProfData_Mut <- grepRef("gbm_tcga_pub_all", listCase_gbm_tcga_pub,
  "gbm_tcga_pub_mutations", listGenProf_gbm_tcga_pub, GeneList, Mut=1)

## End(Not run)

```

getOrthologs

Performs quicker lookup for orthologs in homologue data packages

Description

Using the INPARANOID data packages such as `hom.Hs.inp.db` is very, very slow and can take up to 11 min (on this particular developers workstation). This function introduces a new method that can do it in just 20 seconds (on the developers workstation). In addition, it includes options for translating between different identifiers both before and after the mapping.

Usage

```

getOrthologs(
  values,
  mapping,
  genus,
  threshold = 1,
  pre.from = NULL,
  pre.to = NULL,
  post.from = NULL,
  post.to = NULL,
  ...
)

```

Arguments

values	Vector, coerced to character vector, of values needed mapping by homology.
mapping	Homology mapping object, such as <code>hom.Hs.inpBOSTA</code> or <code>revmap(hom.Hs.inpBOSTA)</code> .
genus	Character vector. 5 character INPARANOID style genus name of the mapping object, e.g. 'BOSTA' for both <code>hom.Hs.inpBOSTA</code> and <code>revmap(hom.Hs.inpBOSTA)</code> .
threshold	Numeric value between 0 and 1. Only clustered homologues with a pairwise score above the threshold is included. The native implementation has this set to 1.

pre.from	Mapping object if values needs translation before mapping. E.g. values are entrez and hom.Hs.inpBOSTA requires ENSEMBLPROT, hom.Hs.inpAPIME requires Refseq (?). Arguments from and to are just like in translate .
pre.to	Second part of translation before mapping.
post.from	Translate the result from homology mapping to a desired id; just like in translate .
post.to	Second part of translation after mapping.
...	Additional arguments sent to translate .

Value

List. Names of list corresponds to values, except those that could not be mapped nor translated. Entries are character vectors.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

References

- ?hom.Hs.inp.db - <http://inparanoid.sbc.su.se/>
- Berglund, A.C., Sjolund, E., Ostlund, G., Sonnhammer, E.L.L. (2008) InParanoid 6: eukaryotic ortholog clusters with inparalogs *Nucleic Acids Res.* **36**:D263–266
- O'Brien, K.P., Maida, R., Sonnhammer, E.L.L (2005) Inparanoid: A Comprehensive Database of Eukaryotic Orthologs *NAR* **33**:D476–D480
- Remm, M., Storm, C.E.V, Sonnhammer, E.L.L (2001) Automatic clustering of orthologs and inparalogs from pairwise species comparisons *J. Mol. Biol.* **314**:1041–1052

See Also

[translate](#), [.getTableNames](#), [mapLists](#)

Examples

```
tmp <-1
```

```
getSequenced_SampleSize
```

get samples size of sequenced genes

Description

get samples size of sequenced genes

Usage

```
getSequenced_SampleSize(StudyID)
```

Arguments

StudyID Study reference using cgdsr index

Value

dataframe with sample size for each selected study.

Examples

```
## Not run:
sampleSize <- getSequenced_SampleSize(input$StudiesIDCircos)

## End(Not run)
```

grepRef *search and get genetic profiles (CNA,mRNA, Methylation, Mutation...)*

Description

search and get genetic profiles (CNA,mRNA, Methylation, Mutation...)

Usage

```
grepRef(regex1, listRef1,regex2, listRef2, GeneList,Mut)
```

Arguments

regex1 Case id (cancer_study_id_[mutations, cna, methylation, mrna]).

listRef1 A list of cases for one study.

regex2 Genetic Profile id (cancer_study_id_[mutations, cna, methylation, mrna]).

listRef2 A list of Genetic Profiles for one study.

GeneList A list of genes

Mut Condition to set if the genetic profile is mutation or not (0,1)

Details

See <https://github.com/kmezhoud/bioCancer/wiki>

Value

A data frame with Genetic profile

Examples

```
GeneList <- c("ALK", "JAK3", "SHC3", "TP53", "MYC", "PARP")
## Not run:
cgds <- cgdsr::CGDS("http://www.cbioportal.org/")
listCase_gbm_tcga_pub <- cgdsr::getCaseLists(cgds, "gbm_tcga_pub")[,1]
listGenProf_gbm_tcga_pub <- cgdsr::getGeneticProfiles(cgds, "gbm_tcga_pub")[,1]

ProfData_Mut <- grepRef("gbm_tcga_pub_all", listCase_gbm_tcga_pub,
  "gbm_tcga_pub_mutations", listGenProf_gbm_tcga_pub, GeneList, Mut=1)

## End(Not run)
```

mapLists

Replaces contents of list A with elements of list B

Description

Combines two lists, A and B, such that names(A) are preserved, mapping to the values of B, using names(B) as look up. Ie. replaces values in A with values in B, using names(B) as look up for values in A. Once more? See examples. *NB!* None-mapped entries are returned as NA, but can be removed using [removeNAs](#).

Usage

```
mapLists(A, B, removeNAs = TRUE)
```

Arguments

A	List, elements are coerced to character for mapping to B.
B	List.
removeNAs	Boolean, whether to remove the NAs that occur because an element was not found in B.

Value

List.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

See Also

[removeNAs](#)

Examples

```
A <- list('a1'='alpha', 'a2'='beta', 'a3'=c('gamma', 'delta'))
B <- list('alpha'='b1', 'gamma'=c('b2', 'b3'), 'delta'='b4')
mapLists(A, B)
```

metabologram

Circular plot of hierarchital data of genetic profile.

Description

Circular plot of hierarchital data of genetic profile.

Usage

```
metabologram(treeData, width=600, height=600, main="", showLegend=FALSE,
             legendBreaks=NULL,
             legendColors=NULL,
             fontSize=12,
             legendText="Legend")
```

Arguments

treeData	A hierarchical tree data as in example
width	600
height	600
main	Title
showLegend	FALSE
legendBreaks	NULL
legendColors	NULL
fontSize	12
legendText	Legend

Value

A circular layout with genetic profile.

See Also

<https://github.com/armish/metabologram>

Examples

```
How <- "runManually"
## Not run:
metabologram(treeData = sampleWheelData, width=600,
  height=600, main="title", showLegend = TRUE, fontSize = 10,
  legendBreaks=c("NA","Min","Negative", "0", "Positive", "Max"),
  legendColors=c("black","blue","cyan","white","yellow","red") ,
  legendText="Legend")

## End(Not run)
```

metabologramOutput	<i>Widget output function for use in Shiny</i>
--------------------	--

Description

Widget output function for use in Shiny

Usage

```
metabologramOutput(outputId, width = 600, height = 500)
```

Arguments

outputId	id
width	600
height	600

Value

A circular plot with genetic profile in Shiny App.

Examples

```
## Not run:
library(bioCancer)
bioCancer::metabologram(treeData = sampleMetabologramData)

## End(Not run)
```

Mutation_obj *Attribute mutation frequency to nodes*

Description

Attribute mutation frequency to nodes

Usage

```
Mutation_obj(list,FreqMutThreshold, geneListLabel)
```

Arguments

`list` A list of data frame with mutation data. Each data frame to study

`FreqMutThreshold` threshold Rate of cases (patients) having mutation (0-1).

`geneListLabel` file name of geneList examples: "73"

Value

A dat frame with mutation frequency. Ech column corresponds to a study.

Examples

```
cgds <- CGDS("http://www.cbiportal.org/")
## Not run:
geneList <- whichGeneList("73")
MutData <- getMutationData(cgds,"gbm_tcga_pub_all",
"gbm_tcga_pub_mutations", geneList )
listMutData <- list(ls1=MutData, ls2=MutData)
FreqMutThreshold <- 10
r_data <- new.env()
MutObj <- Mutation_obj(listMutData, 10, "73")

## End(Not run)
```

Node_df_FreqIn *Attributes size to Nodes depending on number of interaction*

Description

Attributes size to Nodes depending on number of interaction

Usage

```
Node_df_FreqIn(genelist, freqIn)
```

Arguments

genelist a vector of genes
 freqIn dataframe with Node interaction frequencies

Value

A data frame with nodes size attributes

Examples

```
Node_df_FreqIn
## Not run:
r_data <- new.env()
r_data[["FreqIn"]] <- structure(list(Genes = c("ATM", "ATR", "BRCA1", "BRCA2", "CHEK1",
"CHEK2", "FANCF", "MDC1", "RAD51"), FreqSum = c(0.04, 0.05, 0.05,
0.03, 0.05, 0.04, 0.03, 0.03, 0.02)), .Names = c("Genes", "FreqSum"),
class = "data.frame", row.names = c(NA, -9L))
GeneList <- whichGeneList("DNA_damage_Response")
node_df <- Node_df_FreqIn(GeneList, r_data$FreqIn)

## End(Not run)
```

Node_Diseases_obj *Attributes color and shape to Nodes of Diseases*

Description

Attributes color and shape to Nodes of Diseases

Usage

```
Node_Diseases_obj(genesclassdetails)
```

Arguments

genesclassdetails
 a dataframe from geNetClassifier function

Value

A data frame with nodes Shapes and colors

Examples

```

GenesClassDetails <- structure(list(Genes = c("FANCF", "MLH1", "MSH2", "ATR", "PARP1",
"CHEK2", "RAD51"), ranking = c(1L, 1L, 1L, 2L, 3L, 1L, 2L), class = c("brca_tcga",
"gbm_tcga", "lihc_tcga", "lihc_tcga", "lihc_tcga", "lusc_tcga",
"lusc_tcga"), postProb = c(1, 0.99, 1, 0.99, 0.99, 1,
0.98), exprsMeanDiff = c(180, 256, -373, -268,
-1482, 258, 143), exprsUpDw = c("UP", "UP", "DOWN",
"DOWN", "DOWN", "UP", "UP")), .Names = c("Genes", "ranking",
"class", "postProb", "exprsMeanDiff", "exprsUpDw"),
class = "data.frame", row.names = c(NA,-7L))
Node_Diseases_df <- Node_Diseases_obj(genesclassdetails= GenesClassDetails)

```

Node_obj_CNA_ProfData *Attribute CNA data to node border*

Description

Attribute CNA data to node border

Usage

```
Node_obj_CNA_ProfData(list)
```

Arguments

list A list of data frame with CNA data. Each data frame corresponds to a study.

Value

A data frame with node border attributes

Examples

```

cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
GeneList <- whichGeneList("DNA_damage_Response")
ProfDataCNA <- cgdsr::getProfileData(cgds, GeneList, "brca_tcga_pub_gistic", "brca_tcga_pub_all")
ListProfDataCNA <- list(ls1=ProfDataCNA, ls2=ProfDataCNA)
nodeObj <- Node_obj_CNA_ProfData(ListProfDataCNA)

## End(Not run)

```

Node_obj_FreqIn *Attribute interaction frequency to node size*

Description

Attribute interaction frequency to node size

Usage

```
Node_obj_FreqIn(geneList)
```

Arguments

geneList A list of gene symbol

Value

A data frame with node attributes

Examples

```
r_data <- new.env()
r_data[["FreqIn"]] <- structure(list(Genes = c("ATM", "ATR", "BRCA1", "BRCA2", "CHEK1",
"CHEK2", "FANCF", "MDC1", "RAD51"), FreqSum = c(0.04, 0.05, 0.05,
0.03, 0.05, 0.04, 0.03, 0.03, 0.02)), .Names = c("Genes", "FreqSum"),
class = "data.frame", row.names = c(NA, -9L))
## Not run:
GeneList <- whichGeneList("DNA_damage_Response")
nodeObj <- Node_obj_FreqIn(GeneList)

## End(Not run)
```

Node_obj_Met_ProfData *Attribute gene Methylation to Nodes*

Description

Attribute gene Methylation to Nodes

Usage

```
Node_obj_Met_ProfData(list, type, threshold)
```

Arguments

list a list of data frame with methylation data
 type HM450 or HM27
 threshold the Rate cases (patients) that have a silencing genes by methylation

Value

a data frame with node shape attributes

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
GeneList <- whichGeneList("DNA_damage_Response")
ProfDataMET <- cgdsr::getProfileData(cgds, GeneList, "gbm_tcga_pub_methylation", "gbm_tcga_pub_all")
ListProfDataMET <- list(ls1=ProfDataMET, ls2=ProfDataMET)
nodeObj <- Node_obj_Met_ProfData(ListProfDataMET, "HM450", 0.1)

## End(Not run)
```

Node_obj_mRNA_Classifier

Attribute genes expression to color nodes

Description

Attribute genes expression to color nodes

Usage

```
Node_obj_mRNA_Classifier(geneList, genesclassdetails)
```

Arguments

geneList A gene list.
 genesclassdetails
 A dataframe with genes classes and genes expression.

Value

A data frame with node color attributes

Examples

```

r_data <- new.env()
input <- NULL

r_data[["FreqIn"]] <- structure(list(Genes = c("ATM", "ATR", "BRCA1", "BRCA2", "CHEK1",
"CHEK2", "FANCF", "MDC1", "RAD51"), FreqSum = c(0.04, 0.05, 0.05,
0.03, 0.05, 0.04, 0.03, 0.03, 0.02)), .Names = c("Genes", "FreqSum"),
class = "data.frame", row.names = c(NA, -9L))

GenesClassDetails <- structure(list(Genes = c("FANCF", "MLH1", "MSH2", "ATR", "PARP1",
"CHEK2", "RAD51"), ranking = c(1L, 1L, 1L, 2L, 3L, 1L, 2L), class = c("brca_tcga",
"gbm_tcga", "lihc_tcga", "lihc_tcga", "lihc_tcga", "lusc_tcga",
"lusc_tcga"), postProb = c(1, 0.99, 1, 0.99, 0.99, 1,
0.98), exprsMeanDiff = c(180, 256, -373, -268,
-1482, 258, 143), exprsUpDw = c("UP", "UP", "DOWN",
"DOWN", "DOWN", "UP", "UP")), .Names = c("Genes", "ranking",
"class", "postProb", "exprsMeanDiff", "exprsUpDw"),
class = "data.frame", row.names = c(NA,-7L))
## Not run:
GeneList <- whichGeneList("DNA_damage_Response")
nodeObj <- Node_obj_mRNA_Classifier(GeneList, GenesClassDetails)

## End(Not run)

```

pickGO

Cleans up result from org.Xx.egGO and returns specific GO identifiers

Description

Cleans up result from org.Xx.egGO and returns GO identifier for either biological process (BP), cellular component (CC), or molecular function (MF). Can be used on list of GOs from [translate](#), or a single list of GOs from an annotation package. May reduce list, if the (sub)list does not contain the chosen class!

Usage

```
pickGO(l, evidence = NA, category = NA)
```

Arguments

l	Character vector, or list of, og GO identifiers.
evidence	Character vector, filters on which kind of evidence to return; for a larger list see getEvidenceCodes . * Evidence codes may be: c('IMP', 'IGI', 'IPI', 'ISS', 'IDA', 'IEP', 'IEA', '* Leave as NA to ignore filtering on this part.
category	Character vector, filters on which ontology to return: biological process (BP), cellular component (CC), or molecular function (MF). * Leave as NA to ignore filtering on this part.

Value

List with only the picked elements.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

See Also

[pickRefSeq](#), [getEvidenceCodes](#), [translate](#)

Examples

```
library(org.Bt.eg.db)
genes <- c(280705, 280706, 100327208)
GO <- translate(genes, org.Bt.egGO)
# Get all biological processes:
pickGO(GO, category='BP')
# Get all ontologies with experimental evidence:
pickGO(GO, evidence=c('IMP', 'IGI', 'IPI', 'ISS', 'IDA', 'IEP', 'IEA'))
```

pickRefSeq

Picks a prioritised RefSeq identifier from a list of identifiers

Description

When translating to RefSeq, typically multiple identifiers are returned, referring to different types of products, such as genomic molecule, mature mRNA or the protein, and they can be predicted, properties that can be read from the prefix (<http://www.ncbi.nlm.nih.gov/refseq/key.html>). E.g. "XM_" is predicted mRNA and "NP_" is a protein. Run ?org.Bt.egREFSEQ.

Usage

```
pickRefSeq(
  l,
  priorities = c("NP", "XP", "NM", "XM"),
  reduce = c("all", "first", "last")
)
```

Arguments

l	Vector or list of RefSeqs accessions to pick from. If list given, applies the prioritisation to each element in the list.
priorities	Character vector of prioritised prefixes to pick by. Eg. c("NP", "NM") returns RefSeqs starting 'NP', and if none found, those starting 'NM'. If no RefSeqs are found according to the priorities, Null is returned, unless the last element in priorities is '*'. Uses grepl, so see these for pattern matching. Default: c('NP', 'XP', 'NM', 'XM')

reduce Reducing method, either return all annotations (one-to-many relation) or the first or last found annotation. The reducing step is applied after translating to the goal: all: returns all annotations first or last: choose first or last of arbitrarily ordered list.

Value

If vector given, returns vector. If list given, returns list without element where nothing could be picked.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

Examples

```
library(org.Bt.eg.db)
symbols <- c("SERPINA1", "KERA", "CD5")
refseq <- translate(symbols, from=org.Bt.egSYMBOL2EG, to=org.Bt.egREFSEQ)
mRNA <- pickRefSeq(refseq, priorities=c('NM', 'XM'))
proteins <- pickRefSeq(refseq, priorities=c('NP', 'XP'))
```

removeNAs *Removes entries equal NA from list or vector*

Description

Removes entries equal NA, but not mixed entries containing, amongst others, NA. Good for use after [mapLists](#) that might return entries equal NA.

Usage

```
removeNAs(l)
```

Arguments

l Vector or list.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

Examples

```
removeNAs(list('a'=NA, 'b'=c(NA, 'B'), 'c'='C'))
```

renderCoffeewheel *Widget render function for use in Shiny*

Description

Widget render function for use in Shiny

Usage

```
renderCoffeewheel(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

expr	id
env	parent.frame()
quoted	FALSE

Value

A circular layout with genetic profile in Shiny App.

Examples

```
How <- "runManually"  
## Not run:  
coffeewheel(treeData = sampleWheelData)  
  
## End(Not run)
```

renderMetabologram *Widget render function for use in Shiny*

Description

Widget render function for use in Shiny

Usage

```
renderMetabologram(expr, env= parent.frame(), quoted = FALSE)
```

Arguments

expr	expression
env	parent.frame()
quoted	FALSE

Value

A circular plot with genetic profile in Shiny App.

Examples

```
## Not run:  
library(bioCancer)  
bioCancer::metabologram(treeData = sampleMetabologramData)  
  
## End(Not run)
```

reStrColorGene	<i>Restructure the list of color attributed to the genes in every dimension for every studies</i>
----------------	---

Description

Restructure the list of color attributed to the genes in every dimension for every studies

Usage

```
reStrColorGene(df)
```

Arguments

df data frame with colors attributed to the genes

Value

Hierarchical color attribute: gene > color

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")  
## Not run:  
geneList <- whichGeneList("73")  
ProfData <- getProfileData(cgds,  
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")  
rownames(ProfData) <- NULL  
ls <- reStrColorGene(ProfData)  
  
## End(Not run)
```

reStrDimension	<i>Restructure the list of color attributed to the genes in every study for every dimensions</i>
----------------	--

Description

Restructure the list of color attributed to the genes in every study for every dimensions

Usage

```
reStrDimension(LIST)
```

Arguments

LIST	list of hierarchical dimensions
------	---------------------------------

Value

Hierarchical structure of: Study > dimensions > gene > color

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
ProfData <- getProfileData(cgds,
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")
rownames(ProfData) <- NULL
TREE <- reStrDimension(list(
  list1=list(df1=ProfData,df2=ProfData),
  list2=list(df3=ProfData,df4=ProfData)))

## End(Not run)
```

reStrDisease	<i>Restructure the list of color attributed to the genes in every disease</i>
--------------	---

Description

Restructure the list of color attributed to the genes in every disease

Usage

```
reStrDisease(List)
```

Arguments

List	of data frame with color attributes
------	-------------------------------------

Value

Hierarchy of dimensions in the same study: dimensions > gene > color

Examples

```
cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
ProfData <- getProfileData(cgds,
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")
rownames(ProfData) <- NULL
tree <- reStrDisease(list(df1=ProfData,df2=ProfData))

## End(Not run)
```

returnTextAreaInput *Return message when the filter formula is not correct (mRNA > 500)*

Description

Return message when the filter formula is not correct (mRNA > 500)

Usage

```
returnTextAreaInput(inputId,
  label= NULL,
  rows = 2,
  placeholder = NULL,
  resize= "vertical",
  value = "")
```

Arguments

inputId	The ID of the object
label	Text describes the box area
rows	Number of rows
placeholder	Error message if needed
resize	orientation of text
value	default text in the area box

Value

text message

Examples

```

ShinyApp <- 1
## Not run:
returnTextAreaInput(inputId = "data-filter",
                    label = "Error message",
                    rows = 2,
                    placeholder = "Provide a filter (e.g., Genes == 'ATM') and press return",
                    resize = "vertical",
                    value="")

## End(Not run)

```

Studies_obj	<i>get object for grViz. Link Studies to genes</i>
-------------	--

Description

get object for grViz. Link Studies to genes

Usage

```
Studies_obj(df)
```

Arguments

df data frame with gene classes

Value

grViz object. a data frame with Study attributes

Examples

```

Studies_obj(data.frame("col1", "col2", "col3", "col4", "col5", "col6"))
## Not run:
Genes ranking      class postProb exprsMeanDiff exprsUpDw
1 FANCF            1 brca_tcga 1.00000      179.9226      UP
2 MLH1            1 gbm_tcga 0.99703      256.3173      UP

## End(Not run)

```

switchButton	<i>A function to change the Original checkbox of rshiny into a nice true/false or on/off switch button No javascript involved. Only CSS code.</i>
--------------	---

Description

To be used with CSS script 'button.css' stored in a 'www' folder in your Shiny app folder

Usage

```
switchButton(inputId, label = NULL, value = FALSE, col = "GB", type = "TF")
```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
value	Initial value (TRUE or FALSE).
col	Color set of the switch button. Choose between "GB" (Grey-Blue) and "RG" (Red-Green)
type	Text type of the button. Choose between "TF" (TRUE - FALSE), "OO" (ON - OFF) or leave empty for no text.

translate	<i>Translate between different identifiers</i>
-----------	--

Description

Function for translating from one annotation to another, eg. from RefSeq to Ensemble. This function takes a vector of annotation values and translates first to the primary annotation in the Biocore Data Team package (ie. entrez gene identifier for org.Bt.eg.db) and then to the desired product, while removing non-translated annotations and optionally reducing the result so there is only a one-to-one relation.

Usage

```
translate(
  values,
  from,
  to = NULL,
  reduce = c("all", "first", "last"),
  return.list = TRUE,
  remove.missing = TRUE,
  simplify = FALSE,
  ...
)
```

Arguments

<code>values</code>	Vector of annotations that needs translation. Coerced to character vector.
<code>from</code>	Type of annotation values are given in. NB! take care in the orientation of the package, ie. if you have RefSeq annotations, use <code>org.Bt.egREFSEQ2EG</code> or (in some cases) <code>revmap(org.Bt.egREFSEQ)</code> .
<code>to</code>	Desired goal, eg. <code>org.Bt.egENSEMBLPROT</code> . If NULL (default), goal if the packages primary annotation (eg. <code>entrez gene</code> for <code>org.Bt.eg.db</code>). Throws a warning if the organisms in <code>from</code> and <code>to</code> are not the same.
<code>reduce</code>	Reducing method, either return all annotations (one-to-many relation) or the first or last found annotation. The reducing step is applied after translating to the goal: <code>all</code> : returns all annotations <code>first</code> or <code>last</code> : choose first or last of arbitrarily ordered list.
<code>return.list</code>	Logical, when TRUE, returns the translation as a list where names
<code>remove.missing</code>	Logical, whether to remove non-translated values, defaults TRUE.
<code>simplify</code>	Logical, unlists the result. Defaults to FALSE. Usefull when using <code>translate</code> in a <code>lapply</code> or <code>sapply</code> .
<code>...</code>	Additional arguments sent to <code>pickGO</code> if <code>from</code> returns GO set.

Details

If you want to do some further mapping on the result, you will have to use either `unlist` or `lapply`, where the first returns all the end-products of the first mapping, returning a new list, and the latter produces a list-within-list.

If `from` returns GO identifiers (e.g. `from = org.Bt.egGO`), then the returned resultset is more complex and consists of several layers of lists instead of the usual list of character vectors. If `to` has also been specified, the GO IDs must be extracted (internally) and you have the option of filtering for evidence and category at this point. See `pickGO`.

Value

List; names of elements are `values` and the elements are the translated elements, or NULL if not translatable with `remove.missing = TRUE`.

Note

Requires user to deliver the annotation packages such as `org.Bt.egREFSEQ`.

Author(s)

Stefan McKinnon Edwards <stefan.hoj-edwards@agrsci.dk>

See Also

[pickRefSeq](#), [pickGO](#)

Examples

```

library(org.Bt.eg.db)
genes <- c(280705, 280706, 100327208)
translate(genes, org.Bt.egSYMBOL)

symbols <- c("SERPINA1", "KERA", "CD5")
refseq <- translate(symbols, from=org.Bt.egSYMBOL2EG, to=org.Bt.egREFSEQ)
# Pick the proteins:
pickRefSeq(refseq, priorities=c('NP', 'XP'), reduce='all')

# If you wanted do do some further mapping on the result from
# translate, simply use lapply.

library(GO.db)
GO <- translate(genes, org.Bt.egGO)
# Get all biological processes:
pickGO(GO, category='BP')
# Get all ontologies with experimental evidence:
pickGO(GO, evidence=c('IMP', 'IGI', 'IPI', 'ISS', 'IDA', 'IEP', 'IEA'))

```

UnifyRowNames

Unify row names in data frame with the same order of gene list.

Description

Unify row names in data frame with the same order of gene list.

Usage

```
UnifyRowNames(x, geneList)
```

Arguments

x	data frame with gene symbol in the row name
geneList	a gene list

Value

a data frame having the gene in row name ordered as in gene list.

Examples

```

cgds <- CGDS("http://www.cbioportal.org/")
## Not run:
geneList <- whichGeneList("73")
ProfData <- getProfileData(cgds,
  geneList, "gbm_tcga_pub_mrna", "gbm_tcga_pub_all")
rownames(ProfData) <- NULL
geneListOrder <- UnifyRowNames(list(

```

```
list1=list(df1=ProfData,df2=ProfData),
list2=list(df3=ProfData,df4=ProfData)),
geneList)

## End(Not run)
```

user_CNA *Example of Copy Number Alteration (CNA) dataset*

Description

Example of Copy Number Alteration (CNA) dataset

Usage

user_CNA

Format

An object of class `data.frame` with 579 rows and 13 columns.

Author(s)

Karim Mezhoud <kmezhoud@gmail.com>

user_MetHM27 *Example of Methylation HM27 dataset*

Description

Example of Methylation HM27 dataset

Usage

user_MetHM27

Format

An object of class `data.frame` with 600 rows and 13 columns.

Author(s)

Karim Mezhoud <kmezhoud@gmail.com>

`user_MetHM450`*Example of Methylation HM450 dataset*

Description

Example of Methylation HM450 dataset

Usage`user_MetHM450`**Format**

An object of class `data.frame` with 10 rows and 13 columns.

Author(s)

Karim Mezhoud <kmezhoud@gmail.com>

`user_mRNA`*Example of mRNA expression dataset*

Description

Example of mRNA expression dataset

Usage`user_mRNA`**Format**

An object of class `data.frame` with 307 rows and 13 columns.

Author(s)

Karim Mezhoud <kmezhoud@gmail.com>

user_Mut	<i>Example of Mutation dataset</i>
----------	------------------------------------

Description

Example of Mutation dataset

Usage

```
user_Mut
```

Format

An object of class `data.frame` with 37 rows and 23 columns.

Author(s)

Karim Mezhoud <kmezhoud@gmail.com>

whichGeneList	<i>Verify which gene list is selected</i>
---------------	---

Description

Verify which gene list is selected

Usage

```
whichGeneList(geneListLabel)
```

Arguments

`geneListLabel` The label of GeneList. There are three cases: "Genes" user gene list, "Reactome_GeneList" GeneList plus genes from reactomeFI "file name" from Examples

Value

Gene List label

Examples

```
How <- "runManually"  
## Not run:  
whichGeneList("102")  
  
## End(Not run)
```

widgetThumbnail *Capture html output widget as .png in R*

Description

Capture html output widget as .png in R

Usage

```
widgetThumbnail(p, thumbName, width = 1024, height = 1024)
```

Arguments

p	is the html widget
thumbName	is the name of the new png file
width	1024
height	1024

Value

3 files .html, .js and .png

Examples

```
How <- "runManually"
## Not run:
# Load package
library(networkD3)
library(htmlwidgets)
# Create fake data
src <- c("A", "A", "A", "A", "B", "B", "C", "C", "D")
target <- c("B", "C", "D", "J", "E", "F", "G", "H", "I")
networkData <- data.frame(src, target)
# Plot
plot = simpleNetwork(networkData)
# Save html as png
widgetThumbnail(p = plot, thumbName = "plot", width = 1024, height = 1024)

## End(Not run)
```

Index

- * **datasets**
 - epiGenomics, 13
 - user_CNA, 42
 - user_MethM27, 42
 - user_MethM450, 43
 - user_mRNA, 43
 - user_Mut, 44
- * **package**
 - AnnotationFuncs-package, 3
 - .dbEscapeString, 4
 - .getTableNames, 4, 21
 - .pickRef, 5
- AnnotationFuncs
 - (AnnotationFuncs-package), 3
- AnnotationFuncs-package, 3
- attriColorGene, 6
- attriColorValue, 6
- attriColorVector, 7
- attriShape2Gene, 8
- attriShape2Node, 9

- bioCancer, 9

- checkDimensions, 10
- coffeewheel, 10
- coffeewheelOutput, 11

- displayTable, 12

- Edges_Diseases_obj, 12
- epiGenomics, 13

- findPhantom, 14

- getEvidenceCodes, 14, 31, 32
- getFreqMutData, 15
- getGenesClassification, 16
- getList_Cases, 18
- getList_GenProfs, 18
- getListProfData, 17

- getMegaProfData, 19
- getOrthologs, 3, 20
- getSequenced_SampleSize, 21
- grepRef, 22

- mapLists, 21, 23, 33
- metabologram, 24
- metabologramOutput, 25
- Mutation_obj, 26

- Node_df_FreqIn, 26
- Node_Diseases_obj, 27
- Node_obj_CNA_ProfData, 28
- Node_obj_FreqIn, 29
- Node_obj_Met_ProfData, 29
- Node_obj_mRNA_Classifier, 30

- pickGO, 15, 31, 40
- pickRefSeq, 5, 32, 32, 40

- removeNAs, 23, 33
- renderCoffeewheel, 34
- renderMetabologram, 34
- reStrColorGene, 35
- reStrDimension, 36
- reStrDisease, 36
- returnTextAreaInput, 37

- Studies_obj, 38
- switchButton, 39

- translate, 3, 21, 31, 32, 39

- UnifyRowNames, 41
- user_CNA, 42
- user_MethM27, 42
- user_MethM450, 43
- user_mRNA, 43
- user_Mut, 44

- whichGeneList, 44
- widgetThumbnail, 45