

Package ‘TnT’

April 12, 2018

Title Interactive Visualization for Genomic Features

Version 1.0.1

Description A R interface to the TnT javascript library (<https://github.com/tntvis>) to provide interactive and flexible visualization of track-based genomic data.

biocViews Infrastructure, Visualization

Depends R (>= 3.4), GenomicRanges

Imports methods, stats, utils, grDevices, htmlwidgets, jsonlite, data.table, Biobase, GenomeInfoDb, IRanges, S4Vectors, knitr

Suggests GenomicFeatures, shiny, rmarkdown, testthat

License AGPL-3

Encoding UTF-8

LazyData true

VignetteBuilder knitr

URL <https://github.com/Marlin-Na/TnT>

BugReports <https://github.com/Marlin-Na/TnT/issues>

Collate 'JavascriptCascade.R' 'misc.R' 'tntTracks-trackData.R' 'tntTracks.R' 'tntBoard.R' 'tntTracks-compilation.R' 'tntTracks-compositeTrack.R' 'tntTracks-constructors.R' 'trackWidget.R'

RoxygenNote 6.0.1

NeedsCompilation no

Author Jialin Ma [cre, aut],
Miguel Pignatelli [aut],
Toby Hocking [aut]

Maintainer Jialin Ma <marlin@gmx.cn>

R topics documented:

composite-track	2
knit_print.TnTBoard	3
mapcol	3
range,TnTBoard-method	4

range-TnTTrack	5
saveTnT	5
seqinfo	6
strandlabel	7
TnT-shiny	8
tntboard	9
tooltip	10
track-constructors	10
trackdata	12
tracklist	13
trackSpec	14
trackWidget	15

Index 16

composite-track	<i>Composite Track</i>
-----------------	------------------------

Description

Two or more arbitrary tracks can be used to create a composite track, by which different features can be shown in the same track.

Usage

```
## S4 method for signature 'TnTTrack,TnTTrack'
merge(x, y, ...)

## S4 method for signature 'TnTTrack,missing'
merge(x, y, ...)
```

Arguments

`x, y, ...` Track constructed with [track-constructors](#) or composite track.

Value

Returns a "CompositeTrack" object.

See Also

<http://tnt.marlin.pub/articles/examples/track-CompositeTrack.html>

Examples

```
gr <- GRanges("chr1", IRanges(c(11000, 20000, 60000), width = 2000))
gpos <- GRanges("chr1", IRanges(c(12000, 21000, 61000), width = 1), value = c(1, 2, 3))
btrack <- BlockTrack(gr, label = "Block Track", tooltip = as.data.frame(gr), color = "lightblue4")
ptrack <- PinTrack(gpos, label = "Pin Track", tooltip = as.data.frame(gpos), background = "beige")

ctrack <- merge(btrack, ptrack)
## Not run:
TnTBoard(ctrack)
```

```
## End(Not run)
```

knit_print.TnTBoard *Printing TnTBoard in Rmarkdown*

Description

S3 method to automatically render a TnTBoard with knitr.

Usage

```
## S3 method for class 'TnTBoard'  
knit_print(x, ..., options = NULL)
```

Arguments

x A TnTBoard or TnTGenome object.
..., options Passed to `htmlwidget::knit_print.htmlwidget`.

Value

`htmlwidget::knit_print.htmlwidget` invisibly returns a character vector with "browsable_html" S3 class.

References

[knit_print](#)

Examples

```
track <- BlockTrack(GRanges("chr12", IRanges(c(100, 400, 700), width = 100)),  
                    color = c("green", "red", "blue"))  
tntboard <- TnTGenome(track)  
## Not run:  
knitr::knit_print(tntboard)  
  
## End(Not run)
```

mapcol *Scale Qualitative Values to Color*

Description

A simple util function that scales a factor to color based on the palette function.

Usage

```
mapcol(value, palette.fun = grDevices::rainbow, ...)
```

Arguments

value A factor or character vector that may have n unique values.
palette.fun The palette function to generate colors. For example, [terrain.colors](#).
... Extra arguments passed to the palette function.

Value

A character vector as colors, with the same length of value. Same values in value will have the same color.

Examples

```
mapcol(iris$Species)
```

range, TnTBoard-method *Range of TnTBoard*

Description

Get combined range of all tracks in a TnTBoard, used internally.

Usage

```
## S4 method for signature 'TnTBoard'  
range(x, ..., with.revmap = FALSE,  
      ignore.strand = FALSE, na.rm = FALSE)
```

Arguments

x TnTBoard.
..., with.revmap, ignore.strand, na.rm
 Passed to [range, GenomicRanges-method](#).

Value

GRanges.

range-TnTTrack	<i>Range of Tracks</i>
----------------	------------------------

Description

Range of Tracks

Usage

```
## S4 method for signature 'RangeTrack'
range(x, ..., with.revmap = FALSE,
      ignore.strand = FALSE, na.rm = FALSE)

## S4 method for signature 'CompositeTrack'
range(x, ..., with.revmap = FALSE,
      ignore.strand = FALSE, na.rm = FALSE)
```

Arguments

x A TnTTrack object.
 ..., with.revmap, ignore.strand, na.rm
 Passed to [range, GenomicRanges-method](#).

Value

Returns a GRanges object.

saveTnT	<i>Save a TnTBoard to an HTML file</i>
---------	--

Description

A simple wrapper of [saveWidget](#), which saves a TnTBoard/TnTGenome object to an HTML file (e.g. for sharing with others).

Usage

```
saveTnT(tntdef, file, selfcontained = TRUE, libdir = NULL,
        background = "white", knitrOptions = list())
```

Arguments

tntdef A TnTBoard/TnTGenome object to save.
 file, selfcontained, libdir, background, knitrOptions
 Passed to [saveWidget](#).

Value

Return NULL.

Examples

```

data <- GRanges("chr2", IRanges(c(6,9,42), width = 1),
               value = c(0.3, 0.5, 0.9))
track <- PinTrack(data, label = NULL, background = "green")
genome <- TnTGenome(list(track))
destfile <- tempfile(fileext = ".html")
destfile
saveTnT(genome, destfile)
## Not run:
utils::browseURL(destfile)

## End(Not run)

```

seqinfo

*Seqinfo of TnTTrack and TnTBoard***Description**

Seqinfo of TnTTrack and TnTBoard

Usage

```

## S4 replacement method for signature 'RangeTrack'
seqinfo(x, new2old = NULL, pruning.mode = c("error",
      "coarse", "fine", "tidy")) <- value

## S4 method for signature 'RangeTrack'
seqinfo(x)

## S4 method for signature 'RangeTrack'
seqlevelsInUse(x)

## S4 method for signature 'TnTBoard'
seqinfo(x)

## S4 method for signature 'CompositeTrack'
seqinfo(x)

## S4 replacement method for signature 'CompositeTrack'
seqinfo(x, new2old = NULL,
      pruning.mode = c("error", "coarse", "fine", "tidy")) <- value

## S4 method for signature 'CompositeTrack'
seqlevelsInUse(x)

```

Arguments

x A TnTTrack or TnTBoard object.

new2old, pruning.mode, value
 Passed to seqinfo method for GenomicRanges.

Value

seqinfo returns a SeqInfo object.

Examples

```
btrack1 <- BlockTrack(GRanges("chr1", IRanges(1, 123)))
btrack2 <- BlockTrack(GRanges("chr2", IRanges(3, 599)))
ctrack <- merge(btrack1, btrack2)
board <- TnTBoard(list(btrack1, btrack2))

seqinfo(btrack1)
seqinfo(btrack2)
seqinfo(ctrack)
seqinfo(board)
```

strandlabel

Display Labels with Strand

Description

A simple util function that used internally to generate display labels of GeneTrack and TxTrack.

Usage

```
strandlabel(labels, strands)
```

Arguments

labels	Character vector, names of each feature.
strands	Factor or character vector with the same length of labels, can be "+", "-" or "*".

Value

A character vector that combines the labels with strand information.

Examples

```
strandlabel(c("gene1", "gene2", "gene3"), c("+", "-", "*"))
```

Description

Output and render functions for using TnT within Shiny applications and interactive Rmd documents.

Usage

```
TnTOutput(outputId, width = "100%", height = "auto")
renderTnT(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

outputId	output variable to read from
width, height	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
expr	An expression that generates a TnTBoard/TnTGenome object.
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.

Value

An output or render function that enables the use of the converted htmlwidget within Shiny applications.

Examples

```
if (interactive() && require(shiny)) {
  ui <- fluidPage(fluidRow(
    column(width = 2, {
      "A Simple Example Here"
    }),
    column(width = 10, {
      TnTOutput("out")
    })
  ))
  server <- function (input, output) {
    re.btrack <- reactive({
      gr <- GRanges("chr12", IRanges(100, 1000))
      BlockTrack(gr)
    })
    output$out <- renderTnT({
      TnTBoard(re.btrack())
    })
  }
  shinyApp(ui = ui, server = server)
}
```

tntboard	<i>TnTBoard</i>
----------	-----------------

Description

A TnTBoard or TnTGenome object stores a list of tracks and can be automatically shown in an interactive R session or in rmarkdown output.

Usage

```
TnTBoard(tracklist, view.range = GRanges(), coord.range = IRanges(),  
         zoom.allow = IRanges(), allow.drag = TRUE, use.tnt.genome = FALSE)
```

```
TnTGenome(tracklist, view.range = GRanges(), coord.range = IRanges(),  
          zoom.allow = IRanges(), allow.drag = TRUE)
```

Arguments

tracklist	One track or a list of tracks to view.
view.range	Length-one GRanges object, sets the initial view range.
coord.range	Length-one IRanges object or length-two numeric vector, sets the coordinate limit of the board (i.e. minimum/maximum possible coordinate).
zoom.allow	Length-one IRanges object or length-two numeric vector, sets the minimum and maximum extent of the board (i.e. the limit when zooming in and zooming out).
allow.drag	Logical, whether drag should be allowed? Default TRUE.
use.tnt.genome	Logical, whether to add axis and location. ‘TnTGenome(...)’ is essentially a wrapper to ‘TnTBoard(..., use.tnt.genome = TRUE)’.

Value

Returns a TnTBoard or TnTGenome object which has printing method to be rendered as a html-widget.

Examples

```
track <- BlockTrack(GRanges("chr1", IRanges(start = c(100, 300, 500), width = c(10, 100, 200))))  
## Not run:  
TnTGenome(track)  
  
## End(Not run)
```

tooltip	<i>Access Track Tooltips</i>
---------	------------------------------

Description

Access Track Tooltips

Usage

```
tooltip(x)

tooltip(x) <- value

## S4 method for signature 'TrackData'
tooltip(x)

## S4 method for signature 'TnTTrack'
tooltip(x)

## S4 replacement method for signature 'TrackData,data.frame'
tooltip(x) <- value

## S4 replacement method for signature 'TnTTrack,data.frame'
tooltip(x) <- value
```

Arguments

x	A TnTTrack object.
value	A data frame to replace, its row number should equal to length of data.

Value

tooltip returns a data frame.

Examples

```
gr <- GRanges("chr12", IRanges(c(6, 69), c(42, 135)), Name = c("my range 1", "my range 2"))
track <- BlockTrack(gr)
tooltip(track)
tooltip(track)$width <- width(gr)
tooltip(track)
```

track-constructors	<i>Track Constructors</i>
--------------------	---------------------------

Description

Track Constructors

Usage

```

BlockTrack(range, label = deparse(substitute(range)),
  tooltip = mcols(range), color = "blue", background = NULL,
  height = 30)

VlineTrack(pos, label = deparse(substitute(pos)), tooltip = mcols(pos),
  color = "green", background = NULL, height = 40)

PinTrack(pos, value = mcols(pos)$value, domain = numeric(),
  label = deparse(substitute(pos)), tooltip = mcols(pos), color = "red",
  background = NULL, height = 40)

LineTrack(pos, value = mcols(pos)$value, domain = numeric(),
  label = deparse(substitute(pos)), color = "yellow", background = NULL,
  height = 70)

AreaTrack(pos, value = mcols(pos)$value, domain = numeric(),
  label = deparse(substitute(pos)), color = "pink", background = NULL,
  height = 70)

GeneTrackFromTxDb(txdb, seqlevel = seqlevels(txdb),
  label = deparse(substitute(txdb)), color = "black", background = NULL,
  height = 100)

FeatureTrack(range, label = deparse(substitute(range)),
  tooltip = mcols(range), names = base::names(range), color = "black",
  background = NULL, height = 200)

GroupFeatureTrack(gr1, label = deparse(substitute(gr1)),
  tooltip = mcols(gr1), names = base::names(gr1), color = "black",
  background = NULL, height = 200)

TxTrackFromTxDb(txdb, seqlevel = seqlevels(txdb),
  label = deparse(substitute(txdb)), color = "red", background = NULL,
  height = 300)

TxTrackFromGRanges(gr, label = deparse(substitute(gr)), color = "red",
  background = NULL, height = 300)

```

Arguments

range, pos	GRanges or IRanges object. For pos, all the width should be one.
label	Character, shown as label of the track on the left, could be NULL.
tooltip	A data frame that is parallel to range or pos.
color	Character vector or integer vector that sets the color of the features. It can be color names, hexadecimal string or positive integer <code>i</code> meaning <code>palette()[i]</code> , as described in <code>col2rgb</code> . It can be parallel to the data (i.e. have the same length) thus sets colors of each individual feature.
background	Length-one character vector that sets background of the track, could be NULL.
height	Length-one numeric vector that sets height of the track.

value, domain	'value' is a numeric vector that is parallel to pos, which indicates height of features at each position for PinTrack, LineTrack and AreaTrack. 'domain' is a length-two numeric vector which sets the lower and upper limit of 'value' (i.e. the limit on y-axis).
txdb, seqlevel	The TxDb and seqlevel to extract gene or transcript from.
names	Character vector with the same length of data, which is used to generate display labels shown together with features when zooming in.
gr1	For 'GroupFeatureTrack' function, a GRangesList object that represents grouped ranges as data source. It is assumed that ranges in each group are on the same strand and do not overlap.
gr	For 'TxTrackFromGRanges' function, a GRanges object that represents exons and cds as data source, and will be rendered as transcripts. Two meta-columns ("type", "tx_id") are required, "type" can be "exon" or "cds" by which ranges of "cds" will be filled with color, "tx_id" indicates the grouping.

Value

Returns an object that extends "TnTTrack" class.

See Also

You can find various examples at <http://tnt.marlin.pub/articles/examples/>, also see [composite-track](#) on how to create a composite track.

Examples

```
BlockTrack(range = GRanges("chr1", IRanges(199, 4000)),
           color = "green", background = "red", height = 100)
```

trackdata

Access Track Data

Description

Access and modify the track data. `x$name` and `x$name <- value` are just shortcuts for `trackData(x)$name` and `trackData(x)$name <- value`, respectively.

Usage

```
trackData(x)

trackData(x) <- value

## S4 method for signature 'TnTTrack'
x$name

## S4 replacement method for signature 'TnTTrack'
x$name <- value
```

Arguments

x	A TnTTrack object.
value	Replaced value.
name	Passed to the inner method for track data.

Value

trackData on all track types except "CompositeTrack" returns an object that inherits GRanges class, which means they should behave like a GRanges. While trackData on "CompositeTrack" returns a list of tracks.

Examples

```
track <- BlockTrack(GRanges("chr1", IRanges(6, 54)))
trackData(track) # track data of block track is an object that inherits GRanges.
ctrack <- merge(track, track)
trackData(ctrack) # track data of composite track is a list of tracks
```

tracklist

Track List in TnTBoard

Description

The tracks of a TnTBoard are stored as a list which can be accessed or modified with these functions.

Usage

```
tracklist(tntboard)

tracklist(tntboard) <- value
```

Arguments

tntboard	A TnTBoard or TnTGenome object
value	A list of tracks

Value

tracklist returns a list of tracks.

Examples

```
bt <- BlockTrack(GRanges("chr21", IRanges(100, 1200)))
li.tracks <- list(bt, bt)
board <- TnTBoard(li.tracks)
tracklist(board)
## Not run:
show(board)

## End(Not run)
tracklist(board) <- list(bt)
## Not run:
```

```
show(board)

## End(Not run)
```

trackSpec

Track Spec

Description

Height, background and label are common options of all tracks, use these functions to get and set them.

Usage

```
trackSpec(track, which = c("background", "height", "label"))

trackSpec(track, which = c("background", "height", "label")) <- value
```

Arguments

track	A TnTTrack object.
which	Character vector, can be "background", "height" or "label".
value	Value to set: background should be character, height should be numeric, label should be character. If length of which is bigger than one, value should be a list with the same length.

Value

For trackSpec, if length of which equals to one, return a scalar character or numeric, if length of which is bigger than one, return as a list.

Examples

```
track <- BlockTrack(GRanges("chr13", IRanges(6, 9)))
trackSpec(track, "background")
trackSpec(track, c("height", "label"))
trackSpec(track, c("height", "label")) <- list(100, "my range")
trackSpec(track, "background") <- "green"
trackSpec(track)
```

trackWidget	<i>Convert a TnTBoard to htmlwidget</i>
-------------	---

Description

This function is only provided for users who are familiar with the concept of [htmlwidgets-package](#). It explicitly converts a TnTBoard or TnTGenome object to a htmlwidget object. You do not need it in most cases.

Usage

```
trackWidget(tntdef, elementId = NULL)
```

Arguments

tntdef	A TnTBoard/TnTGenome object or a htmlwidget object. If it is a htmlwidget object, the function will return it as is.
elementId	An id for the htmlwidget (random by default).

Value

The function returns a htmlwidget object.

Examples

```
b <- TnTBoard(BlockTrack(GRanges("chr12", IRanges(1, 123))))
widget <- trackWidget(b)
class(widget)
identical(widget, trackWidget(widget))
```

Index

\$, TnTTrack-method (trackdata), 12
\$<-, TnTTrack-method (trackdata), 12
AreaTrack (track-constructors), 10
BlockTrack (track-constructors), 10
col2rgb, 11
composite-track, 2
FeatureTrack (track-constructors), 10
GeneTrackFromTxDb (track-constructors), 10
GroupFeatureTrack (track-constructors), 10
htmlwidgets-package, 15
knit_print, 3
knit_print.TnTBoard, 3
LineTrack (track-constructors), 10
mapcol, 3
merge, TnTTrack, missing-method (composite-track), 2
merge, TnTTrack, TnTTrack-method (composite-track), 2
merge-track (composite-track), 2
palette, 11
PinTrack (track-constructors), 10
range, CompositeTrack-method (range-TnTTrack), 5
range, RangeTrack-method (range-TnTTrack), 5
range, TnTBoard-method, 4
range-TnTTrack, 5
renderTnT (TnT-shiny), 8
saveTnT, 5
saveWidget, 5
seqinfo, 6
seqinfo, CompositeTrack-method (seqinfo), 6
seqinfo, RangeTrack-method (seqinfo), 6
seqinfo, TnTBoard-method (seqinfo), 6
seqinfo<-, CompositeTrack-method (seqinfo), 6
seqinfo<-, RangeTrack-method (seqinfo), 6
seqlevelsInUse, CompositeTrack-method (seqinfo), 6
seqlevelsInUse, RangeTrack-method (seqinfo), 6
strandlabel, 7
terrain.colors, 4
TnT-shiny, 8
TnTBoard (tntboard), 9
tntboard, 9
TnTGenome (tntboard), 9
tntgenome (tntboard), 9
TnTOutput (TnT-shiny), 8
tooltip, 10
tooltip, TnTTrack-method (tooltip), 10
tooltip, TrackData-method (tooltip), 10
tooltip<- (tooltip), 10
tooltip<-, TnTTrack, data.frame-method (tooltip), 10
tooltip<-, TrackData, data.frame-method (tooltip), 10
track-constructors, 2, 10
trackData (trackdata), 12
trackdata, 12
trackData<- (trackdata), 12
tracklist, 13
tracklist<- (tracklist), 13
trackSpec, 14
trackSpec<- (trackSpec), 14
trackWidget, 15
TxTrackFromGRanges (track-constructors), 10
TxTrackFromTxDb (track-constructors), 10
VlineTrack (track-constructors), 10