

Package ‘tRNAscanImport’

October 16, 2018

Title Imports a tRNAscan-SE result file as GRanges object

Version 1.0.1

Date 2018-05-04

Description The package imports the result of tRNAscan-SE as a GRanges object.

Depends R (>= 3.5), GenomicRanges

License GPL-3 + file LICENSE

Encoding UTF-8

LazyData true

biocViews Software, DataImport, WorkflowStep, Preprocessing,
Visualization

Imports methods, assertive, stringr, reshape2, BiocGenerics,
Biostrings, S4Vectors, GenomicRanges, GenomeInfoDb, rtracklayer

Collate 'tRNAscanImport.R' 'AllGenerics.R' 'tRNAscanImport-checks.R'
'tRNAscanImport-plot.R'

RoxygenNote 6.0.1

Suggests BiocStyle, knitr, rmarkdown, testthat, graphics, ggplot2,
scales

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/tRNAscanImport>

git_branch RELEASE_3_7

git_last_commit f79b4a5

git_last_commit_date 2018-05-04

Date/Publication 2018-10-15

Author Felix GM Ernst [aut, cre]

Maintainer Felix GM Ernst <felix.gm.ernst@outlook.com>

R topics documented:

gettRNAscanSummary	2
import.tRNAscanAsGRanges	3
Index	5

gettRNAscanSummary *tRNAscanImport summary functions*

Description

gettRNAscanSummary(): creates an DataFrame with aggregated information from the tRNAscan information.

gettRNAscanPlots(): If ggplot2 is installed a plot of the data is generated and returned.

plottRNAscan(): If ggplot2 is installed a plot of the data is generated and plotted directly.

Usage

```
gettRNAscanSummary(gr)

plottRNAscan(gr1)

gettRNAscanPlots(gr1)

## S4 method for signature 'GRanges'
gettRNAscanSummary(gr)

## S4 method for signature 'GRangesList'
plottRNAscan(gr1)

## S4 method for signature 'GRangesList'
gettRNAscanPlots(gr1)
```

Arguments

gr a GRanges object created by import.tRNAscanAsGRanges or GRanges with equivalent information.

gr1 a GRangesList object created with GRanges created by import.tRNAscanAsGRanges or GRanges with equivalent information.

Value

gettRNAscanSummary(): returns a DataFrame with the summarized results used for plotting internally.

gettRNAscanPlots(): returns a list of ggplots per column of data returned by gettRNAscanSummary().

plottRNAscan(): the function plots the output of gettRNAscanPlots directly to the current plotting device.

Examples

```
library(GenomicRanges, quietly = TRUE)
sce <- import.tRNAscanAsGRanges(system.file("extdata",
                                           file = "sacCer3-tRNAs.ss.sort",
                                           package = "tRNAscanImport"))
eco <- import.tRNAscanAsGRanges(system.file("extdata",
                                           file = "eschColi_K_12_MG1655-tRNAs.ss.sort",
```

```
                                package = "tRNAscanImport"))
gettRNAscanSummary(sce)
plots <- gettRNAscanPlots(GRangesList(Sce = sce,
                                      Eco = eco))
```

import.tRNAscanAsGRanges

Importing a tRNAscan output file as a GRanges object

Description

The function `import.tRNAscanAsGRanges` will import a tRNAscan-SE output file and return the information as a `GRanges` object. The reported intron sequences are spliced from the result by default, but can also returned as imported.

The function `tRNAscan2GFF` formats the output of `import.tRNAscanAsGRanges` to be GFF3 compliant.

Usage

```
import.tRNAscanAsGRanges(input, as.GFF3 = FALSE, trim.intron = TRUE)

tRNAscan2GFF(input)
```

Arguments

<code>input</code>	<ul style="list-style-type: none"><code>import.tRNAscanAsGRanges</code>: a tRNAscan-SE input file<code>tRNAscan2GFF</code>: a compatible <code>GRanges</code> object such as the output of <code>import.tRNAscanAsGRanges</code>
<code>as.GFF3</code>	optional logical for <code>import.tRNAscanAsGRanges</code> : returns a gff3 compatible <code>GRanges</code> object directly. (default: FALSE)
<code>trim.intron</code>	optional logical for <code>import.tRNAscanAsGRanges</code> : remove intron sequences (default: TRUE)

Value

a `GRanges` object

References

Chan, Patricia P., and Todd M. Lowe. 2016. "GtRNAdb 2.0: An Expanded Database of Transfer Rna Genes Identified in Complete and Draft Genomes." *Nucleic Acids Research* 44 (D1): D184–9. doi:10.1093/nar/gkv1309.

Lowe, T. M., and S. R. Eddy. 1997. "tRNAscan-Se: A Program for Improved Detection of Transfer Rna Genes in Genomic Sequence." *Nucleic Acids Research* 25 (5): 955–64.

Index

`gettRNAscanPlots (gettRNAscanSummary)`, [2](#)
`gettRNAscanPlots, GRangesList-method`
 (`gettRNAscanSummary`), [2](#)
`gettRNAscanSummary`, [2](#)
`gettRNAscanSummary, GRanges-method`
 (`gettRNAscanSummary`), [2](#)

`import.tRNAscanAsGRanges`, [3](#)

`plottRNAscan (gettRNAscanSummary)`, [2](#)
`plottRNAscan, GRangesList-method`
 (`gettRNAscanSummary`), [2](#)

`tRNAscan2GFF`
 (`import.tRNAscanAsGRanges`), [3](#)