

Package ‘DelayedMatrixStats’

April 15, 2019

Type Package

Title Functions that Apply to Rows and Columns of 'DelayedMatrix' Objects

Version 1.4.0

Author Peter Hickey <peter.hickey@gmail.com>

Maintainer Peter Hickey <peter.hickey@gmail.com>

Description A port of the 'matrixStats' API for use with DelayedMatrix objects from the 'DelayedArray' package. High-performing functions operating on rows and columns of DelayedMatrix objects, e.g. col / rowMedians(), col / rowRanks(), and col / rowSds(). Functions optimized per data type and for subsetted calculations such that both memory usage and processing time is minimized.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 6.1.0

Depends DelayedArray (>= 0.7.37)

Imports methods, matrixStats (>= 0.53.1), Matrix, S4Vectors (>= 0.17.5), IRanges, HDF5Array (>= 1.7.10), BiocParallel

Suggests testthat, knitr, rmarkdown, covr, BiocStyle, microbenchmark, profmem

VignetteBuilder knitr

URL <https://github.com/PeteHaitch/DelayedMatrixStats>

BugReports <https://github.com/PeteHaitch/DelayedMatrixStats/issues>

biocViews Infrastructure, DataRepresentation, Software

git_url <https://git.bioconductor.org/packages/DelayedMatrixStats>

git_branch RELEASE_3_8

git_last_commit eb5b390

git_last_commit_date 2018-10-30

Date/Publication 2019-04-15

R topics documented:

colAlls	2
colAnyMissings	4
colAvgPerRowSet	6
colCollapse	7
colCounts	9
colCummaxs	10
colDiffs	12
colIQRDiffs	14
colIQRs	17
colLogSumExps	18
colMads	19
colMeans2	21
colMedians	22
colOrderStats	24
colProds	25
colQuantiles	27
colRanks	28
colsum	30
colsum,HDF5Matrix-method	31
colSums2	33
colTabulates	34
colVars	35
colWeightedMads	37
colWeightedMeans	38
colWeightedMedians	39
colWeightedSds	41
DelayedMatrixStats	43
rowsum,DelayedMatrix-method	43
subset_by_Nindex	44
Index	45

colAlls	<i>Checks if a value exists / does not exist in each row (column) of a matrix</i>
---------	---

Description

Checks if a value exists / does not exist in each row (column) of a matrix.

Usage

```
colAlls(x, rows = NULL, cols = NULL, value = TRUE, na.rm = FALSE,
        dim. = dim(x), ...)
```

```
colAnys(x, rows = NULL, cols = NULL, value = TRUE, na.rm = FALSE,
        dim. = dim(x), ...)
```

```
rowAlls(x, rows = NULL, cols = NULL, value = TRUE, na.rm = FALSE,
        dim. = dim(x), ...)
```

```

rowAnys(x, rows = NULL, cols = NULL, value = TRUE, na.rm = FALSE,
        dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colAlls(x, rows = NULL, cols = NULL,
        value = TRUE, na.rm = FALSE, dim. = dim(x),
        force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colAnys(x, rows = NULL, cols = NULL,
        value = TRUE, na.rm = FALSE, dim. = dim(x),
        force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowAlls(x, rows = NULL, cols = NULL,
        value = TRUE, na.rm = FALSE, dim. = dim(x),
        force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowAnys(x, rows = NULL, cols = NULL,
        value = TRUE, na.rm = FALSE, dim. = dim(x),
        force_block_processing = FALSE, ...)

```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
value	A value to search for.
na.rm	If TRUE , NAs are excluded first, otherwise not.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

These functions takes either a matrix or a vector as input. If a vector, then argument `dim.` must be specified and fulfill `prod(dim.) == length(x)`. The result will be identical to the results obtained when passing `matrix(x, nrow = dim.[1L], ncol = dim.[2L])`, but avoids having to temporarily create/allocate a matrix, if only such is needed only for these calculations.

Value

rowAlls() (colAlls()) returns an **logical vector** of length N (K). Analogously for rowAnys() (rowAlls()).

Logical value

When value is logical, the result is as if the function is applied on `as.logical(x)`. More specifically, if x is numeric, then all zeros are treated as FALSE, non-zero values as TRUE, and all missing values as NA.

When value is logical, the result is as if the function is applied on `as.logical(x)`. More specifically, if x is numeric, then all zeros are treated as FALSE, non-zero values as TRUE, and all missing values as NA.

See Also

rowCounts

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'SolidRleArraySeed' seed
dm_Rle <- RleArray(Rle(c(rep(1L, 5),
                        as.integer((0:4) ^ 2),
                        seq(-5L, -1L, 1L))),
                  dim = c(5, 3))

colAlls(dm_matrix, value = 1)
colAnys(dm_matrix, value = 2)
rowAlls(dm_Rle, value = 1)
rowAnys(dm_Rle, value = 2)
```

colAnyMissings

Checks if there are any missing values in an object or not

Description

Checks if there are any missing values in an object or not. *Please use `base::anyNA()` instead of `anyMissing()`, `colAnyNAs()` instead of `colAnyMissings()`, and `rowAnyNAs()` instead of `rowAnyMissings()`.*

Usage

```
colAnyMissings(x, rows = NULL, cols = NULL, ...)
```

```
colAnyNAs(x, rows = NULL, cols = NULL, ...)
```

```
rowAnyMissings(x, rows = NULL, cols = NULL, ...)
```

```
rowAnyNAs(x, rows = NULL, cols = NULL, ...)
```

```
## S4 method for signature 'DelayedMatrix'
colAnyMissings(x, rows = NULL, cols = NULL,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colAnyNAs(x, rows = NULL, cols = NULL,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowAnyMissings(x, rows = NULL, cols = NULL,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowAnyNAs(x, rows = NULL, cols = NULL,
  force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

The implementation of this method is optimized for both speed and memory. The method will return [TRUE](#) as soon as a missing value is detected.

Value

Returns [TRUE](#) if a missing value was detected, otherwise [FALSE](#).

See Also

Starting with R v3.1.0, there is [anyNA\(\)](#) in the **base**, which provides the same functionality as [anyMissing\(\)](#).

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
  as.integer((0:4) ^ 2),
  seq(-5L, -1L, 1L)),
  ncol = 3))
```

```
# A DelayedMatrix with a 'HDF5ArraySeed' seed
# NOTE: Requires that the HDF5Array package is installed
library(HDF5Array)
dm_HDF5 <- writeHDF5Array(matrix(c(rep(1L, 5),
                                   as.integer((0:4) ^ 2),
                                   seq(-5L, -1L, 1L)),
                                ncol = 3))

dm_matrix[dm_matrix > 3] <- NA
colAnyNAs(dm_matrix)
dm_HDF5[dm_HDF5 > 3] <- NA
rowAnyNAs(dm_HDF5)
```

colAvsPerRowSet	<i>Applies a row-by-row (column-by-column) averaging function to equally-sized subsets of matrix columns (rows)</i>
-----------------	---

Description

Applies a row-by-row (column-by-column) averaging function to equally-sized subsets of matrix columns (rows). Each subset is averaged independently of the others.

Usage

```
colAvsPerRowSet(X, W = NULL, cols = NULL, S, FUN = colMeans, ...,
               tFUN = FALSE)

rowAvsPerColSet(X, W = NULL, rows = NULL, S, FUN = rowMeans, ...,
               tFUN = FALSE)

## S4 method for signature 'DelayedMatrix'
colAvsPerRowSet(X, W = NULL, cols = NULL, S,
               FUN = colMeans, ..., force_block_processing = FALSE, tFUN = FALSE)

## S4 method for signature 'DelayedMatrix'
rowAvsPerColSet(X, W = NULL, rows = NULL, S,
               FUN = rowMeans, ..., force_block_processing = FALSE, tFUN = FALSE)
```

Arguments

X	A NxM DelayedMatrix .
W	An optional numeric NxM matrix of weights.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
S	An integer KxJ matrix specifying the J subsets. Each column holds K column (row) indices for the corresponding subset.
FUN	The row-by-row (column-by-column) function used to average over each subset of X. This function must accept a numeric NxK (KxM) matrix and the logical argument <code>na.rm</code> (which is automatically set), and return a numeric vector of length N (M).
...	Additional arguments passed to specific methods.

tFUN If **TRUE**, the $N \times K$ ($K \times M$) **matrix** passed to `FUN()` is transposed first.
rows A **vector** indicating subset of rows (and/or columns) to operate over. If **NULL**, no subsetting is done.
force_block_processing **FALSE** (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to **TRUE** (typically not advised). The block-processing strategy loads one or more (depending on `getAutoBlockSize()`) columns (`colFoo()`) or rows (`rowFoo()`) into memory as an ordinary `base::array`.

Details

If argument `S` is a single column vector with indices $1:N$, then `rowAvgPerColSet(X, S = S, FUN = rowMeans)` gives the same result as `rowMeans(X)`. Analogously, for `colAvgPerRowSet()`.

Value

Returns a **numeric** $J \times N$ ($M \times J$) **matrix**, where row names equal `rownames(X)` (`colnames(S)`) and column names `colnames(S)` (`colnames(X)`).

Examples

```
# A DelayedMatrix with a 'DataFrame' seed
dm_DF <- DelayedArray(S4Vectors::DataFrame(C1 = rep(1L, 5),
                                           C2 = as.integer((0:4) ^ 2),
                                           C3 = seq(-5L, -1L, 1L)))
colAvgPerRowSet(dm_DF, S = matrix(1:2, ncol = 2))

rowAvgPerColSet(dm_DF, S = matrix(1:2, ncol = 1))
```

colCollapse

Extracts one cell per row (column) from a matrix

Description

Extracts one cell per row (column) from a matrix. The implementation is optimized for memory and speed.

Usage

```
colCollapse(x, idxs, cols = NULL, dim. = dim(x), ...)

rowCollapse(x, idxs, rows = NULL, dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colCollapse(x, idxs, cols = NULL,
            dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowCollapse(x, idxs, rows = NULL,
            dim. = dim(x), force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
idxs	An index vector of (maximum) length N (K) specifying the columns (rows) to be extracted.
cols	A vector indicating subset of rows (and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
rows	A vector indicating subset of rows (and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Value

Returns a [vector](#) of length N (K).

See Also

Matrix indexing to index elements in matrices and arrays, cf. `[]`.

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'HDF5ArraySeed' seed
# NOTE: Requires that the HDF5Array package is installed
library(HDF5Array)
dm_HDF5 <- writeHDF5Array(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# Extract the 4th row as a vector
# NOTE: An ordinary vector is returned regardless of the backend of
#       the DelayedMatrix object
colCollapse(dm_matrix, 4)
colCollapse(dm_HDF5, 4)

# Extract the 2nd column as a vector
# NOTE: An ordinary vector is returned regardless of the backend of
#       the DelayedMatrix object
rowCollapse(dm_matrix, 2)
rowCollapse(dm_HDF5, 2)
```

colCounts

*Counts the number of occurrences of a specific value***Description**

The row- and column-wise functions take either a matrix or a vector as input. If a vector, then argument `dim.` must be specified and fulfill `prod(dim.) == length(x)`. The result will be identical to the results obtained when passing `matrix(x, nrow = dim.[1L], ncol = dim.[2L])`, but avoids having to temporarily create/allocate a matrix, if only such is needed only for these calculations.

Usage

```
colCounts(x, rows = NULL, cols = NULL, value = TRUE, na.rm = FALSE,
  dim. = dim(x), ...)
```

```
rowCounts(x, rows = NULL, cols = NULL, value = TRUE, na.rm = FALSE,
  dim. = dim(x), ...)
```

```
## S4 method for signature 'DelayedMatrix'
colCounts(x, rows = NULL, cols = NULL,
  value = TRUE, na.rm = FALSE, dim. = dim(x),
  force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'DelayedMatrix'
rowCounts(x, rows = NULL, cols = NULL,
  value = TRUE, na.rm = FALSE, dim. = dim(x),
  force_block_processing = FALSE, ...)
```

Arguments

<code>x</code>	A $N \times K$ DelayedMatrix .
<code>rows</code>	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
<code>cols</code>	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
<code>value</code>	A value to search for.
<code>na.rm</code>	If <code>TRUE</code> , <code>NA</code> s are excluded first, otherwise not.
<code>dim.</code>	An integer vector of length two specifying the dimension of <code>x</code> , also when not a matrix .
<code>...</code>	Additional arguments passed to specific methods.
<code>force_block_processing</code>	<code>FALSE</code> (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to <code>TRUE</code> (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Value

rowCounts() (colCounts()) returns an **integer vector** of length N (K). count() returns a scalar of type **integer** if the count is less than $2^{31}-1$ (= .Machine\$integer.max) otherwise a scalar of type **double**.

See Also

rowAlls

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'DataFrame' seed
dm_DF <- DelayedArray(S4Vectors::DataFrame(C1 = rep(1L, 5),
                                           C2 = as.integer((0:4) ^ 2),
                                           C3 = seq(-5L, -1L, 1L)))

colCounts(dm_matrix, value = 1)
# Only count those in the first 4 rows
colCounts(dm_matrix, rows = 1:4, value = 1)

rowCounts(dm_DF, value = 5)
# Only count those in the odd-numbered rows of the 2nd column
rowCounts(dm_DF, rows = seq(1, nrow(dm_DF), 2), cols = 2, value = 5)
```

colCummaxs

Cumulative sums, products, minima and maxima for each row (column) in a matrix

Description

Cumulative sums, products, minima and maxima for each row (column) in a matrix.

Usage

```
colCummaxs(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

colCummins(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

colCumprods(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

colCumsums(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

rowCummaxs(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

rowCummins(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

rowCumprods(x, rows = NULL, cols = NULL, dim. = dim(x), ...)
```

```

rowCumsums(x, rows = NULL, cols = NULL, dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colCummaxs(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colCummins(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colCumprods(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colCumsums(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowCummaxs(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowCummins(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowCumprods(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowCumsums(x, rows = NULL, cols = NULL,
  dim. = dim(x), force_block_processing = FALSE, ...)

```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary base::array .

Value

Returns a `numeric` NxK `matrix` of the same mode as x.

See Also

See `cumsum()`, `cumprod()`, `cummin()`, and `cummax()`.

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                           as.integer((0:4) ^ 2),
                                           seq(-5L, -1L, 1L)),
                                           ncol = 3))

colCummaxs(dm_matrix)

colCummins(dm_matrix)

colCumprods(dm_matrix)

colCumsums(dm_matrix)

# Only use rows 2-4
rowCummaxs(dm_Matrix, rows = 2:4)

# Only use rows 2-4
rowCummins(dm_Matrix, rows = 2:4)

# Only use rows 2-4
rowCumprods(dm_Matrix, rows = 2:4)

# Only use rows 2-4
rowCumsums(dm_Matrix, rows = 2:4)
```

colDiffs

Calculates difference for each row (column) in a matrix

Description

Calculates difference for each row (column) in a matrix.

Usage

```
colDiffs(x, rows = NULL, cols = NULL, lag = 1L, differences = 1L,
        dim. = dim(x), ...)
```

```
rowDiffs(x, rows = NULL, cols = NULL, lag = 1L, differences = 1L,
```

```

dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colDiffs(x, rows = NULL, cols = NULL,
  lag = 1L, differences = 1L, dim. = dim(x),
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowDiffs(x, rows = NULL, cols = NULL,
  lag = 1L, differences = 1L, dim. = dim(x),
  force_block_processing = FALSE, ...)

```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
lag	An integer specifying the lag.
differences	An integer specifying the order of difference.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Value

Returns a [numeric](#) Nx(K-1) or (N-1)xK [matrix](#).

See Also

See also [diff2\(\)](#).

Examples

```

# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
  as.integer((0:4) ^ 2),
  seq(-5L, -1L, 1L)),
  ncol = 3))

# A DelayedMatrix with a 'HDF5ArraySeed' seed
# NOTE: Requires that the HDF5Array package is installed
library(HDF5Array)
dm_HDF5 <- writeHDF5Array(matrix(c(rep(1L, 5),
  as.integer((0:4) ^ 2),
  seq(-5L, -1L, 1L)),

```

```

ncol = 3))

colDiffs(dm_matrix)

rowDiffs(dm_HDF5)
# In reverse column order
rowDiffs(dm_HDF5, cols = seq(ncol(dm_HDF5), 1, -1))

```

colIQRDiffs

Estimation of scale based on sequential-order differences

Description

Estimation of scale based on sequential-order differences, corresponding to the scale estimates provided by [var](#), [sd](#), [mad](#) and [IQR](#).

Usage

```

colIQRDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

colMadDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

colSdDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

colVarDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

rowIQRDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

rowMadDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

rowSdDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

rowVarDiffs(x, rows = NULL, cols = NULL, na.rm = FALSE, diff = 1L,
  trim = 0, ...)

## S4 method for signature 'DelayedMatrix'
colIQRDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colMadDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

```

```
## S4 method for signature 'DelayedMatrix'
colSdDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colVarDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowIQRDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowMadDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowSdDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowVarDiffs(x, rows = NULL, cols = NULL,
  na.rm = FALSE, diff = 1L, trim = 0,
  force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , NAs are excluded, otherwise not.
diff	The positional distance of elements for which the difference should be calculated.
trim	A double in [0,1/2] specifying the fraction of observations to be trimmed from each end of (sorted) x before estimation.
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

Note that n-order difference MAD estimates, just like the ordinary MAD estimate by `mad`, apply a correction factor such that the estimates are consistent with the standard deviation under Gaussian distributions.

The interquartile range (IQR) estimates does *not* apply such a correction factor. If asymptotically normal consistency is wanted, the correction factor for IQR estimate is $1 / (2 * \text{qnorm}(3/4))$, which is half of that used for MAD estimates, which is $1 / \text{qnorm}(3/4)$. This correction factor needs to be applied manually, i.e. there is no constant argument for the IQR functions.

Value

Returns a `numeric vector` of length 1, length N, or length K.

References

[1] J. von Neumann et al., *The mean square successive difference*. Annals of Mathematical Statistics, 1941, 12, 153-162.

See Also

For the corresponding non-differentiated estimates, see `var`, `sd`, `mad` and `IQR`. Internally, `diff2()` is used which is a faster version of `diff()`.

Examples

```
# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                         as.integer((0:4) ^ 2),
                                         seq(-5L, -1L, 1L)),
                                         ncol = 3))

# A DelayedMatrix with a 'SolidRleArraySeed' seed
dm_Rle <- RleArray(Rle(c(rep(1L, 5),
                        as.integer((0:4) ^ 2),
                        seq(-5L, -1L, 1L))),
                  dim = c(5, 3))

colIQRDiffs(dm_Matrix)

colMadDiffs(dm_Matrix)

colSdDiffs(dm_Matrix)

colVarDiffs(dm_Matrix)

# Only using rows 2-4
rowIQRDiffs(dm_Rle, rows = 2:4)

# Only using rows 2-4
rowMadDiffs(dm_Rle, rows = 2:4)

# Only using rows 2-4
rowSdDiffs(dm_Rle, rows = 2:4)

# Only using rows 2-4
```

```
rowVarDiffs(dm_R1e, rows = 2:4)
```

colIQRs	<i>Estimates of the interquartile range for each row (column) in a matrix</i>
---------	---

Description

Estimates of the interquartile range for each row (column) in a matrix.

Usage

```
colIQRs(x, rows = NULL, cols = NULL, na.rm = FALSE, ...)
```

```
rowIQRs(x, rows = NULL, cols = NULL, na.rm = FALSE, ...)
```

```
## S4 method for signature 'DelayedMatrix'
colIQRs(x, rows = NULL, cols = NULL,
        na.rm = FALSE, force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'DelayedMatrix'
rowIQRs(x, rows = NULL, cols = NULL,
        na.rm = FALSE, force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
na.rm	If <code>TRUE</code> , missing values are dropped first, otherwise not.
...	Additional arguments passed to specific methods.
force_block_processing	<code>FALSE</code> (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to <code>TRUE</code> (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Value

Returns a [numeric vector](#) of length N (K).

Missing values

Contrary to [IQR](#), which gives an error if there are missing values and `na.rm = FALSE`, `iqr()` and its corresponding row and column-specific functions return `NA_real_`.

See Also

See [IQR](#). See [rowSds\(\)](#).

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                           as.integer((0:4) ^ 2),
                                           seq(-5L, -1L, 1L)),
                                           ncol = 3))

colIQRs(dm_matrix)

# Only using rows 2-4
rowIQRs(dm_matrix, rows = 2:4)
```

colLogSumExps	<i>Accurately computes the logarithm of the sum of exponentials across rows or columns</i>
---------------	--

Description

Accurately computes the logarithm of the sum of exponentials across rows or columns.

Usage

```
colLogSumExps(lx, rows = NULL, cols = NULL, na.rm = FALSE,
              dim. = dim(lx), ...)

rowLogSumExps(lx, rows = NULL, cols = NULL, na.rm = FALSE,
              dim. = dim(lx), ...)

## S4 method for signature 'DelayedMatrix'
colLogSumExps(lx, rows = NULL, cols = NULL,
              na.rm = FALSE, dim. = dim(lx), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowLogSumExps(lx, rows = NULL, cols = NULL,
              na.rm = FALSE, dim. = dim(lx), force_block_processing = FALSE, ...)
```

Arguments

lx	A NxK DelayedMatrix . Typically, lx are $\log(x)$ values.
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , any missing values are ignored, otherwise not.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .

... Additional arguments passed to specific methods.

`force_block_processing`
 FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on `getAutoBlockSize()`) columns (`colFoo()`) or rows (`rowFoo()`) into memory as an ordinary `base::array`.

Value

A [numeric vector](#) of length N (K).

Benchmarking

These methods are implemented in native code and have been optimized for speed and memory.

See Also

To calculate the same on vectors, [logSumExp\(\)](#).

Examples

```
x <- DelayedArray(matrix(runif(10), ncol = 2))
colLogSumExps(log(x))
rowLogSumExps(log(x))
```

<code>colMads</code>	<i>Standard deviation estimates for each row (column) in a matrix</i>
----------------------	---

Description

Standard deviation estimates for each row (column) in a matrix.

Usage

```
colMads(x, rows = NULL, cols = NULL, center = NULL,
        constant = 1.4826, na.rm = FALSE, dim. = dim(x), ...)

colSds(x, rows = NULL, cols = NULL, na.rm = FALSE, center = NULL,
        dim. = dim(x), ...)

rowMads(x, rows = NULL, cols = NULL, center = NULL,
        constant = 1.4826, na.rm = FALSE, dim. = dim(x), ...)

rowSds(x, rows = NULL, cols = NULL, na.rm = FALSE, center = NULL,
        dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colMads(x, rows = NULL, cols = NULL,
        center = NULL, constant = 1.4826, na.rm = FALSE, dim. = dim(x),
        force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'DelayedMatrix'
colSds(x, rows = NULL, cols = NULL,
       na.rm = FALSE, center = NULL, dim. = dim(x),
       force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowMads(x, rows = NULL, cols = NULL,
        center = NULL, constant = 1.4826, na.rm = FALSE, dim. = dim(x),
        force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowSds(x, rows = NULL, cols = NULL,
       na.rm = FALSE, center = NULL, dim. = dim(x),
       force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
center	(optional) The center, defaults to the row means for the SD estimators and row medians for the MAD estimators.
constant	A scale factor. See mad for details.
na.rm	If TRUE , NAs are excluded first, otherwise not.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Value

Returns a [numeric vector](#) of length N (K).

See Also

[sd](#), [mad](#) and [var](#). [rowIQRs\(\)](#).

Examples

```
# A DelayedMatrix with a 'data.frame' seed
dm_df <- DelayedArray(data.frame(C1 = rep(1L, 5),
                                C2 = as.integer((0:4) ^ 2),
                                C3 = seq(-5L, -1L, 1L)))

# A DelayedMatrix with a 'DataFrame' seed
```

```
dm_DF <- DelayedArray(S4Vectors::DataFrame(C1 = rep(1L, 5),
                                           C2 = as.integer((0:4) ^ 2),
                                           C3 = seq(-5L, -1L, 1L)))

colMads(dm_df)

colSds(dm_df)

rowMads(dm_DF)

rowSds(dm_DF)
```

colMeans2

*Calculates the mean for each row (column) in a matrix***Description**

Calculates the mean for each row (column) in a matrix.

Usage

```
colMeans2(x, rows = NULL, cols = NULL, na.rm = FALSE,
          dim. = dim(x), ...)

rowMeans2(x, rows = NULL, cols = NULL, na.rm = FALSE,
          dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colMeans2(x, rows = NULL, cols = NULL,
          na.rm = FALSE, dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'Matrix'
colMeans2(x, rows = NULL, cols = NULL,
          na.rm = FALSE, dim. = dim(x), ...)

## S4 method for signature 'SolidRleArraySeed'
colMeans2(x, rows = NULL, cols = NULL,
          na.rm = FALSE, dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
rowMeans2(x, rows = NULL, cols = NULL,
          na.rm = FALSE, dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'Matrix'
rowMeans2(x, rows = NULL, cols = NULL,
          na.rm = FALSE, dim. = dim(x), ...)
```

Arguments

x A NxK [DelayedMatrix](#).

rows A [vector](#) indicating subset of rows (and/or columns) to operate over. If [NULL](#), no subsetting is done.

cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , NA s are excluded first, otherwise not.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Details

The implementation of `rowMeans2()` and `colMeans2()` is optimized for both speed and memory.

Value

Returns a **numeric vector** of length N (K).

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'SolidRleArraySeed' seed
dm_Rle <- RleArray(Rle(c(rep(1L, 5),
                        as.integer((0:4) ^ 2),
                        seq(-5L, -1L, 1L))),
                  dim = c(5, 3))

colMeans2(dm_matrix)

# NOTE: Temporarily use verbose output to demonstrate which method is
#       which method is being used
options(DelayedMatrixStats.verbose = TRUE)
# By default, this uses a seed-aware method for a DelayedMatrix with a
# 'SolidRleArraySeed' seed
rowMeans2(dm_Rle)
# Alternatively, can use the block-processing strategy
rowMeans2(dm_Rle, force_block_processing = TRUE)
options(DelayedMatrixStats.verbose = FALSE)
```

colMedians

Calculates the median for each row (column) in a matrix

Description

Calculates the median for each row (column) in a matrix.

Usage

```
colMedians(x, rows = NULL, cols = NULL, na.rm = FALSE,
           dim. = dim(x), ...)

rowMedians(x, rows = NULL, cols = NULL, na.rm = FALSE,
           dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colMedians(x, rows = NULL, cols = NULL,
           na.rm = FALSE, dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowMedians(x, rows = NULL, cols = NULL,
           na.rm = FALSE, dim. = dim(x), force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , NAs are excluded first, otherwise not.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

The implementation of [rowMedians\(\)](#) and [colMedians\(\)](#) is optimized for both speed and memory. To avoid coercing to [doubles](#) (and hence memory allocation), there is a special implementation for [integer](#) matrices. That is, if x is an [integer matrix](#), then [rowMedians\(as.double\(x\)\)](#) ([rowMedians\(as.double\(x\)\)](#)) would require three times the memory of [rowMedians\(x\)](#) ([colMedians\(x\)](#)), but all this is avoided.

Value

Returns a [numeric vector](#) of length N (K).

See Also

See [rowWeightedMedians\(\)](#) and [colWeightedMedians\(\)](#) for weighted medians. For mean estimates, see [rowMeans2\(\)](#) and [rowMeans\(\)](#).

Examples

```
# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                           as.integer((0:4) ^ 2),
                                           seq(-5L, -1L, 1L)),
                                           ncol = 3))

colMedians(dm_Matrix)

rowMedians(dm_Matrix)
```

<code>colOrderStats</code>	<i>Gets an order statistic for each row (column) in a matrix</i>
----------------------------	--

Description

Gets an order statistic for each row (column) in a matrix.

Usage

```
colOrderStats(x, rows = NULL, cols = NULL, which, dim. = dim(x), ...)

rowOrderStats(x, rows = NULL, cols = NULL, which, dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colOrderStats(x, rows = NULL, cols = NULL,
              which, dim. = dim(x), force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowOrderStats(x, rows = NULL, cols = NULL,
              which, dim. = dim(x), force_block_processing = FALSE, ...)
```

Arguments

<code>x</code>	A <code>NxK</code> DelayedMatrix .
<code>rows</code>	A vector indicating subset of rows (and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
<code>cols</code>	A vector indicating subset of rows (and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
<code>which</code>	An integer index in <code>[1,K]</code> (<code>[1,N]</code>) indicating which order statistic to be returned.
<code>dim.</code>	An integer vector of length two specifying the dimension of <code>x</code> , also when not a matrix .
<code>...</code>	Additional arguments passed to specific methods.
<code>force_block_processing</code>	<code>FALSE</code> (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to <code>TRUE</code> (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Details

The implementation of `rowOrderStats()` is optimized for both speed and memory. To avoid coercing to `doubles` (and hence memory allocation), there is a unique implementation for `integer` matrices.

Value

Returns a `numeric vector` of length `N (K)`.

Missing values

This method does *not* handle missing values, that is, the result corresponds to having `na.rm = FALSE` (if such an argument would be available).

See Also

See `rowMeans()` in `colSums()`.

Examples

```
# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                         as.integer((0:4) ^ 2),
                                         seq(-5L, -1L, 1L)),
                                         ncol = 3))

# Only using columns 2-3
colOrderStats(dm_Matrix, cols = 2:3, which = 1)

# Different algorithms, specified by `which`, may give different results
rowOrderStats(dm_Matrix, which = 1)
rowOrderStats(dm_Matrix, which = 2)
```

colProds

Calculates the product for each row (column) in a matrix

Description

Calculates the product for each row (column) in a matrix.

Usage

```
colProds(x, rows = NULL, cols = NULL, na.rm = FALSE,
         method = c("direct", "expSumLog"), ...)

rowProds(x, rows = NULL, cols = NULL, na.rm = FALSE,
         method = c("direct", "expSumLog"), ...)

## S4 method for signature 'DelayedMatrix'
colProds(x, rows = NULL, cols = NULL,
         na.rm = FALSE, method = c("direct", "expSumLog"),
         force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'SolidRleArraySeed'
colProds(x, rows = NULL, cols = NULL,
         na.rm = FALSE, method = c("direct", "expSumLog"), ...)

## S4 method for signature 'DelayedMatrix'
rowProds(x, rows = NULL, cols = NULL,
         na.rm = FALSE, method = c("direct", "expSumLog"),
         force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , missing values are ignored, otherwise not.
method	A character string specifying how each product is calculated.
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

If `method = "expSumLog"`, then then [product\(\)](#) function is used, which calculates the produce via the logarithmic transform (treating negative values specially). This improves the precision and lowers the risk for numeric overflow. If `method = "direct"`, the direct product is calculated via the [prod\(\)](#) function.

Value

Returns a [numeric vector](#) of length N (K).

Missing values

Note, if `method = "expSumLog"`, `na.rm = FALSE`, and `x` contains missing values ([NA](#) or [NaN](#)), then the calculated value is also missing value. Note that it depends on platform whether [NaN](#) or [NA](#) is returned when an [NaN](#) exists, cf. [is.nan\(\)](#).

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                              ncol = 3))

# A DelayedMatrix with a 'HDF5ArraySeed' seed
# NOTE: Requires that the HDF5Array package is installed
```

```

library(HDF5Array)
dm_HDF5 <- writeHDF5Array(matrix(c(rep(1L, 5),
                                   as.integer((0:4) ^ 2),
                                   seq(-5L, -1L, 1L)),
                                   ncol = 3))

colProds(dm_matrix)

rowProds(dm_matrix)

```

colQuantiles	<i>Estimates quantiles for each row (column) in a matrix</i>
--------------	--

Description

Estimates quantiles for each row (column) in a matrix.

Usage

```

colQuantiles(x, rows = NULL, cols = NULL, probs = seq(from = 0, to =
  1, by = 0.25), na.rm = FALSE, type = 7L, ..., drop = TRUE)

rowQuantiles(x, rows = NULL, cols = NULL, probs = seq(from = 0, to =
  1, by = 0.25), na.rm = FALSE, type = 7L, ..., drop = TRUE)

## S4 method for signature 'DelayedMatrix'
colQuantiles(x, rows = NULL, cols = NULL,
  probs = seq(from = 0, to = 1, by = 0.25), na.rm = FALSE, type = 7L,
  force_block_processing = FALSE, ..., drop = TRUE)

## S4 method for signature 'DelayedMatrix'
rowQuantiles(x, rows = NULL, cols = NULL,
  probs = seq(from = 0, to = 1, by = 0.25), na.rm = FALSE, type = 7L,
  force_block_processing = FALSE, ..., drop = TRUE)

```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
probs	A numeric vector of J probabilities in [0, 1].
na.rm	If TRUE , NAs are excluded first, otherwise not.
type	An integer specify the type of estimator. See quantile for more details.
...	Additional arguments passed to specific methods.
drop	If TRUE , singleton dimensions in the result are dropped, otherwise not.

force_block_processing

FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on `getAutoBlockSize()`) columns (`colFoo()`) or rows (`rowFoo()`) into memory as an ordinary `base::array`.

Value

Returns a numeric $N \times J$ ($K \times J$) `matrix`, where N (K) is the number of rows (columns) for which the J quantiles are calculated.

See Also

[quantile](#).

Examples

```
# A DelayedMatrix with a 'data.frame' seed
dm_df <- DelayedArray(data.frame(C1 = rep(1L, 5),
                                C2 = as.integer((0:4) ^ 2),
                                C3 = seq(-5L, -1L, 1L)))

# colnames, if present, are preserved as rownames on output
colQuantiles(dm_df)

# Input has no rownames so output has no rownames
rowQuantiles(dm_df)
```

colRanks

Gets the rank of each row (column) of a matrix

Description

Gets the rank of each row (column) of a matrix.

Usage

```
colRanks(x, rows = NULL, cols = NULL, ties.method = c("max",
  "average", "min"), dim. = dim(x), preserveShape = FALSE, ...)

rowRanks(x, rows = NULL, cols = NULL, ties.method = c("max",
  "average", "min"), dim. = dim(x), ...)

## S4 method for signature 'DelayedMatrix'
colRanks(x, rows = NULL, cols = NULL,
  ties.method = c("max", "average", "min"), dim. = dim(x),
  preserveShape = FALSE, force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowRanks(x, rows = NULL, cols = NULL,
  ties.method = c("max", "average", "min"), dim. = dim(x),
  force_block_processing = FALSE, ...)
```

Arguments

<code>x</code>	A $N \times K$ DelayedMatrix .
<code>rows</code>	A vector indicating subset of rows (and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
<code>cols</code>	A vector indicating subset of rows (and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
<code>ties.method</code>	A character string specifying how ties are treated. For details, see below.
<code>dim.</code>	An integer vector of length two specifying the dimension of <code>x</code> , also when not a matrix .
<code>preserveShape</code>	A logical specifying whether the matrix returned should preserve the input shape of <code>x</code> , or not.
<code>...</code>	Additional arguments passed to specific methods.
<code>force_block_processing</code>	<code>FALSE</code> (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to <code>TRUE</code> (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Details

The row ranks of `x` are collected as *rows* of the result matrix.

The column ranks of `x` are collected as *rows* if `preserveShape = FALSE`, otherwise as *columns*.

The implementation is optimized for both speed and memory. To avoid coercing to [doubles](#) (and hence memory allocation), there is a unique implementation for [integer](#) matrices. It is more memory efficient to do `colRanks(x, preserveShape = TRUE)` than `t(colRanks(x, preserveShape = FALSE))`.

Any [names](#) of `x` are ignored and absent in the result.

Value

An [integer matrix](#) is returned. The `rowRanks()` function always returns an $N \times K$ [matrix](#), where N (K) is the number of rows (columns) whose ranks are calculated.

The `colRanks()` function returns an $N \times K$ [matrix](#), if `preserveShape = TRUE`, otherwise a $K \times N$ [matrix](#).

for [double](#).

Missing and non- values

These are ranked as NA, as with `na.last = "keep"` in the `rank()` function.

See Also

`rank()`. For developers, see also Section 'Utility functions' in 'Writing R Extensions manual', particularly the native functions `R_qsort_I()` and `R_qsort_int_I()`.

Examples

```
# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                         as.integer((0:4) ^ 2),
                                         seq(-5L, -1L, 1L)),
                                         ncol = 3))

colRanks(dm_Matrix)

rowRanks(dm_Matrix)
```

colsum	<i>Give Column and Row Sums of a Matrix-Like Object Based on a Grouping Variable</i>
--------	--

Description

Compute column and row sums across rows or columns of a numeric matrix-like object for each level of a grouping variable.

NOTE: This man page is for the `colsum()` and `rowsum()` *S4 generic functions* defined in the **DelayedMatrixStats** package. See `base::rowsum()` for the default method of `rowsum()` (defined in the **base**) package. The `colsum()` generic is the natural extension of `rowsum()` but has no equivalent in the **base** package. Bioconductor packages can define specific methods for objects (typically matrix-like) not supported by the default method.

Usage

```
colsum(x, group, reorder = TRUE, ...)

rowsum(x, group, reorder = TRUE, ...)

## S4 method for signature 'ANY'
colsum(x, group, reorder = TRUE, na.rm = FALSE, ...)
```

Arguments

x	A matrix-like object. Missing values are allowed. A numeric vector will be treated as a column vector.
group	A vector or factor giving the grouping, with one element per row of x for <code>rowsum()</code> or one element per column of x for <code>colsum()</code> . Missing values will be treated as another group and a warning will be given.
reorder	If TRUE, then the result will be in order of <code>sort(unique(group))</code> . If FALSE, it will be in the order that groups are encountered.
...	Additional arguments passed to specific methods.
na.rm	logical (TRUE or FALSE). Should NA (including NaN) values be discarded?

Details

The default is for `rowsum()` (resp. `colsum()`) to reorder the rows (columns) to agree with `base::tapply()` as in the example below. Reordering should not add noticeably to the time except when there are very many distinct values of group and x has few columns (rows).

To sum over all the rows (columns) of a matrix (i.e. a single group) use `colSums()` (`rowSums()`), which should be even faster. To sum over a subset of rows and/or columns of a matrix (i.e. a subset of a single group) use `colSums2()` (`rowSums2()`).

Value

A matrix-like object containing the sums. For `rowsum()`, there will be one row per unique value of group. For `colsum()`, there will be one column per unique value of group.

See `base::rowsum()` for the value returned by the default `rowsum()` method.

Specific methods defined in Bioconductor packages will typically return an object of the same class as the input object.

See Also

- `base::rowsum()` for the default `rowsum()` method.
- `methods::showMethods()` for displaying a summary of the methods defined for a given generic function.
- `methods::selectMethod()` for getting the definition of a specific method.

Examples

```
rowsum
showMethods("rowsum")
selectMethod("rowsum", "ANY") # the default method
```

colsum,HDF5Matrix-method

Give Column and Row Sums of an HDF5Matrix Based on a Grouping Variable

Description

Compute column and row sums across rows or columns of a numeric `HDF5Array::HDF5Matrix` object for each level of a grouping variable.

Usage

```
## S4 method for signature 'HDF5Matrix'
colsum(x, group, reorder = TRUE, na.rm = FALSE,
       filepath = NULL, name = NULL, chunkdim = NULL, level = NULL,
       type = c("double", "integer"), BPPARAM = bpparam())

## S4 method for signature 'HDF5Matrix'
rowsum(x, group, reorder = TRUE, na.rm = FALSE,
       filepath = NULL, name = NULL, chunkdim = NULL, level = NULL,
       type = c("double", "integer"), BPPARAM = bpparam())
```

Arguments

x	An HDF5Array::HDF5Matrix object.
group	A vector or factor giving the grouping, with one element per row of x for <code>rowsum()</code> or one element per column of x for <code>colsum()</code> . Missing values will be treated as another group and a warning will be given.
reorder	If TRUE, then the result will be in order of <code>sort(unique(group))</code> . If FALSE, it will be in the order that groups are encountered.
na.rm	logical (TRUE or FALSE). Should NA (including NaN) values be discarded?
filepath	NULL or the path (as a single string) to the (new or existing) HDF5 file where to write the dataset. If NULL, then the dataset will be written to the current <i>HDF5 dump file</i> i.e. the path returned by HDF5Array::getHDF5DumpFile() will be used.
name	NULL or the name of the HDF5 dataset to write. If NULL, then the name returned by [HDF5Array::getHDF5DumpName()] will be used.
chunkdim	The dimensions of the chunks to use for writing the data to disk. By default, HDF5Array::getHDF5DumpChunkDim(dim(ans)) will be used, where <code>ans</code> is the returned object. See ?HDF5Array::getHDF5DumpChunkDim() for more information.
level	The compression level to use for writing the data to disk. By default, HDF5Array::getHDF5DumpCompressionLevel() will be used. See ?HDF5Array::getHDF5DumpCompressionLevel() for more information.
type	The type of the data that will be written to the HDF5Array object to create the result. If the result is known <i>a priori</i> to be integer, then it is recommended to set <code>type = "integer"</code> .
BPPARAM	An optional BiocParallel instance determining the parallel back-end to be used during evaluation, or a list of BiocParallel instances, to be applied in sequence for nested calls to BiocParallel functions.

Details

NOTE: Unlike [base::rowsum\(\)](#), the result is a [base::double](#) unless `type = "integer"` is specified. Notably, compared to [base::rowsum\(\)](#), this means that there are not the same issues with over/underflow in forming the sum results for integer arguments.

Examples

```
# A DelayedMatrix with a 'HDF5ArraySeed' seed
# NOTE: Requires that the HDF5Array package is installed
library(HDF5Array)
dm_HDF5 <- writeHDF5Array(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

group <- c(1, 1, 2)

# Compute the sums and store them in an HDF5-backed DelayedMatrix.
xsum <- colsum(dm_HDF5, group)
class(seed(xsum))
```

colSums2

*Calculates the sum for each row (column) in a matrix***Description**

Calculates the sum for each row (column) in a matrix.

Usage

```
colSums2(x, rows = NULL, cols = NULL, na.rm = FALSE, dim. = dim(x),
  ...)
```

```
rowSums2(x, rows = NULL, cols = NULL, na.rm = FALSE, dim. = dim(x),
  ...)
```

```
## S4 method for signature 'DelayedMatrix'
colSums2(x, rows = NULL, cols = NULL,
  na.rm = FALSE, dim. = dim(x), force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'Matrix'
colSums2(x, rows = NULL, cols = NULL,
  na.rm = FALSE, dim. = dim(x), ...)
```

```
## S4 method for signature 'SolidRleArraySeed'
colSums2(x, rows = NULL, cols = NULL,
  na.rm = FALSE, dim. = dim(x), ...)
```

```
## S4 method for signature 'DelayedMatrix'
rowSums2(x, rows = NULL, cols = NULL,
  na.rm = FALSE, dim. = dim(x), force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'Matrix'
rowSums2(x, rows = NULL, cols = NULL,
  na.rm = FALSE, dim. = dim(x), ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , NAs are excluded first, otherwise not.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by

setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on `getAutoBlockSize()`) columns (`colFoo()`) or rows (`rowFoo()`) into memory as an ordinary `base::array`.

Details

The implementation of `rowSums2()` and `colSums2()` is optimized for both speed and memory.

Value

Returns a `numeric vector` of length N (K).

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                           as.integer((0:4) ^ 2),
                                           seq(-5L, -1L, 1L)),
                                           ncol = 3))

colSums2(dm_matrix)

# NOTE: Temporarily use verbose output to demonstrate which method is
#       which method is being used
options(DelayedMatrixStats.verbose = TRUE)
# By default, this uses a seed-aware method for a DelayedMatrix with a
# 'SolidRleArraySeed' seed
rowSums2(dm_Matrix)
# Alternatively, can use the block-processing strategy
rowSums2(dm_Matrix, force_block_processing = TRUE)
options(DelayedMatrixStats.verbose = FALSE)
```

colTabulates

Tabulates the values in a matrix by row (column)

Description

Tabulates the values in a matrix by row (column).

Usage

```
colTabulates(x, rows = NULL, cols = NULL, values = NULL, ...)
```

```
rowTabulates(x, rows = NULL, cols = NULL, values = NULL, ...)
```

```
## S4 method for signature 'DelayedMatrix'
colTabulates(x, rows = NULL, cols = NULL,
            values = NULL, force_block_processing = FALSE, ...)
```

```
## S4 method for signature 'DelayedMatrix'
rowTabulates(x, rows = NULL, cols = NULL,
             values = NULL, force_block_processing = FALSE, ...)
```

Arguments

x A NxK [DelayedMatrix](#).

rows A [vector](#) indicating subset of rows (and/or columns) to operate over. If [NULL](#), no subsetting is done.

cols A [vector](#) indicating subset of rows (and/or columns) to operate over. If [NULL](#), no subsetting is done.

values An [vector](#) of J values of count. If [NULL](#), all (unique) values are counted.

... Additional arguments passed to specific methods.

force_block_processing FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on [getAutoBlockSize\(\)](#)) columns ([colFoo\(\)](#)) or rows ([rowFoo\(\)](#)) into memory as an ordinary [base::array](#).

Value

Returns a NxJ (KxJ) [matrix](#) where N (K) is the number of row (column) [vectors](#) tabulated and J is the number of values counted.

Examples

```
# A DelayedMatrix with a 'DataFrame' seed
dm_DF <- DelayedArray(S4Vectors::DataFrame(C1 = rep(1L, 5),
                                           C2 = as.integer((0:4) ^ 2),
                                           C3 = seq(-5L, -1L, 1L)))

colTabulates(dm_DF)

rowTabulates(dm_DF)
```

<code>colVars</code>	<i>Variance estimates for each row (column) in a matrix</i>
----------------------	---

Description

Variance estimates for each row (column) in a matrix.

Usage

```
colVars(x, rows = NULL, cols = NULL, na.rm = FALSE, center = NULL,
        dim. = dim(x), ...)

rowVars(x, rows = NULL, cols = NULL, na.rm = FALSE, center = NULL,
        dim. = dim(x), ...)
```

```
## S4 method for signature 'DelayedMatrix'
colVars(x, rows = NULL, cols = NULL,
        na.rm = FALSE, center = NULL, dim. = dim(x),
        force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowVars(x, rows = NULL, cols = NULL,
        na.rm = FALSE, center = NULL, dim. = dim(x),
        force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , missing values are excluded first, otherwise not.
center	(optional) The center, defaults to the row means.
dim.	An integer vector of length two specifying the dimension of x, also when not a matrix .
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Value

Returns a [numeric vector](#) of length N (K).

See Also

See [rowMeans\(\)](#) and [rowSums\(\)](#) in [colSums\(\)](#).

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

# A DelayedMatrix with a 'HDF5ArraySeed' seed
# NOTE: Requires that the HDF5Array package is installed
library(HDF5Array)
dm_HDF5 <- writeHDF5Array(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))
```

```
colVars(dm_matrix)
rowVars(dm_matrix)
```

colWeightedMads *Weighted Median Absolute Deviation (MAD)*

Description

Computes a weighted MAD of a numeric vector.

Usage

```
colWeightedMads(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, constant = 1.4826, center = NULL, ...)

rowWeightedMads(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, constant = 1.4826, center = NULL, ...)

## S4 method for signature 'DelayedMatrix'
colWeightedMads(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, constant = 1.4826, center = NULL,
  force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowWeightedMads(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, constant = 1.4826, center = NULL,
  force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
w	a vector of weights the same length as x giving the weights to use for each element of x. Negative weights are treated as zero weights. Default value is equal weight to all values.
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	a logical value indicating whether NA values in x should be stripped before the computation proceeds, or not. If NA , no check at all for NAs is done. Default value is NA (for efficiency).
constant	A numeric scale factor, cf. mad .
center	Optional numeric scalar specifying the center location of the data. If NULL , it is estimated from data.
...	Additional arguments passed to specific methods.

force_block_processing

FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on `getAutoBlockSize()`) columns (`colFoo()`) or rows (`rowFoo()`) into memory as an ordinary `base::array`.

Value

Returns a `numeric` scalar.

Missing values

Missing values are dropped at the very beginning, if argument `na.rm` is `TRUE`, otherwise not.

See Also

For the non-weighted MAD, see `mad`. Internally `weightedMedian()` is used to calculate the weighted median.

Examples

```
# A DelayedMatrix with a 'matrix' seed
dm_matrix <- DelayedArray(matrix(c(rep(1L, 5),
                                as.integer((0:4) ^ 2),
                                seq(-5L, -1L, 1L)),
                                ncol = 3))

colWeightedMads(dm_matrix, w = 1:5)

rowWeightedMads(dm_matrix, w = 3:1)
```

<code>colWeightedMeans</code>	<i>Calculates the weighted means for each row (column) in a matrix</i>
-------------------------------	--

Description

Calculates the weighted means for each row (column) in a matrix.

Usage

```
colWeightedMeans(x, w = NULL, rows = NULL, cols = NULL,
                 na.rm = FALSE, ...)

rowWeightedMeans(x, w = NULL, rows = NULL, cols = NULL,
                 na.rm = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colWeightedMeans(x, w = NULL, rows = NULL,
                 cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowWeightedMeans(x, w = NULL, rows = NULL,
                 cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
w	A numeric vector of length K (N).
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , missing values are excluded from the calculation, otherwise not.
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

The implementations of these methods are optimized for both speed and memory. If no weights are given, the corresponding [rowMeans\(\)](#)/[colMeans\(\)](#) is used.

Value

Returns a [numeric vector](#) of length N (K).

See Also

See [rowMeans\(\)](#) and [colMeans\(\)](#) in [colSums\(\)](#) for non-weighted means. See also [weighted.mean](#).

Examples

```
# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                         as.integer((0:4) ^ 2),
                                         seq(-5L, -1L, 1L)),
                                         ncol = 3))

colWeightedMeans(dm_Matrix)
# Specifying weights inversely proportional to rowwise variances
colWeightedMeans(dm_Matrix, w = 1 / rowVars(dm_Matrix))
rowWeightedMeans(dm_Matrix, w = 1:3)
```

colWeightedMedians *Calculates the weighted medians for each row (column) in a matrix*

Description

Calculates the weighted medians for each row (column) in a matrix.

Usage

```
colWeightedMedians(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, ...)

rowWeightedMedians(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colWeightedMedians(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowWeightedMedians(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)
```

Arguments

x	A NxK DelayedMatrix .
w	A numeric vector of length K (N).
rows	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
cols	A vector indicating subset of rows (and/or columns) to operate over. If NULL , no subsetting is done.
na.rm	If TRUE , missing values are excluded from the calculation, otherwise not.
...	Additional arguments passed to specific methods.
force_block_processing	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on getAutoBlockSize()) columns (colFoo()) or rows (rowFoo()) into memory as an ordinary base::array .

Details

The implementations of these methods are optimized for both speed and memory. If no weights are given, the corresponding [rowMedians\(\)](#)/[colMedians\(\)](#) is used.

Value

Returns a [numeric vector](#) of length N (K).

See Also

Internally, [weightedMedian\(\)](#) is used. See [rowMedians\(\)](#) and [colMedians\(\)](#) for non-weighted medians.

Examples

```
# A DelayedMatrix with a 'SolidRleArraySeed' seed
dm_Rle <- RleArray(Rle(c(rep(1L, 5),
  as.integer((0:4) ^ 2),
  seq(-5L, -1L, 1L))),
```

```

dim = c(5, 3))

# Specifying weights inversely proportional to rowwise MADs
colWeightedMedians(dm_Rle, w = 1 / rowMads(dm_Rle))

```

colWeightedSds	<i>Weighted variance and weighted standard deviation</i>
----------------	--

Description

Computes a weighted variance / standard deviation of a numeric vector or across rows or columns of a matrix.

Usage

```

colWeightedSds(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, ...)

colWeightedVars(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, ...)

rowWeightedSds(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, ...)

rowWeightedVars(x, w = NULL, rows = NULL, cols = NULL,
  na.rm = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colWeightedSds(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
colWeightedVars(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowWeightedSds(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)

## S4 method for signature 'DelayedMatrix'
rowWeightedVars(x, w = NULL, rows = NULL,
  cols = NULL, na.rm = FALSE, force_block_processing = FALSE, ...)

```

Arguments

x	A NxK DelayedMatrix .
w	a vector of weights the same length as x giving the weights to use for each element of x. Negative weights are treated as zero weights. Default value is equal weight to all values.
rows	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.

cols	A vector indicating subset of elements (or rows and/or columns) to operate over. If <code>NULL</code> , no subsetting is done.
na.rm	a logical value indicating whether <code>NA</code> values in <code>x</code> should be stripped before the computation proceeds, or not. If <code>NA</code> , no check at all for <code>NA</code> s is done. Default value is <code>NA</code> (for efficiency).
...	Additional arguments passed to specific methods.
force_block_processing	<code>FALSE</code> (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to <code>TRUE</code> (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .

Details

The estimator used here is the same as the one used by the "unbiased" estimator of the **Hmisc** package. More specifically, `weightedVar(x, w = w) == Hmisc::wtd.var(x, weights = w)`,

Value

Returns a [numeric](#) scalar.

Missing values

Missing values are dropped at the very beginning, if argument `na.rm` is `TRUE`, otherwise not.

See Also

For the non-weighted variance, see [var](#).

Examples

```
# A DelayedMatrix with a 'SolidRleArraySeed' seed
dm_Rle <- RleArray(Rle(c(rep(1L, 5),
                        as.integer((0:4) ^ 2),
                        seq(-5L, -1L, 1L))),
                  dim = c(5, 3))

colWeightedSds(dm_Rle, w = 1 / rowMeans2(dm_Rle))

# Specifying weights inversely proportional to rowwise means
colWeightedVars(dm_Rle, w = 1 / rowMeans2(dm_Rle))

# Specifying weights inversely proportional to columnwise means
rowWeightedSds(dm_Rle, w = 1 / colMeans2(dm_Rle))

# Specifying weights inversely proportional to columnwise means
rowWeightedVars(dm_Rle, w = 1 / colMeans2(dm_Rle))
```

DelayedMatrixStats	<i>DelayedMatrixStats: Functions that apply to rows and columns of DelayedMatrix objects.</i>
--------------------	---

Description

DelayedMatrixStats is a port of the `matrixStats` API to work with *DelayedMatrix* objects from the `DelayedArray` package. High-performing functions operating on rows and columns of *DelayedMatrix* objects, e.g. `colMedians()` / `rowMedians()`, `colRanks()` / `rowRanks()`, and `colSds()` / `rowSds()`. Functions optimized per data type and for subsetted calculations such that both memory usage and processing time is minimized.

`rowsum, DelayedMatrix-method`

Give Column and Row Sums of an DelayedMatrix Based on a Grouping Variable

Description

Compute column and row sums across rows or columns of a numeric `DelayedArray::DelayedMatrix` object for each level of a grouping variable using block-processing.

Usage

```
## S4 method for signature 'DelayedMatrix'
rowsum(x, group, reorder = TRUE,
       na.rm = FALSE, force_block_processing = FALSE, ...)
```

Arguments

<code>x</code>	An <code>DelayedArray::DelayedMatrix</code> object.
<code>group</code>	A vector or factor giving the grouping, with one element per row of <code>x</code> for <code>rowsum()</code> or one element per column of <code>x</code> for <code>colsum()</code> . Missing values will be treated as another group and a warning will be given.
<code>reorder</code>	If TRUE, then the result will be in order of <code>sort(unique(group))</code> . If FALSE, it will be in the order that groups are encountered.
<code>na.rm</code>	logical (TRUE or FALSE). Should NA (including NaN) values be discarded?
<code>force_block_processing</code>	FALSE (the default) means that a seed-aware, optimised method is used (if available). This can be overridden to use the general block-processing strategy by setting this to TRUE (typically not advised). The block-processing strategy loads one or more (depending on <code>getAutoBlockSize()</code>) columns (<code>colFoo()</code>) or rows (<code>rowFoo()</code>) into memory as an ordinary <code>base::array</code> .
<code>...</code>	Additional arguments passed to specific methods.

Examples

```
# A DelayedMatrix with a 'Matrix' seed
dm_Matrix <- DelayedArray(Matrix::Matrix(c(rep(1L, 5),
                                           as.integer((0:4) ^ 2),
                                           seq(-5L, -1L, 1L)),
                                           ncol = 3))

rowsum(dm_Matrix, group = c(1, 1, 1, 2, 2))
```

```
subset_by_Nindex      subset_by_Nindex
```

Description

subset_by_Nindex() is an internal generic function not aimed to be used directly by the user. It is basically an S4 generic for DelayedArray:::subset_by_Nindex.

Usage

```
subset_by_Nindex(x, Nindex)
```

Arguments

x	An array-like object.
Nindex	An unnamed list of subscripts as positive integer vectors, one vector per dimension in x. Empty and missing subscripts (represented by integer(0) and NULL list elements, respectively) are allowed. The subscripts can contain duplicated indices. They cannot contain NAs or non-positive values.

Details

subset_by_Nindex(x, Nindex) conceptually performs the operation `x[Nindex[1], ..., Nindex[length(Nindex)]]`. subset_by_Nindex() methods need to support empty and missing subscripts, e.g., `subset_by_Nindex(x, list(NULL, ...))` must return an `M x 0` object of class `class(x)` and `subset_by_Nindex(x, list(integer(0), integer(0)))` a `0 x 0` object of class `class(x)`.

Also, subscripts are allowed to contain duplicate indices so things like `subset_by_Nindex(x, list(c(1:3, 3:1), 2L))` need to be supported.

Value

A object of class `class(x)` of the appropriate type (e.g., integer, double, etc.). For example, if x is a [data.frame](#) representing an `M x N` matrix of integers, `subset_by_Nindex(x, list(NULL, 2L))` must return its 2nd column as a [data.frame](#) with `M` rows and 1 column of type integer.

Index

- [, 8
- base::array, 3, 5, 7–9, 11, 13, 15, 17, 19, 20, 22–24, 26, 28, 29, 34–36, 38–40, 42, 43
- base::double, 32
- base::rowsum(), 30–32
- base::tapply(), 31
- BiocParallel, 32

- character, 26, 29
- colAlls, 2
- colAlls, DelayedMatrix-method (colAlls), 2
- colAnyMissings, 4
- colAnyMissings, DelayedMatrix-method (colAnyMissings), 4
- colAnyNAs (colAnyMissings), 4
- colAnyNAs, DelayedMatrix-method (colAnyMissings), 4
- colAnys (colAlls), 2
- colAnys, DelayedMatrix-method (colAlls), 2
- colAvgPerRowSet, 6
- colAvgPerRowSet, DelayedMatrix-method (colAvgPerRowSet), 6
- colCollapse, 7
- colCollapse, DelayedMatrix-method (colCollapse), 7
- colCounts, 9
- colCounts, DelayedMatrix-method (colCounts), 9
- colCummaxs, 10
- colCummaxs, DelayedMatrix-method (colCummaxs), 10
- colCummins (colCummaxs), 10
- colCummins, DelayedMatrix-method (colCummaxs), 10
- colCumprods (colCummaxs), 10
- colCumprods, DelayedMatrix-method (colCummaxs), 10
- colCumsums (colCummaxs), 10
- colCumsums, DelayedMatrix-method (colCummaxs), 10

- colDiffs, 12
- colDiffs, DelayedMatrix-method (colDiffs), 12
- colIQRDiffs, 14
- colIQRDiffs, DelayedMatrix-method (colIQRDiffs), 14
- colIQRs, 17
- colIQRs, DelayedMatrix-method (colIQRs), 17
- colLogSumExps, 18
- colLogSumExps, DelayedMatrix-method (colLogSumExps), 18
- colMadDiffs (colIQRDiffs), 14
- colMadDiffs, DelayedMatrix-method (colIQRDiffs), 14
- colMads, 19
- colMads, DelayedMatrix-method (colMads), 19
- colMeans2, 21
- colMeans2, DelayedMatrix-method (colMeans2), 21
- colMeans2, Matrix-method (colMeans2), 21
- colMeans2, SolidRleArraySeed-method (colMeans2), 21
- colMedians, 22
- colMedians, DelayedMatrix-method (colMedians), 22
- colOrderStats, 24
- colOrderStats, DelayedMatrix-method (colOrderStats), 24
- colProds, 25
- colProds, DelayedMatrix-method (colProds), 25
- colProds, SolidRleArraySeed-method (colProds), 25
- colQuantiles, 27
- colQuantiles, DelayedMatrix-method (colQuantiles), 27
- colRanks, 28
- colRanks, DelayedMatrix-method (colRanks), 28
- colSdDiffs (colIQRDiffs), 14
- colSdDiffs, DelayedMatrix-method

- (colIQRDiffs), 14
- colSds (colMads), 19
- colSds, DelayedMatrix-method (colMads), 19
- colsum, 30
- colsum, ANY-method (colsum), 30
- colsum, HDF5Matrix-method, 31
- colSums, 25, 36, 39
- colSums(), 31
- colSums2, 33
- colSums2(), 31
- colSums2, DelayedMatrix-method (colSums2), 33
- colSums2, Matrix-method (colSums2), 33
- colSums2, SolidRleArraySeed-method (colSums2), 33
- colTabulates, 34
- colTabulates, DelayedMatrix-method (colTabulates), 34
- colVarDiffs (colIQRDiffs), 14
- colVarDiffs, DelayedMatrix-method (colIQRDiffs), 14
- colVars, 35
- colVars, DelayedMatrix-method (colVars), 35
- colWeightedMads, 37
- colWeightedMads, DelayedMatrix-method (colWeightedMads), 37
- colWeightedMeans, 38
- colWeightedMeans, DelayedMatrix-method (colWeightedMeans), 38
- colWeightedMedians, 39
- colWeightedMedians, DelayedMatrix-method (colWeightedMedians), 39
- colWeightedSds, 41
- colWeightedSds, DelayedMatrix-method (colWeightedSds), 41
- colWeightedVars (colWeightedSds), 41
- colWeightedVars, DelayedMatrix-method (colWeightedSds), 41
- cummax, 12
- cummin, 12
- cumprod, 12
- cumsum, 12
- data.frame, 44
- DelayedArray::DelayedMatrix, 43
- DelayedMatrix, 3, 5, 6, 8, 9, 11, 13, 15, 17, 18, 20, 21, 23, 24, 26, 27, 29, 33, 35–37, 39–41
- DelayedMatrixStats, 43
- DelayedMatrixStats-package (DelayedMatrixStats), 43
- diff, 16
- diff2, 13, 16
- double, 10, 15, 23, 25, 29
- FALSE, 5
- function, 6
- getAutoBlockSize, 3, 5, 7–9, 11, 13, 15, 17, 19, 20, 22–24, 26, 28, 29, 34–36, 38–40, 42, 43
- HDF5Array, 32
- HDF5Array::getHDF5DumpChunkDim(), 32
- HDF5Array::getHDF5DumpCompressionLevel(), 32
- HDF5Array::getHDF5DumpFile(), 32
- HDF5Array::HDF5Matrix, 31, 32
- integer, 3, 6, 8–11, 13, 18, 20, 22–25, 27, 29, 33, 36
- IQR, 14, 16, 17
- is.nan, 26
- logical, 4, 6, 29
- logSumExp, 19
- mad, 14, 16, 20, 37, 38
- matrix, 3, 6–9, 11–13, 18, 20, 22–24, 28, 29, 33, 35, 36
- methods::selectMethod(), 31
- methods::showMethods(), 31
- NA, 3, 9, 15, 17, 20, 22, 23, 26, 27, 33, 37, 42
- names, 29
- NaN, 26
- NULL, 3, 5–9, 11, 13, 15, 17, 18, 20–24, 26, 27, 29, 33, 35–37, 39–42
- numeric, 6, 7, 12, 13, 16, 17, 19, 20, 22, 23, 25–28, 34, 36–40, 42
- prod, 26
- product, 26
- quantile, 27, 28
- rank, 29
- rowAlls (colAlls), 2
- rowAlls, DelayedMatrix-method (colAlls), 2
- rowAnyMissings (colAnyMissings), 4
- rowAnyMissings, DelayedMatrix-method (colAnyMissings), 4
- rowAnyNAs (colAnyMissings), 4
- rowAnyNAs, DelayedMatrix-method (colAnyMissings), 4

- rowAnys (colAlls), 2
- rowAnys, DelayedMatrix-method (colAlls), 2
- rowAvsPerColSet (colAvsPerRowSet), 6
- rowAvsPerColSet, DelayedMatrix-method (colAvsPerRowSet), 6
- rowCollapse (colCollapse), 7
- rowCollapse, DelayedMatrix-method (colCollapse), 7
- rowCounts (colCounts), 9
- rowCounts, DelayedMatrix-method (colCounts), 9
- rowCummaxs (colCummaxs), 10
- rowCummaxs, DelayedMatrix-method (colCummaxs), 10
- rowCummins (colCummaxs), 10
- rowCummins, DelayedMatrix-method (colCummaxs), 10
- rowCumprods (colCummaxs), 10
- rowCumprods, DelayedMatrix-method (colCummaxs), 10
- rowCumsums (colCummaxs), 10
- rowCumsums, DelayedMatrix-method (colCummaxs), 10
- rowDiffs (colDiffs), 12
- rowDiffs, DelayedMatrix-method (colDiffs), 12
- rowIQRDiffs (colIQRDiffs), 14
- rowIQRDiffs, DelayedMatrix-method (colIQRDiffs), 14
- rowIQRs, 20
- rowIQRs (colIQRs), 17
- rowIQRs, DelayedMatrix-method (colIQRs), 17
- rowLogSumExps (colLogSumExps), 18
- rowLogSumExps, DelayedMatrix-method (colLogSumExps), 18
- rowMadDiffs (colIQRDiffs), 14
- rowMadDiffs, DelayedMatrix-method (colIQRDiffs), 14
- rowMads (colMads), 19
- rowMads, DelayedMatrix-method (colMads), 19
- rowMeans, 23
- rowMeans2, 23
- rowMeans2 (colMeans2), 21
- rowMeans2, DelayedMatrix-method (colMeans2), 21
- rowMeans2, Matrix-method (colMeans2), 21
- rowMedians, 40
- rowMedians (colMedians), 22
- rowMedians, DelayedMatrix-method (colMedians), 22
- rowOrderStats (colOrderStats), 24
- rowOrderStats, DelayedMatrix-method (colOrderStats), 24
- rowProds (colProds), 25
- rowProds, DelayedMatrix-method (colProds), 25
- rowQuantiles (colQuantiles), 27
- rowQuantiles, DelayedMatrix-method (colQuantiles), 27
- rowRanks (colRanks), 28
- rowRanks, DelayedMatrix-method (colRanks), 28
- rowSdDiffs (colIQRDiffs), 14
- rowSdDiffs, DelayedMatrix-method (colIQRDiffs), 14
- rowSds, 17
- rowSds (colMads), 19
- rowSds, DelayedMatrix-method (colMads), 19
- rowsum (colsum), 30
- rowsum, DelayedMatrix-method, 43
- rowsum, HDF5Matrix-method (colsum, HDF5Matrix-method), 31
- rowSums(), 31
- rowSums2 (colSums2), 33
- rowSums2(), 31
- rowSums2, DelayedMatrix-method (colSums2), 33
- rowSums2, Matrix-method (colSums2), 33
- rowTabulates (colTabulates), 34
- rowTabulates, DelayedMatrix-method (colTabulates), 34
- rowVarDiffs (colIQRDiffs), 14
- rowVarDiffs, DelayedMatrix-method (colIQRDiffs), 14
- rowVars (colVars), 35
- rowVars, DelayedMatrix-method (colVars), 35
- rowWeightedMads (colWeightedMads), 37
- rowWeightedMads, DelayedMatrix-method (colWeightedMads), 37
- rowWeightedMeans (colWeightedMeans), 38
- rowWeightedMeans, DelayedMatrix-method (colWeightedMeans), 38
- rowWeightedMedians, 23
- rowWeightedMedians (colWeightedMedians), 39
- rowWeightedMedians, DelayedMatrix-method (colWeightedMedians), 39
- rowWeightedSds (colWeightedSds), 41
- rowWeightedSds, DelayedMatrix-method

(colWeightedSds), 41
rowWeightedVars (colWeightedSds), 41
rowWeightedVars,DelayedMatrix-method
(colWeightedSds), 41

sd, 14, 16, 20
subset_by_Nindex, 44

TRUE, 3, 5, 7, 9, 15, 17, 18, 20, 22, 23, 26, 27,
33, 36, 38–40, 42

var, 14, 16, 20, 42
vector, 3–11, 13, 15–27, 29, 33–37, 39–42

weighted.mean, 39
weightedMedian, 38, 40