# Package 'ObMiTi'

June 30, 2022

Type Package	
Title Ob/ob Mice Data on Normal and High Fat Diet	
Version 1.5.0	
<b>Year</b> 2021	
<b>Description</b> The package provide RNA-seq count for 2 strains of mus musclus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group receive ther chow diet or high fat diet. RNA expression was measured after 20 weeks in 7 tissues.	d ei-
License GPL-3	
<pre>URL https://github.com/OmarElAshkar/ObMiTi</pre>	
BugReports https://github.com/OmarElAshkar/ObMiTi/issues	
Encoding UTF-8	
RoxygenNote 7.1.1	
<b>Depends</b> R (>= 4.1), SummarizedExperiment, ExperimentHub	
Suggests knitr, rmarkdown, BiocManager, GenomicFeatures, S4Vectors, devtools, testthat	
VignetteBuilder knitr	
biocViews ExperimentHub, GEO, RNASeqData	
git_url https://git.bioconductor.org/packages/ObMiTi	
git_branch master	
git_last_commit 6cefc3c	
git_last_commit_date 2022-04-26	
Date/Publication 2022-06-30	
Author Omar Elashkar [aut, cre] ( <a href="https://orcid.org/0000-0002-5505-778X">https://orcid.org/0000-0002-5505-778X</a> ), Mahmoud Ahmed [aut] ( <a href="https://orcid.org/0000-0002-4377-6541">https://orcid.org/0000-0002-4377-6541</a> )	
Maintainer Omar Elashkar <omar.i.elashkar@gmail.com></omar.i.elashkar@gmail.com>	
R topics documented:	
ObMiTi	. 2
Index	3

ObMiTi

ObMiTi

ObMiTi package

## Description

Title: Ob/ob Mice Data on Normal and High Fat Diet The package provide RNA-seq count for 2 strains of mus musclus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received either chow diet or high fat diet. RNA expression was measured after 12 weeks in 7 tissues.

#### **Details**

The dataset can be accessed through the ExperimentHub as a RangedSummarizedExperiment object contains:

assay The read counts matrix.

colData The phenotype data of the samples

rowRanges The feature data and annotation of the peaks.

**metadata** extra details about the sample and associated phenotype studies. This is a data. frame of bibliography information of the studies from which the samples were collected for.

### **Examples**

```
# load the data object
library(ExperimentHub)

# query package resources on ExperimentHub
eh <- ExperimentHub()
query(eh, "ObMiTi")

# load data from ExperimentHub
ob_counts <- query(eh, "ObMiTi")[[1]]

# print object
ob_counts</pre>
```

# **Index**

ObMiTi, 2