Package 'TENxBUSData'

February 9, 2023

Type Package

| Title Single cell dataset from 10x in BUS format | | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| Version 1.13.0 | | | | | | | | |
| Description Download Barcode, UMI, and Set (BUS) format of 10x datasets from within R. This package accompanies the package BUSpaRse, which can load BUS format into R as a sparse matrix, and which has utility functions related to using the C++ command line package bustools. | | | | | | | | |
| License BSD_2_clause + file LICENSE | | | | | | | | |
| Encoding UTF-8 | | | | | | | | |
| Imports ExperimentHub, AnnotationHub, utils, BiocGenerics | | | | | | | | |
| biocViews SingleCellData, SequencingData, ExperimentHub, ExperimentData, ExpressionData | | | | | | | | |
| <pre>BugReports https://github.com/BUStools/TENxBUSData/issues</pre> | | | | | | | | |
| <pre>URL https://github.com/BUStools/TENxBUSData</pre> | | | | | | | | |
| RoxygenNote 7.1.0 | | | | | | | | |
| Roxygen list(markdown = TRUE) | | | | | | | | |
| Suggests knitr, rmarkdown, BiocStyle | | | | | | | | |
| VignetteBuilder knitr | | | | | | | | |
| git_url https://git.bioconductor.org/packages/TENxBUSData | | | | | | | | |
| git_branch master | | | | | | | | |
| git_last_commit 5a2530f | | | | | | | | |
| git_last_commit_date 2022-11-01 | | | | | | | | |
| Date/Publication 2023-02-09 | | | | | | | | |
| Author Lambda Moses [aut, cre] (https://orcid.org/0000-0002-7092-9427) | | | | | | | | |
| Maintainer Lambda Moses <dlu2@caltech.edu></dlu2@caltech.edu> | | | | | | | | |
| R topics documented: | | | | | | | | |
| TENxBUSData | 2 | | | | | | | |
| Index | 4 | | | | | | | |

2 TENxBUSData

| TENxBUSData | TENxBUSData: | 10x human | and mouse | cell | mixture | datasets | in the |
|-------------|--------------|-----------|-----------|------|---------|----------|--------|
| | BUS format | | | | | | |

Description

This package provides 5 10x datasets in the BUS format, to be downloaded from within R. The files downloaded from this package are sufficient to generate a sparse matrix with package BUSpaRse to be used for downstream analysis with Seurat. Human and mouse transcriptomes from Ensembl version 99 were used to generate the BUS format from FASTQ files. This package server the following purposes: First, to demonstrate the kallisto bus workflow and downstream analyses. Second, for advanced users to experiment with other ways to collapse UMIs mapped to multiple genes and with other ways of barcode correction. The datasets are on ExperimentHub.

This function will download the 10x datasets, already processed and stored in the BUS format, from ExperimentHub. This function will decompress the downloaded file and return the directory where the files necessary to construct the sparse matrix with BUSpaRse are located.

Usage

```
TENxBUSData(
  file_path,
  dataset = c("hgmm100", "hgmm1k", "pbmc1k", "neuron10k"),
  force = FALSE,
  verbose = TRUE
)
```

Arguments

file_path Character vector of length 1, specifying where to download the data.

dataset Character, must be one of "hgmm100", "hgmm1k", "pbmc1k", "neuron10k".

force Logical, whether to force redownload if the files are already present. Defaults

to FALSE.

verbose Whether to display progress of download.

Details

The following files will be downloaded:

matrix.ec Text file with 2 columns. The first column is the index of equivalence classes used in BUS files. The second column is the equivalence classes themselves, consisted of sets of transcript indices from the kallisto index.

output.sorted Binary BUS file sorted by barcode, UMI, and equivalence classes. This can be directly parsedd by bustools to get the gene count matrix.

output.sorted.txt Sorted BUS file in text form. This is to be used with BUSpaRse to get the gene count matrix.

TENxBUSData 3

transcripts.txt Transcripts included in the BUS data, in the same order as in the kallisto index.

The gzipped file downloaded from ExperimentHub will be in a cache directory that can be retrieved by getExperimentHubOption("CACHE"). The cache will remain even if the decompressed files in the directory specified when calling this function are deleted. To delete cache, use removeCache.

Value

Character, directory to be used in BUSpaRse.

Datasets

```
hgmm100 100 1:1 Mixture of Fresh Frozen Human (HEK293T) and Mouse (NIH3T3) Cells. The
    raw data can be found here: https://support.10xgenomics.com/single-cell-gene-expression/
    datasets/2.1.0/hgmm_100
hgmm1k 1k 1:1 Mixture of Fresh Frozen Human (HEK293T) and Mouse (NIH3T3) Cells (v3
        chemistry). The raw data can be found here: https://support.10xgenomics.com/single-cell-gene-expression
    datasets/3.0.0/hgmm_1k_v3

pbmc1k 1k PBMCs from a Healthy Donor (v3 chemistry). The raw data can be found here: https:
    //support.10xgenomics.com/single-cell-gene-expression/datasets/3.0.0/pbmc_1k_
    v3
```

```
neuron10k 10k Brain Cells from an E18 Mouse (v3 chemistry). The raw data can be found
here: https://support.10xgenomics.com/single-cell-gene-expression/datasets/
3.0.0/neuron_10k_v3
```

Examples

```
TENxBUSData(".", dataset = "hgmm100")
```

Index

removeCache, 3

TENxBUSData, 2