

Package ‘drugTargetInteractions’

September 27, 2022

Type Package

Title Drug-Target Interactions

Version 1.4.0

Date 2021-08-25

Description Provides utilities for identifying drug-target interactions for sets of small molecule or gene/protein identifiers. The required drug-target interaction information is obtained from a local SQLite instance of the ChEMBL database. ChEMBL has been chosen for this purpose, because it provides one of the most comprehensive and best annotated knowledge resources for drug-target information available in the public domain.

Depends methods, R (>= 4.1)

Imports utils, RSQLite, UniProt.ws, biomaRt,ensembldb,
BiocFileCache,dplyr,rappdirs, AnnotationFilter, S4Vectors

Suggests RUnit, BiocStyle, knitr, rmarkdown, ggplot2, reshape2, DT,
EnsDb.Hsapiens.v86

VignetteBuilder knitr

License Artistic-2.0

NeedsCompilation no

URL <https://github.com/girke-lab/drugTargetInteractions>

biocViews Cheminformatics, BiomedicalInformatics, Pharmacogenetics,
Pharmacogenomics, Proteomics, Metabolomics

RoxygenNote 7.1.1

BugReports <https://github.com/girke-lab/drugTargetInteractions>

git_url <https://git.bioconductor.org/packages/drugTargetInteractions>

git_branch RELEASE_3_15

git_last_commit b1de6ca

git_last_commit_date 2022-04-26

Date/Publication 2022-09-27

Author Thomas Girke [cre, aut]

Maintainer Thomas Girke <thomas.girke@ucr.edu>

R topics documented:

drugTargetInteractions-package	2
cmpIdMapping	3
downloadChEMBLdb	4
downloadUniChem	4
drugTargetAnnot	5
drugTargetAnnotTable	6
drugTargetBioactivity	7
genConfig	8
getDrugTarget	9
getParalogs	10
getSymEnsUp	11
getUniprotIDs	12
processDrugage	13
runDrugTarget_Annot_Bioassay	14
transformTTD	15
Index	17

drugTargetInteractions-package
Drug-Target Interactions

Description

The drugTargetInteractions package provides utilities for identifying drug-target interactions for sets of small molecule or gene/protein identifiers. The required drug-target interaction information is obtained from a local SQLite instance of the ChEMBL database.

Details

The DESCRIPTION file: This package was not yet installed at build time.

Index: This package was not yet installed at build time.

Author(s)

NA

Maintainer: NA

`cmpIdMapping`*cmpIdMapping*

Description

Function to generate compound ID mappings UniChem.

This function requires the ID mapping files "src1src2.txt.gz", "src1src22.txt.gz", and "src1src7.txt.gz" to exist in a directory called "downloads" before being run. These can be generated with the [downloadUniChem](#) function.

It will do some processing on these files and output an RDS file at outfile. This file can then be used in other functions, such as [drugTargetAnnot](#).

Usage

```
cmpIdMapping(outfile=file.path(config$resultsPath,"cmp_ids.rds"), rerun=TRUE,config=genConfig())
```

Arguments

outfile	Path to output file.
rerun	If true, runs processing, otherwise does nothing.
config	General configuration. See genConfig .

Value

Generates an RDS file at outfile.

Author(s)

Thomas Girke

See Also

[downloadUniChem](#)

Examples

```
cmpIdMapping("cmp_ids.rds",rerun=FALSE)
```

`downloadChemb1Db`*downloadChemb1Db*

Description

Download ChEMBL sqlite db for use by several other functions in the package.

Usage

```
downloadChemb1Db(version, rerun=TRUE, config=genConfig())
```

Arguments

<code>version</code>	The ChEMBL version to download.
<code>rerun</code>	If TRUE, the file will be downloaded, otherwise do nothing.
<code>config</code>	The configuration object. This gives the location to put the downloaded chembl db.

Value

No return value.

Author(s)

Kevin Horan

Examples

```
downloadChemb1Db(27)
```

`downloadUniChem`*downloadUniChem*

Description

Downloads UniChem compound ID mappings from <https://www.ebi.ac.uk/unichem/ucquery/listSources>. Mappings are downloaded for DrugBank, PubChem, and ChEBI.

Usage

```
downloadUniChem(rerun=TRUE, config=genConfig())
```

Arguments

rerun If true, downloads the files, else does nothing.
config General configuration. See [genConfig](#).

Value

Generates the following output files: "src1src2.txt.gz", "src1src22.txt.gz", and "src1src7.txt.gz". These correspond to mappings from ChEMBL to DrugBank, PubChem, and ChEBI, respectively.

Author(s)

Thomas Girke

References

<https://www.ebi.ac.uk/unicem/ucquery/listSources>

See Also

[drugTargetAnnotTable](#)

Examples

```
downloadUniChem(rerun=TRUE)
```

drugTargetAnnot	<i>drugTargetAnnot</i>
-----------------	------------------------

Description

Function to query known drug-target annotations.

Usage

```
drugTargetAnnot(queryBy=list(molType=NULL, idType=NULL, ids=NULL), cmpid_file=file.path(config$resul
```

Arguments

queryBy A list defining the query, as described in [queryBy](#).
cmpid_file Path to a compound ID mapping file, generated by [cmpIdMapping](#).
config General configuration. See [genConfig](#).

Value

Returns the query results as a data frame.

Author(s)

Thomas Girke

See Also

[queryBy cmpIdMapping](#)

Examples

```
# These are just sample files included in the package.
# You should use your own data files.
config = genConfig(chemblDbPath=
  system.file("extdata", "chembl_sample.db", package="drugTargetInteractions"),
  resultsPath =
  system.file("extdata", "results", package="drugTargetInteractions"))

queryBy <- list(molType="cmp", idType="chembl_id", ids=c("CHEMBL1233058", "CHEMBL1200916", "CHEMBL437765"))
result <- drugTargetAnnot(queryBy, config=config)
```

drugTargetAnnotTable *drugTargetAnnotTable*

Description

Generates a drug target annotation TSV file. This file includes target information from ChEMBL, drugbank, pubchem, and chembi.

This function requires the ID mapping files "src1src2.txt.gz", "src1src22.txt.gz", and "src1src7.txt.gz" to exist in a directory called "downloads" before being run. These can be generated with the [downloadUniChem](#) function.

Usage

```
drugTargetAnnotTable(outfile, rerun=TRUE, config=genConfig())
```

Arguments

outfile	The name of the output file to write the results to.
rerun	If true, download and generate output file. Otherwise do nothing.
config	General configuration. See genConfig .

Value

Writes output file to outfile.

Author(s)

Thomas Girke

See Also

[downloadUniChem](#)

Examples

```
config = genConfig(chemblDbPath=  
system.file("extdata", "chembl_sample.db", package="drugTargetInteractions"))  
drugTargetAnnotTable(outfile="drugTargetAnnot.xls", config=config)
```

drugTargetBioactivity *drugTargetBioactivity*

Description

Function to query bioactivity data by target or compound ids

Usage

```
drugTargetBioactivity( queryBy=list(molType=NULL, idType=NULL, ids=NULL), cmpid_file=file.path(config
```

Arguments

queryBy	A list defining the query, as described in queryBy .
cmpid_file	Path to a compound ID mapping file, generated by cmpIdMapping .
config	General configuration. See genConfig .

Value

Returns results as a data frame.

Author(s)

Thomas Girke

See Also

[queryBy](#) [cmpIdMapping](#)

Examples

```
config = genConfig(chemblDbPath=
system.file("extdata", "chembl_sample.db", package="drugTargetInteractions"),
  resultsPath =
system.file("extdata", "results", package="drugTargetInteractions"))
```

```
queryBy <- list(molType="protein", idType="uniprot", ids=c("P05979", "P35354", "P33033", "Q8VCT3", "P29475", "P5
result <- drugTargetBioactivity( queryBy, config=config)
```

```
queryBy <- list(molType="cmp", idType="molregno", ids=c("101036", "101137", "1384464"))
result <- drugTargetBioactivity( queryBy, config=config)
```

```
queryBy <- list(molType="cmp", idType="DrugBank_ID", ids=c("DB00945", "DB00316", "DB01050"))
result <- drugTargetBioactivity(queryBy, config=config)
```

```
queryBy <- list(molType="cmp", idType="PubChem_ID", ids=c("2244", "3672", "1983"))
result <- drugTargetBioactivity(queryBy, config=config)
```

genConfig

genConfig

Description

Create a default configuration object.

Usage

```
genConfig( chemblDbPath = "chembl.db", downloadPath = "downloads", resultsPath = "results" )
```

Arguments

chemblDbPath	Path or filename of ChEMBL SQLite db file.
downloadPath	The name of a directory to put downloaded files in.
resultsPath	The name of a directory to put output files in.

Value

A config object that can be passed to their functions.

Author(s)

Kevin Horan

Examples

```
config = genConfig()
```

getDrugTarget	<i>getDrugTarget</i>
---------------	----------------------

Description

This function allows you to query a subset of the data fetched by [drugTargetAnnotTable](#).

Usage

```
getDrugTarget(dt_file=file.path(config$resultsPath,"drugTargetAnnot.xls"), queryBy=list(molType=NULL,
  id_mapping=c(chembl="chembl_id", pubchem="PubChem_ID", uniprot="UniProt_ID"), columns,config=genCon
```

Arguments

dt_file	The drug target annotation file. This can be generated with drugTargetAnnotTable .
queryBy	A list defining the query, as described in queryBy .
id_mapping	A list providing the id columns for ChEMBL, PubChem, and UniProt. It should contain the fields "chembl", "pubchem", and "uniprot", each with the column name of the respective id number in the drug target annotation file. See default value above for an example.
columns	A list of column indexes to select as a subset of the final result set.
config	General configuration. See genConfig .

Value

Returns the query result as a data frame.

Author(s)

Thomas Girke

See Also

[drugTargetAnnotTable](#)

Examples

```
config = genConfig(chemblDbPath=
system.file("extdata", "chembl_sample.db", package="drugTargetInteractions"),
  resultsPath =
system.file("extdata", "results", package="drugTargetInteractions"))
id_mapping <- c(chembl="chembl_id", pubchem="PubChem_ID", uniprot="UniProt_ID", drugbank="DrugBank_ID")

queryBy <- list(molType="cmp", idType="chembl", ids=c("CHEMBL25", "CHEMBL1742471"))
getDrugTarget(queryBy=queryBy, id_mapping=id_mapping,
  columns=c(1,5,8,16,17),config=config)
```

```
queryBy <- list(molType="cmp", idType="pubchem", ids=c("2244", "65869", "2244"))
getDrugTarget(queryBy=queryBy, id_mapping=id_mapping,
columns=c(1,5,8,16,17),config=config)

queryBy <- list(molType="protein", idType="uniprot", ids=c("P43166", "P00915", "P43166"))
getDrugTarget(queryBy=queryBy, id_mapping=id_mapping,
columns=c(1,5,8,16,17),config=config)
```

getParalogs

getParalogs

Description

Using biomaRt, obtain for query genes the corresponding UniProt IDs as well as paralogs. Query genes can be Gene Names or ENSEMBL Gene IDs from H sapiens. The result is similar to IDMs and SSNNs from [getUniprotIDs](#) function, but instead of UNIREF clusters, biomaRt's paralogs are used to obtain SSNNs.

Usage

```
getParalogs(queryBy)
```

Arguments

queryBy A list defining the query, as described in [queryBy](#).

Value

Returns a list with the paralogs for the given genes.

Author(s)

Thomas Girke

See Also

[getUniprotIDs](#) [queryBy](#)

Examples

```
queryBy <- list(molType="gene", idType="external_gene_name", ids=c("ZBPB", "MAPK1", "EGFR"))

#requires network connection and is slow
result <- getParalogs(queryBy)
```

getSymEnsUp *Gene to Protein ID Mappings*

Description

The getSymEnsUp function returns for a query of gene or protein IDs a mapping table containing: ENSEMBL Gene IDs, Gene Names/Symbols, UniProt IDs and ENSEMBL Protein IDs. Subsequent slots contain the corresponding named character vectors. Internally, the function uses the ensemblDb package.

Usage

```
getSymEnsUp(EnsDb = "EnsDb.Hsapiens.v86", ids, idtype)
```

Arguments

EnsDb	EnsDb instance of ensemblDb package
ids	Character vector with IDs matching the type specified under idtype
idtype	Character vector of length one containing one of: GENE_NAME, ENSEMBL_GENE_ID or UNIPROT_ID

Value

List object with following components:

idDF	ID mapping data.frame
ens_gene_id	named character vector
up_ens_id	named character vector
up_gene_id	named character vector

Author(s)

Thomas Girke

Examples

```
gene_name <- c("CA7", "CFTR")
getSymEnsUp(EnsDb="EnsDb.Hsapiens.v86", ids=gene_name, idtype="GENE_NAME")
```

getUniprotIDs

Retrieve UniProt IDs via ID and Cluster Mappings

Description

The following returns for a set of query IDs (e.g. Ensembl gene IDs) the corresponding UniProt IDs based on two independent approaches: ID mappings (IDMs) and sequence similarity nearest neighbors (SSNNs) using UNIREF clusters. Note, the 'keys' or query IDs (e.g. ENSEMBL genes) can only be reliably maintained in the SSNN results when 'chunksize=1' since batch queries for protein clusters with 'UnitProt.ws' will often drop the query IDs. To address this, the query result contains an extra 'QueryID' column when 'chunksize=1', but not when it is set to a different value than 1.

The [getParalogs](#) function is similar but it uses biomaRt's paralogs instead of UNIREF clusters.

Usage

```
getUniprotIDs(taxId = 9606, kt = "ENSEMBL", keys, seq_cluster = "UNIREF90", chunksize=20)
```

Arguments

taxId	An NCBI taxonomy ID
kt	Should be either "ENSEMBL" or "UNIPROTKB".
keys	Query IDs.
seq_cluster	Which cluster to use. Should be one of 'UNIREF100', 'UNIREF90', 'UNIREF50'.
chunksize	Queries are done in batches, this parameter sets the size of each batch.

Value

Returns a list of data.

Author(s)

Thomas Girke

See Also

[getParalogs UniProt.ws](#)

Examples

```
keys <- c("ENSG00000145700", "ENSG00000135441", "ENSG00000120071", "ENSG00000120088", "ENSG00000185829", "ENSG00000120071")
res_list100 <- getUniprotIDs(taxId=9606, kt="ENSEMBL", keys=keys, seq_cluster="UNIREF100")
```

processDrugage	<i>processDrugage</i>
----------------	-----------------------

Description

Download Drug Age data from genomics.senescence.info/drugs. Process the data and write it out as a TSV spreadsheet.

Usage

```
processDrugage(drugagefile=file.path(config$resultsPath,"drugage_id_mapping.xls"), redownloaddrugage
```

Arguments

`drugagefile` The name of the output file.
`redownloaddrugage`
 If true, download the data file. Otherwise assume the file is already downloaded.
`config` General configuration. See [genConfig](#).

Value

Output is written to `drugagefile`.

Author(s)

Thomas Girke

Examples

```
tryCatch({  
  config = genConfig(chemblDbPath=  
    system.file("extdata", "chembl_sample.db", package="drugTargetInteractions"))  
  processDrugage("drugage_id_mapping.xls", TRUE, config)  
},  
error=function(e){  
  message("Failed to run processDrugage(), please try again later")  
}  
)
```

```
runDrugTarget_Annot_Bioassay  
  runDrugTarget_Annot_Bioassay
```

Description

Meta-function to obtain in one step both drug-target annotation and bioassay data.

Usage

```
runDrugTarget_Annot_Bioassay(res_list, up_col_id="ID", ens_gene_id, cmpid_file=file.path(config$resu
```

Arguments

res_list	Object obtained from getUniprotIDs function.
up_col_id	Column name in data.frames of res_list containing uniprot IDs, usually one of: 'ID', 'ID_up_sp' or 'ID_up_sp_tr'.
ens_gene_id	Named character vector with ENSEMBL gene IDs in name slot and gene symbols or other ID type in value slot
cmpid_file	Path to CMP ID mapping file, often named cmp_ids.rds.
config	General configuration. See genConfig .
...	Slot to pass on additional arguments.

Value

List with two components each containing a data.frame. The first one (Annotation) contains drug-target annotation data, and the second one (Bioassay) contains drug-target bioassay data.

Author(s)

Thomas Girke

References

References to be added...

See Also

See also: drugTargetAnnot and drugTargetBioactivity

Examples

```
config = genConfig(chemblDbPath=
system.file("extdata", "chembl_sample.db", package="drugTargetInteractions"),
  resultsPath =
system.file("extdata", "results", package="drugTargetInteractions"))

## (1) Translate gene symbols to ENSEMBL gene IDs
ensembl_gene_id <- c("ENSG0000001626", "ENSG00000168748")
idMap <- getSymEnsUp(EnsDb="EnsDb.Hsapiens.v86", ids=ensembl_gene_id, idtype="ENSEMBL_GENE_ID")
ens_gene_id <- idMap$sens_gene_id

## (2a) Retrieve UniProt IDs with both IDMs and SSNN paralogs
queryBy <- list(molType="gene", idType="ensembl_gene_id", ids=names(ens_gene_id))

#this function is slow and requires a network connection
res_list <- getParalogs(queryBy)

## (3) Obtain Drug-Target Annotation and Bioassay Data
drug_target_list <- runDrugTarget_Annot_Bioassay(res_list=res_list,
up_col_id="ID_up_sp", ens_gene_id,config=config )
```

transformTTD

transformTTD

Description

Integration with Therapeutic Target Database (TTD). This function downloads a data file from idrblab.org and returns it as a data frame.

Usage

```
transformTTD(ttdfile=file.path(config$downloadPath,"TTD_IDs.txt"), redownloadTTD=TRUE,config=genConf
```

Arguments

ttdfile	The name of the output file to write the downloaded file to.
redownloadTTD	If true, data file will be downloaded again. If false, we assume the file already exists at ttdfile.
config	General configuration. See genConfig .

Value

Returns a data frame with TTD data in it.

Author(s)

Thomas Girke

Examples

```
ttd=tryCatch(  
  transformTTD(),  
  error=function(e){  
    message("Failed to download TTD file, please try again later")  
  }  
)
```

Index

- * **package**
 - drugTargetInteractions-package, [2](#)
- * **utilities**
 - getSymEnsUp, [11](#)
 - runDrugTarget_Annot_Bioassay, [14](#)
- cmpIdMapping, [3](#), [5–7](#)
- downloadChemblDb, [4](#)
- downloadUniChem, [3](#), [4](#), [6](#), [7](#)
- drugTargetAnnot, [3](#), [5](#)
- drugTargetAnnotTable, [5](#), [6](#), [9](#)
- drugTargetBioactivity, [7](#)
- drugTargetInteractions
 - (drugTargetInteractions-package), [2](#)
- drugTargetInteractions-package, [2](#)
- genConfig, [3](#), [5–7](#), [8](#), [9](#), [13–15](#)
- getDrugTarget, [9](#)
- getParalogs, [10](#), [12](#)
- getSymEnsUp, [11](#)
- getUniprotIDs, [10](#), [12](#)
- processDrugage, [13](#)
- queryBy, [5–7](#), [9](#), [10](#)
- queryBy (drugTargetAnnot), [5](#)
- runDrugTarget_Annot_Bioassay, [14](#)
- transformTTD, [15](#)
- UniProt.ws, [12](#)